



# Radiation Measurement Results of 148 Items in October 2013



When samples include natural radionuclides we can't deny the possibility of their radiation value counted together in our results.

The list below only shows the measurement results of the samples brought in.

Radioactive contamination level may differ according to sampling points even within the same address.

(Bq/Kg)

Name of Sample	Sampling Point	Sampling Month	Measurement Result		Uncertainty	Total Amount of Cesium	Minimum Limit of Detection	
Brown Rice	Fukushima	unknown	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	3.5
			Cs134	2.1	$\pm 2.1$		Cs134	3.2
Brown Rice	Onahamaohara, Iwaki	Oct-13	Cs137	1.3	$\pm 2.3$	Under Minimum Limit of Detection	Cs137	3.5
			Cs134	1.3	$\pm 2.1$		Cs134	3.2
Brown Rice	Onahamaohara, Iwaki	Oct-13	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	3.0
			Cs134	1.7	$\pm 2.1$		Cs134	3.2
Brown Rice	Miyamada, Tono, Iwaki	Sep-13	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	3.5
			Cs134	1.4	$\pm 2.0$		Cs134	3.2
Brown Rice	Ishizuka, Iwaki	Sep-13	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	3.8
			Cs134	1.4	$\pm 2.2$		Cs134	3.5
Brown Rice	Ishizuka, Iwaki	Sep-13	Cs137	1.4	$\pm 2.2$	Under Minimum Limit of Detection	Cs137	3.3
			Cs134	0.0	$\pm 0.0$		Cs134	3.0
Brown Rice	Jobanfujiwara, Iwaki	Sep-13	Cs137	1.3	$\pm 1.6$	Under Minimum Limit of Detection	Cs137	2.5
			Cs134	0.0	$\pm 0.0$		Cs134	2.3
Brown Rice	Watanabe, Iwaki	Sep-13	Cs137	1.8	$\pm 2.3$	Under Minimum Limit of Detection	Cs137	3.7
			Cs134	0.0	$\pm 0.0$		Cs134	3.3
Brown Rice	Katono, Tono, Iwaki	Sep-13	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	2.7
			Cs134	0.0	$\pm 0.0$		Cs134	2.5
Brown Rice	Yamada, Iwaki	Sep-13	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	2.7
			Cs134	1.4	$\pm 1.6$		Cs134	2.4
Brown Rice	Akai, Taira, Iwaki	Sep-13	Cs137	2.2	$\pm 2.4$	Under Minimum Limit of Detection	Cs137	3.6
			Cs134	0.0	$\pm 0.0$		Cs134	3.3
Brown Rice	Miyamada, Tono, Iwaki	Sep-13	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	3.7
			Cs134	0.0	$\pm 0.0$		Cs134	3.4
Brown Rice	Ohisa, Ohisa, Iwaki	Oct-13	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	3.6
			Cs134	0.0	$\pm 0.0$		Cs134	3.4
Brown Rice	Onahamaohara, Iwaki	Oct-13	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	3.7
			Cs134	1.8	$\pm 2.2$		Cs134	3.4
Brown Rice	Ogawa, Iwaki	Oct-13	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	3.7
			Cs134	2.0	$\pm 2.1$		Cs134	3.3
Brown Rice	Aizu, Iwaki	Nov-11	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	2.8
			Cs134	1.5	$\pm 1.6$		Cs134	2.5
Brown Rice	Kubota, Nakoso, Iwaki	Oct-13	Cs137	2.9	$\pm 1.8$	2.9	Cs137	2.7
			Cs134	1.2	$\pm 1.5$		Cs134	2.4
Brown Rice	Kubota, Nakoso, Iwaki	Oct-13	Cs137	8.8	$\pm 3.0$	8.8	Cs137	3.6
			Cs134	0.0	$\pm 0.0$		Cs134	3.2
Brown Rice	Kubota, Nakoso, Iwaki	Oct-13	Cs137	4.9	$\pm 2.5$	4.9	Cs137	3.7
			Cs134	0.0	$\pm 0.0$		Cs134	3.5

Name of Sample	Sampling Point	Sampling Month	Measurement Result		Uncertainty	Total Amount of Cesium	Minimum Limit of Detection	
Brown Rice	Taira, Iwaki	Oct-13	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	2.7
			Cs134	1.5	$\pm 1.5$		Cs134	2.4
Brown Rice	Ueda, Iwaki	Oct-13	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	3.6
			Cs134	0.0	$\pm 0.0$		Cs134	3.4
Brown Rice	Miyagi	Oct-13	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	2.8
			Cs134	1.4	$\pm 1.6$		Cs134	2.5
Brown Rice	Yamada, Iwaki	Sep-13	Cs137	3.1	$\pm 1.4$	3.1	Cs137	1.8
			Cs134	1.0	$\pm 1.1$		Cs134	1.7
Brown Rice	Kubota, Nakoso, Iwaki	Oct-13	Cs137	3.8	$\pm 1.4$	5.5	Cs137	1.8
			Cs134	1.7	$\pm 1.1$		Cs134	1.6
Brown Rice	Kubota, Nakoso, Iwaki	Oct-13	Cs137	3.8	$\pm 1.5$	5.1	Cs137	1.9
			Cs134	1.3	$\pm 1.1$		Cs134	1.7
Brown Rice	Kubota, Nakoso, Iwaki	Oct-13	Cs137	2.9	$\pm 1.5$	4.4	Cs137	2.2
			Cs134	1.5	$\pm 1.3$		Cs134	2.0
Brown Rice	Magarida, Nakoso, Iwaki	Sep-13	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	2.7
			Cs134	1.2	$\pm 1.6$		Cs134	2.4
Brown Rice	Ayanouchi, Nishiki, Iwaki	Sep-13	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	3.7
			Cs134	0.0	$\pm 0.0$		Cs134	3.4
Brown Rice	Magarida, Nakoso, Iwaki	Oct-13	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	3.7
			Cs134	0.0	$\pm 0.0$		Cs134	3.4
Brown Rice	Akai, Taira, Iwaki	Oct-13	Cs137	1.5	$\pm 1.9$	Under Minimum Limit of Detection	Cs137	2.8
			Cs134	1.6	$\pm 1.7$		Cs134	2.6
Brown Rice	Tomitsu, Kimizu, Chiba	Oct-13	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	3.8
			Cs134	0.0	$\pm 0.0$		Cs134	3.5
Glutinous rice (brown rice)	Watanabe, Iwaki	Sep-13	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	3.6
			Cs134	0.0	$\pm 0.0$		Cs134	3.3
Glutinous rice (brown rice)	Yamada, Iwaki	Sep-13	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	3.7
			Cs134	0.0	$\pm 0.0$		Cs134	3.4
Glutinous rice (brown rice with paddy)	Magarida, Nakoso, Iwaki	Sep-13	Cs137	1.8	$\pm 2.3$	Under Minimum Limit of Detection	Cs137	3.4
			Cs134	2.0	$\pm 2.0$		Cs134	3.2
Rice	Hobara, Date, Fukushima	Oct-12	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	3.7
			Cs134	0.0	$\pm 0.0$		Cs134	3.3
Rice	Hanazawa, Yamagata	Oct-13	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	2.7
			Cs134	1.4	$\pm 1.6$		Cs134	2.5
Rice	Nakoso, Iwaki	Oct-13	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	3.4
			Cs134	1.3	$\pm 1.9$		Cs134	3.1
Rice	Matsukawa, Furudono, Ishikawa, Fukushima	Oct-13	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	3.6
			Cs134	1.3	$\pm 2.0$		Cs134	3.2
Rice	Ogawa, Iwaki	Oct-13	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	3.6
			Cs134	0.0	$\pm 0.0$		Cs134	3.3
Rice	Nasushiobara, Tochigi	Oct-13	Cs137	2.1	$\pm 2.4$	Under Minimum Limit of Detection	Cs137	3.8
			Cs134	0.0	$\pm 0.0$		Cs134	3.5
Rice	Uwadaira, Ogawa, Iwaki	Oct-13	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	2.9
			Cs134	1.6	$\pm 1.7$		Cs134	2.6
Rice	Furudono, Ishikawa, Fukushima	Oct-13	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	3.5
			Cs134	0.0	$\pm 0.0$		Cs134	3.2

Name of Sample	Sampling Point	Sampling Month	Measurement Result		Uncertainty	Total Amount of Cesium	Minimum Limit of Detection	
Rice	Tochigi	Oct-13	Cs137	2.1	$\pm 2.3$	Under Minimum Limit of Detection	Cs137	3.7
			Cs134	0.0	$\pm 0.0$		Cs134	3.3
Rice	Onahama, Iwaki	Oct-13	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	3.5
			Cs134	0.0	$\pm 0.0$		Cs134	3.1
Rice	Jyobanfujiwara, Iwaki	Sep-13	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	3.5
			Cs134	0.0	$\pm 0.0$		Cs134	3.2
Rice	Niigata	Oct-13	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	3.7
			Cs134	0.0	$\pm 0.0$		Cs134	3.5
Rice	Watanabe, Iwaki	Oct-13	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	3.6
			Cs134	0.0	$\pm 0.0$		Cs134	3.3
Rice	Tochigi	Oct-13	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	3.6
			Cs134	0.0	$\pm 0.0$		Cs134	3.4
Rice	Yamatama, Iwaki	Sep-13	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	3.6
			Cs134	2.0	$\pm 2.1$		Cs134	3.4
Rice	Yamatama, Iwaki	Sep-13	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	3.7
			Cs134	0.0	$\pm 0.0$		Cs134	3.4
Rice	Kitakata	Oct-13	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	3.5
			Cs134	0.0	$\pm 0.0$		Cs134	3.3
Rice	Nakoso, Iwaki	Oct-13	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	3.7
			Cs134	1.6	$\pm 2.2$		Cs134	3.5
Rice	Kamiogawa, Ogawa, Iwaki	Oct-13	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	3.6
			Cs134	1.5	$\pm 2.0$		Cs134	3.2
Rice	Kamiogawa, Ogawa, Iwaki	Oct-13	Cs137	1.1	$\pm 1.7$	Under Minimum Limit of Detection	Cs137	2.6
			Cs134	0.0	$\pm 0.0$		Cs134	2.4
Rice	Shimoogoe, Taira, Iwaki	Oct-13	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	3.5
			Cs134	1.5	$\pm 2.0$		Cs134	3.2
Rice	Bora, Watanabe, Iwaki	Sep-13	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	3.7
			Cs134	0.0	$\pm 0.0$		Cs134	3.3
Rice	Soeno, Iwaki	Oct-13	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	3.3
			Cs134	0.0	$\pm 0.0$		Cs134	3.0
Rice	Onahamasumiyoshi, Iwaki	Sep-13	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	3.8
			Cs134	0.0	$\pm 0.0$		Cs134	3.6
Rice	Komoda, Kashima, Iwaki	Oct-13	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	3.7
			Cs134	1.7	$\pm 2.1$		Cs134	3.3
Rice	Fukushima	Oct-12	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	3.7
			Cs134	0.0	$\pm 0.0$		Cs134	3.5
Rice	Tomitsu, Kimizu, Chiba	Oct-13	Cs137	1.5	$\pm 2.4$	Under Minimum Limit of Detection	Cs137	3.8
			Cs134	0.0	$\pm 0.0$		Cs134	3.4
Rice(washed)	Kamiarakawa, Taira, Iwaki	Oct-13	Cs137	2.1	$\pm 2.2$	Under Minimum Limit of Detection	Cs137	3.5
			Cs134	0.0	$\pm 0.0$		Cs134	3.2
Konjac	Yamatama, Iwaki	Oct-13	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	3.2
			Cs134	0.0	$\pm 0.0$		Cs134	3.0
Japanese white radish	Ohisa, Ohisa, Iwaki	Oct-13	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	3.7
			Cs134	0.0	$\pm 0.0$		Cs134	3.3
Japanese white radish	Yamayama, Yostukura, Iwaki	Oct-13	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	5.2
			Cs134	2.0	$\pm 3.1$		Cs134	4.8

Name of Sample	Sampling Point	Sampling Month	Measurement Result		Uncertainty	Total Amount of Cesium	Minimum Limit of Detection	
Chinese cabbage	Onahamakamikajiro, Iwaki	Oct-13	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	4.7
			Cs134	0.0	$\pm 0.0$		Cs134	4.2
Chinese cabbage	Furudono, Ishikawa, Fukushima	Oct-13	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	3.6
			Cs134	0.0	$\pm 0.0$		Cs134	3.4
Pumpkin	Nishiki, Iwaki	Oct-13	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	3.2
			Cs134	0.0	$\pm 0.0$		Cs134	2.9
Pumpkin	Kamiamaguti, Taira, Iwaki	Oct-13	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	4.0
			Cs134	1.4	$\pm 2.4$		Cs134	3.6
Japanese ginger	Nishiki, Iwaki	Oct-13	Cs137	2.9	$\pm 3.3$	Under Minimum Limit of Detection	Cs137	5.1
			Cs134	0.0	$\pm 0.0$		Cs134	4.6
Japanese ginger	Izumisaki, Taira, Iwaki	Oct-13	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	3.7
			Cs134	0.0	$\pm 0.0$		Cs134	3.4
Cabbage	Tamayama, Yotsukura, Iwaki	Oct-13	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	4.7
			Cs134	2.0	$\pm 2.8$		Cs134	4.3
Tomato	Nakashio, Taira, Iwaki	Sep-13	Cs137	1.5	$\pm 2.0$	Under Minimum Limit of Detection	Cs137	3.2
			Cs134	0.0	$\pm 0.0$		Cs134	2.9
Burdock	Kubo, Kashima, Iwaki	Oct-13	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	4.8
			Cs134	0.0	$\pm 0.0$		Cs134	4.3
Qing-geng-cai	Kubo, Kashima, Iwaki	Oct-13	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	4.3
			Cs134	0.0	$\pm 0.0$		Cs134	3.9
Green onion	Onahamaohara, Iwaki	Sep-13	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	4.9
			Cs134	0.0	$\pm 0.0$		Cs134	4.4
Taro	Onahamaohara, Iwaki	Oct-13	Cs137	2.4	$\pm 3.2$	Under Minimum Limit of Detection	Cs137	5.0
			Cs134	0.0	$\pm 0.0$		Cs134	4.5
Taro	Nakashio, Taira, Iwaki	Oct-13	Cs137	2.3	$\pm 3.4$	Under Minimum Limit of Detection	Cs137	5.3
			Cs134	0.0	$\pm 0.0$		Cs134	5.0
Taro	Onahamakamikajiro, Iwaki	Oct-13	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	2.8
			Cs134	1.3	$\pm 1.7$		Cs134	2.5
Purple sweet potato	Nakashio, Taira, Iwaki	Oct-13	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	4.2
			Cs134	2.0	$\pm 2.5$		Cs134	3.8
Perilla (seed, leaves)	Onahamashimokajiro, Iwaki	Oct-13	Cs137	22.9	$\pm 11.7$	34.7	Cs137	16.6
			Cs134	11.8	$\pm 9.5$		Cs134	15.0
Buckwheat seed	Shimoyamaguti, Taira, Iwaki	Oct-13	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	5.5
			Cs134	2.2	$\pm 3.2$		Cs134	4.9
Edible Chrysanthemum	Nishiki, Iwaki	Oct-13	Cs137	2.5	$\pm 2.6$	Under Minimum Limit of Detection	Cs137	4.0
			Cs134	0.0	$\pm 0.0$		Cs134	3.6
Walnut	Kitayoshima, Yoshima, Iwaki	Oct-13	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	8.4
			Cs134	0.0	$\pm 0.0$		Cs134	7.8
Blueberry	Nakashio, Taira, Iwaki	Sep-13	Cs137	2.3	$\pm 2.9$	Under Minimum Limit of Detection	Cs137	4.6
			Cs134	0.0	$\pm 0.0$		Cs134	4.3
Garden huckleberry jam	Nakashio, Taira, Iwaki	Sep-13	Cs137	0.2	$\pm 1.1$	Under Minimum Limit of Detection	Cs137	2.5
			Cs134	1.5	$\pm 2.5$		Cs134	3.1
Salted plum with salt removed (without seed)	Nakashio, Taira, Iwaki	Jun-13	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	3.2
			Cs134	0.0	$\pm 0.0$		Cs134	3.0
Salted plum (with seed)	Yamada, Iwaki	Jun-13	Cs137	20.1	$\pm 5.1$	29.7	Cs137	3.4
			Cs134	9.6	$\pm 3.0$		Cs134	3.2

Name of Sample	Sampling Point	Sampling Month	Measurement Result		Uncertainty	Total Amount of Cesium	Minimum Limit of Detection	
Ginkgo	Kashima, Iwaki	Oct-13	Cs137	71.1	$\pm 15.2$	102.1	Cs137	4.1
			Cs134	31.0	$\pm 7.2$		Cs134	3.7
Ginkgo(pulp)	Kashima, Iwaki	Oct-13	Cs137	60.0	$\pm 14.8$	80.3	Cs137	9.9
			Cs134	20.3	$\pm 7.3$		Cs134	8.8
Ginkgo(seed)	Kashima, Iwaki	Oct-13	Cs137	87.6	$\pm 26.9$	120.6	Cs137	27.3
			Cs134	33.0	$\pm 16.6$		Cs134	25.6
Kiwi	Kubo, Kashima, Iwaki	Oct-13	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	3.4
			Cs134	1.4	$\pm 2.1$		Cs134	3.2
Kiwi	Kubo, Kashima, Iwaki	Oct-13	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	3.4
			Cs134	0.0	$\pm 0.0$		Cs134	3.2
Akebi (with seed and peel)	Kamiyamaguchi, Taira, Iwaki	Oct-13	Cs137	2.0	$\pm 2.4$	Under Minimum Limit of Detection	Cs137	3.6
			Cs134	1.3	$\pm 2.2$		Cs134	3.3
Oldham blueberry (pulp)	Chuodaiino, Iwaki	Oct-13	Cs137	3.4	$\pm 1.8$	7.2	Cs137	2.5
			Cs134	3.8	$\pm 1.7$		Cs134	2.3
Citron	Yamatama, Iwaki	Oct-13	Cs137	19.0	$\pm 4.9$	30.1	Cs137	3.3
			Cs134	11.1	$\pm 3.2$		Cs134	3.0
Japanese pear	Iwaki	Oct-13	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	3.7
			Cs134	0.0	$\pm 0.0$		Cs134	3.4
Chestnut	Yamada, Iwaki	Oct-13	Cs137	1.5	$\pm 2.4$	Under Minimum Limit of Detection	Cs137	3.8
			Cs134	0.0	$\pm 0.0$		Cs134	3.1
Chestnut	Ena, Iwaki	Oct-13	Cs137	7.0	$\pm 2.9$	13.7	Cs137	3.3
			Cs134	6.7	$\pm 2.5$		Cs134	3.0
Chestnut	Kawauchi, Futaba	Oct-13	Cs137	26.0	$\pm 8.7$	37.5	Cs137	9.9
			Cs134	11.5	$\pm 6.0$		Cs134	9.1
Chestnut	Ishimori, Iwaki	Sep-13	Cs137	22.8	$\pm 6.3$	38.6	Cs137	5.4
			Cs134	15.8	$\pm 4.7$		Cs134	5.0
Chestnut	Ogawa, Iwaki	Oct-13	Cs137	210.0	$\pm 42.0$	300.6	Cs137	6.7
			Cs134	90.6	$\pm 18.8$		Cs134	5.6
Persimmon	Nakakabeya, Taira, Iwaki	Oct-13	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	3.5
			Cs134	0.0	$\pm 0.0$		Cs134	3.2
Persimmon	Kamiyamaguchi, Taira, Iwaki	Oct-13	Cs137	11.1	$\pm 3.7$	19.0	Cs137	3.7
			Cs134	7.9	$\pm 2.8$		Cs134	3.3
Persimmon	Uchigotakasaka, Iwaki	Oct-13	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	3.8
			Cs134	1.5	$\pm 2.2$		Cs134	3.5
Persimmon	Shimoyoshima, Yoshima, Iwaki	Oct-13	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	3.2
			Cs134	0.0	$\pm 0.0$		Cs134	2.9
Persimmon	Negoya, Ueda, Iwaki	Oct-13	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	3.9
			Cs134	1.9	$\pm 2.3$		Cs134	3.6
Persimmon	Negoya, Ueda, Iwaki	Oct-13	Cs137	2.0	$\pm 2.5$	Under Minimum Limit of Detection	Cs137	3.9
			Cs134	0.0	$\pm 0.0$		Cs134	3.5
Honey	Ohisa, Iwaki	Oct-13	Cs137	45.1	$\pm 10.1$	71.6	Cs137	3.7
			Cs134	26.5	$\pm 6.1$		Cs134	3.4
Saury fish ball	Hokkaido Sanriku	2013	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	7.2
			Cs134	0.0	$\pm 0.0$		Cs134	6.5
Char	Upstream of the Shitoki River	Sep-13	Cs137	71.8	$\pm 15.7$	109.8	Cs137	4.5
			Cs134	38.0	$\pm 8.6$		Cs134	4.1

Name of Sample	Sampling Point	Sampling Month	Measurement Result		Uncertainty	Total Amount of Cesium	Minimum Limit of Detection	
Octopus	Off the coast of Onahama	Oct-13	Cs137	3.0	$\pm 1.5$	5.8	Cs137	2.1
			Cs134	2.8	$\pm 1.4$		Cs134	1.9
School Lunch	Uchigo, Iwaki	Oct-13	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	3.1
			Cs134	0.0	$\pm 0.0$		Cs134	2.8
School Lunch	Uchigo, Iwaki	Oct-13	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	2.9
			Cs134	0.0	$\pm 0.0$		Cs134	2.6
School Lunch	Uchigo, Iwaki	Oct-13	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	2.7
			Cs134	1.3	$\pm 1.6$		Cs134	2.5
Miso	Samegawa, Higashishirakwa	Oct-12	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	3.3
			Cs134	0.0	$\pm 0.0$		Cs134	3.0
Miso	Fukushima, Fukushima	Oct-12	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	2.5
			Cs134	0.0	$\pm 0.0$		Cs134	2.5
Shiitake mushroom soup stock	Kagoshima	unknown	Cs137	1.0	$\pm 1.1$	Under Minimum Limit of Detection	Cs137	1.8
			Cs134	0.0	$\pm 0.0$		Cs134	1.6
Dried shiitake mushroom (reconstituted in water)	Kagoshima	unknown	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	2.5
			Cs134	0.0	$\pm 0.0$		Cs134	2.3
Jersey cow mushroom (boiled)	Samegawa, Higashishirakwa	Oct-13	Cs137	2.5	$\pm 3.3$	Under Minimum Limit of Detection	Cs137	4.9
			Cs134	5.1	$\pm 2.8$		Cs134	4.4
Ipponsimeji mushroom	Miwa, Iwaki	Oct-13	Cs137	229.0	$\pm 46.0$	342.0	Cs137	6.5
			Cs134	113.0	$\pm 23.0$		Cs134	5.9
Ipponsimeji mushroom	Kamiogawa, Ogawa, Iwaki	Oct-13	Cs137	54.2	$\pm 12.7$	72.4	Cs137	6.7
			Cs134	18.2	$\pm 5.4$		Cs134	5.5
Simeji mushroom	Kamiyamagushi, Taira, Iwaki	Oct-13	Cs137	154.0	$\pm 31.0$	217.0	Cs137	5.7
			Cs134	63.0	$\pm 13.4$		Cs134	4.6
Hatakesimeji mushroom	Kawauchi, Futaba	Oct-13	Cs137	68.0	$\pm 15.5$	103.0	Cs137	6.4
			Cs134	35.0	$\pm 8.5$		Cs134	5.9
Sakurasimeji mushroom	Kamiogawa, Ogawa, Iwaki	Oct-13	Cs137	1960.0	$\pm 390.0$	2924.0	Cs137	3.4
			Cs134	964.0	$\pm 193.0$		Cs134	3.0
Sasasimeji mushroom	Onahama minamitomioka, Iwaki	Oct-13	Cs137	313.0	$\pm 63.0$	474.0	Cs137	5.9
			Cs134	161.0	$\pm 32.0$		Cs134	5.3
Sakurasimeji mushroom(boiled)	Ishimori, Iwaki	Sep-13	Cs137	19.8	$\pm 5.6$	28.2	Cs137	5.0
			Cs134	8.4	$\pm 3.2$		Cs134	4.0
Koutake mushroom	Onigajyo, Castle	Oct-13	Cs137	287.0	$\pm 57.0$	386.1	Cs137	9.4
			Cs134	99.1	$\pm 21.2$		Cs134	7.5
Koutake mushroom	Kawauchi, Futaba	Oct-13	Cs137	4770.0	$\pm 950.0$	7140.0	Cs137	13.9
			Cs134	2370.0	$\pm 470.0$		Cs134	13.1
Koutake mushroom	Miwa, Iwaki	Oct-13	Cs137	272.0	$\pm 55.0$	379.0	Cs137	9.9
			Cs134	107.0	$\pm 23.0$		Cs134	8.9
Sisitake mushroom	Kamiogawa, Ogawa, Iwaki	Oct-13	Cs137	6550.0	$\pm 1310.0$	9740.0	Cs137	4.4
			Cs134	3190.0	$\pm 640.0$		Cs134	4.0
Sisitake mushroom	Kawauchi, Futaba	Oct-13	Cs137	3500.0	$\pm 700.0$	5000.0	Cs137	11.0
			Cs134	1500.0	$\pm 300.0$		Cs134	8.6
Sisitake mushroom	Kawauchi, Futaba	Oct-13	Cs137	119.0	$\pm 26.0$	180.2	Cs137	7.3
			Cs134	61.2	$\pm 13.7$		Cs134	6.5
Sisitake mushroom (boiled)	Kawauchi, Futaba	Oct-13	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	4.0
			Cs134	0.0	$\pm 0.0$		Cs134	3.2

Name of Sample	Sampling Point	Sampling Month	Measurement Result		Uncertainty	Total Amount of Cesium	Minimum Limit of Detection	
Kuritake mushroom	Miwa, Iwaki	Oct-13	Cs137	33.6	$\pm 11.0$	33.6	Cs137	14.0
			Cs134	0.0	$\pm 0.0$		Cs134	10.8
Kuritake mushroom	Samegawa, Higashishirakawa	Oct-13	Cs137	238.0	$\pm 48.0$	360.0	Cs137	6.3
			Cs134	122.0	$\pm 25.0$		Cs134	5.7
Kurokawa mushroom	Kamiogawa, Ogawa, Iwaki	Oct-13	Cs137	257.0	$\pm 51.0$	377.0	Cs137	4.5
			Cs134	120.0	$\pm 24.0$		Cs134	4.1
Hatsutake mushroom	Chuodaiino, Iwaki	Oct-13	Cs137	407.0	$\pm 81.0$	601.0	Cs137	7.6
			Cs134	194.0	$\pm 39.0$		Cs134	6.7
Haikaratengudake mushroom	Onigajyo, Castle	Oct-13	Cs137	13.1	$\pm 9.6$	13.1	Cs137	15.7
			Cs134	0.0	$\pm 0.0$		Cs134	12.4
Kurifuusentake mushroom	Onigajyo, Castle	Oct-13	Cs137	55.7	$\pm 17.4$	88.9	Cs137	18.4
			Cs134	33.2	$\pm 11.6$		Cs134	14.7
Oninaratake mushroom	Miwa, Iwaki	Oct-13	Cs137	727.0	$\pm 145.0$	1103.0	Cs137	19.4
			Cs134	376.0	$\pm 76.0$		Cs134	18.0
Numerisasatake mushroom	Miwa, Iwaki	Oct-13	Cs137	966.0	$\pm 193.0$	1447.0	Cs137	17.2
			Cs134	481.0	$\pm 96.0$		Cs134	15.6
Hanaiguti mushroom	Onigajyo, Castle	Oct-13	Cs137	60.6	$\pm 13.3$	92.2	Cs137	4.1
			Cs134	31.6	$\pm 7.2$		Cs134	3.7
Maitake mushroom	Kawauchi, Futaba	Oct-13	Cs137	34.1	$\pm 9.0$	55.5	Cs137	6.5
			Cs134	21.4	$\pm 6.1$		Cs134	6.1
Akahatsu mushroom	Chuodaiino, Iwaki	Oct-13	Cs137	33.2	$\pm 14.6$	33.2	Cs137	21.1
			Cs134	0.0	$\pm 0.0$		Cs134	16.5
Stream water	Iritono, Tono, Iwaki	Sep-13	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	1.9
			Cs134	0.0	$\pm 0.0$		Cs134	1.7
Tap water	Izumigaoka, Iwaki	Oct-13	Cs137	0.0	$\pm 0.0$	Under Minimum Limit of Detection	Cs137	1.7
			Cs134	0.0	$\pm 0.0$		Cs134	1.5
Tap water	Nakaoka, Iwaki	Oct-13	Cs137	0.8	$\pm 1.2$	Under Minimum Limit of Detection	Cs137	1.8
			Cs134	0.0	$\pm 0.0$		Cs134	1.7