



Radiation Measurement Results of 82 Items in May



When samples include natural radionuclides we can't deny the possibility of their radiation value counted together in our results.

The list below only shows the measurement results of the samples brought in.

Radioactive contamination level may differ according to sampling points even within the same address.

★Gamma-ray

(Bq/Kg raw:Weight of raw sample Bq/Kg dry:Weight of dried sample)

Samples	Sampling Point	Sampling Month	Measurement Result		Uncertainty		Total Amount of Cesium	Minimum Limit of Detection	
Brown rice	Hokkaidou	2015	Cs137	— Bq/Kg raw	±	— Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.1 Bq/Kg raw
			Cs134	— Bq/Kg raw	±	— Bq/Kg raw		Cs134	1.0 Bq/Kg raw
Polished rice	Akita	2015	Cs137	— Bq/Kg raw	±	— Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.7 Bq/Kg raw
			Cs134	— Bq/Kg raw	±	— Bq/Kg raw		Cs134	1.5 Bq/Kg raw
Polished rice	Uonuma, Niigata	2015	Cs137	— Bq/Kg raw	±	— Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.2 Bq/Kg raw
			Cs134	— Bq/Kg raw	±	— Bq/Kg raw		Cs134	1.1 Bq/Kg raw
Polished rice	Niigata	2015	Cs137	— Bq/Kg raw	±	— Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.0 Bq/Kg raw
			Cs134	— Bq/Kg raw	±	— Bq/Kg raw		Cs134	1.0 Bq/Kg raw
Polished rice	Kumamoto	2015	Cs137	— Bq/Kg raw	±	— Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.3 Bq/Kg raw
			Cs134	— Bq/Kg raw	±	— Bq/Kg raw		Cs134	1.2 Bq/Kg raw
Bamboo shoots(raw)	Shizuoka	May-16	Cs137	— Bq/Kg raw	±	— Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.0 Bq/Kg raw
			Cs134	— Bq/Kg raw	±	— Bq/Kg raw		Cs134	1.0 Bq/Kg raw
Bamboo shoots(raw)	Taira, Iwaki	Apr-16	Cs137	3.7 Bq/Kg raw	±	1.1 Bq/Kg raw	3.7	Cs137	1.2 Bq/Kg raw
			Cs134	— Bq/Kg raw	±	— Bq/Kg raw		Cs134	1.1 Bq/Kg raw
Bamboo shoots(boiled)	Hitachi, Ibaraki	May-16	Cs137	11.9 Bq/Kg raw	±	3.8 Bq/Kg raw	11.9	Cs137	1.0 Bq/Kg raw
			Cs134	— Bq/Kg raw	±	— Bq/Kg raw		Cs134	1.0 Bq/Kg raw
Bamboo shoots(boiled)	Okaona, Onahama, Iwaki	May-16	Cs137	45.7 Bq/Kg raw	±	9.1 Bq/Kg raw	55.7	Cs137	1.0 Bq/Kg raw
			Cs134	10.0 Bq/Kg raw	±	2.1 Bq/Kg raw		Cs134	0.9 Bq/Kg raw
Bamboo shoots(boiled)	Taira, Iwaki	May-16	Cs137	30.3 Bq/Kg raw	±	5.7 Bq/Kg raw	35.5	Cs137	1.0 Bq/Kg raw
			Cs134	5.2 Bq/Kg raw	±	2.5 Bq/Kg raw		Cs134	1.0 Bq/Kg raw
Bamboo shoots(boiled)	Iwaki	May-16	Cs137	5.7 Bq/Kg raw	±	1.5 Bq/Kg raw	7.2	Cs137	1.0 Bq/Kg raw
			Cs134	1.5 Bq/Kg raw	±	0.8 Bq/Kg raw		Cs134	1.0 Bq/Kg raw
Bracken(raw)	Aizumisato Oonuma	May-16	Cs137	— Bq/Kg raw	±	— Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.2 Bq/Kg raw
			Cs134	— Bq/Kg raw	±	— Bq/Kg raw		Cs134	1.1 Bq/Kg raw
Bracken(raw)	Ojiroi, Iwaki	May-16	Cs137	6.0 Bq/Kg raw	±	— Bq/Kg raw	8.1	Cs137	1.1 Bq/Kg raw
			Cs134	2.1 Bq/Kg raw	±	— Bq/Kg raw		Cs134	1.0 Bq/Kg raw
Bracken(dried)	Kamiogawa, Ogawa, Iwaki	Apr-16	Cs137	16.5 Bq/Kg raw	±	6.1 Bq/Kg raw	16.5	Cs137	7.9 Bq/Kg raw
			Cs134	— Bq/Kg raw	±	— Bq/Kg raw		Cs134	7.1 Bq/Kg raw
Mountain butterbur (raw)	Fukushima	May-16	Cs137	— Bq/Kg raw	±	— Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.4 Bq/Kg raw
			Cs134	— Bq/Kg raw	±	— Bq/Kg raw		Cs134	1.3 Bq/Kg raw
Butterbur (boiled)	Iwaki	May-16	Cs137	— Bq/Kg raw	±	— Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.0 Bq/Kg raw
			Cs134	— Bq/Kg raw	±	— Bq/Kg raw		Cs134	1.0 Bq/Kg raw
Mountain aralia cordata	Ootani, Naraha, Futaba	May-16	Cs137	— Bq/Kg raw	±	— Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.9 Bq/Kg raw
			Cs134	— Bq/Kg raw	±	— Bq/Kg raw		Cs134	1.8 Bq/Kg raw
Aralia cordata (leaves and stems)	Nagasaki, Iwaki	May-15	Cs137	— Bq/Kg raw	±	— Bq/Kg raw	Under Minimum Limit of Detection	Cs137	5.4 Bq/Kg raw
			Cs134	— Bq/Kg raw	±	— Bq/Kg raw		Cs134	4.9 Bq/Kg raw
Shiitake mushroom (Mushroom bed)	Uonuma, Niigata	May-15	Cs137	— Bq/Kg raw	±	— Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.5 Bq/Kg raw
			Cs134	— Bq/Kg raw	±	— Bq/Kg raw		Cs134	1.4 Bq/Kg raw
Shiitake mushroom (Mushroom bed)	Fukushima	May-16	Cs137	— Bq/Kg raw	±	— Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.5 Bq/Kg raw
			Cs134	— Bq/Kg raw	±	— Bq/Kg raw		Cs134	1.4 Bq/Kg raw

※"_" used in Measurement Result and Uncertainty shows that the value is below the detection limit.

But it does not necessary mean 0(zero)Bq/Kg.

★Gamma-ray

(Bq/Kg raw:Weight of raw sample Bq/Kg dry:Weight of dried sample)

Samples	Sampling Point	Sampling Month	Measurement Result		Uncertainty		Total Amount of Cesium	Minimum Limit of Detection	
Shiitake mushroom (Mushroom bed)	Shirakawa	May-15	Cs137	7.0 Bq/Kg raw	± 1.9 Bq/Kg raw	8.9	Cs137	1.0 Bq/Kg raw	
			Cs134	1.9 Bq/Kg raw	± 1.0 Bq/Kg raw		Cs134	1.0 Bq/Kg raw	
Shimeji mushroom (Lyophyllum fumosum)	Ibaraki	May-16	Cs137	— Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.3 Bq/Kg raw	
			Cs134	— Bq/Kg raw	± — Bq/Kg raw		Cs134	1.2 Bq/Kg raw	
Japanese mustard spinach	Iwaki	May-16	Cs137	— Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.7 Bq/Kg raw	
			Cs134	— Bq/Kg raw	± — Bq/Kg raw		Cs134	1.6 Bq/Kg raw	
Tomato	Iwaki	May-16	Cs137	— Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.3 Bq/Kg raw	
			Cs134	— Bq/Kg raw	± — Bq/Kg raw		Cs134	1.2 Bq/Kg raw	
Cucumber	Fukushima	May-15	Cs137	— Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.9 Bq/Kg raw	
			Cs134	— Bq/Kg raw	± — Bq/Kg raw		Cs134	1.8 Bq/Kg raw	
Broccoli	Fukushima	May-16	Cs137	— Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.5 Bq/Kg raw	
			Cs134	— Bq/Kg raw	± — Bq/Kg raw		Cs134	1.3 Bq/Kg raw	
Peas	Iwaki	May-16	Cs137	— Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137	2.7 Bq/Kg raw	
			Cs134	— Bq/Kg raw	± — Bq/Kg raw		Cs134	2.5 Bq/Kg raw	
Japanese white radish	Iwaki	May-16	Cs137	— Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.3 Bq/Kg raw	
			Cs134	— Bq/Kg raw	± — Bq/Kg raw		Cs134	1.2 Bq/Kg raw	
Leaves of Japanese white radish	Iwaki	May-16	Cs137	— Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.0 Bq/Kg raw	
			Cs134	— Bq/Kg raw	± — Bq/Kg raw		Cs134	1.0 Bq/Kg raw	
Strawberry	Shirakawa	May-16	Cs137	— Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.6 Bq/Kg raw	
			Cs134	— Bq/Kg raw	± — Bq/Kg raw		Cs134	1.4 Bq/Kg raw	
Orange	Shizuoka	May-16	Cs137	— Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.4 Bq/Kg raw	
			Cs134	— Bq/Kg raw	± — Bq/Kg raw		Cs134	1.2 Bq/Kg raw	
Plum	Minamitomioka, Onahama, Iwaki	May-16	Cs137	— Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.0 Bq/Kg raw	
			Cs134	— Bq/Kg raw	± — Bq/Kg raw		Cs134	1.0 Bq/Kg raw	
Salmon	Chile	unknown	Cs137	— Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.1 Bq/Kg raw	
			Cs134	— Bq/Kg raw	± — Bq/Kg raw		Cs134	1.0 Bq/Kg raw	
Horse mackerel	Chiba	Apr-16	Cs137	— Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137	2.3 Bq/Kg raw	
			Cs134	— Bq/Kg raw	± — Bq/Kg raw		Cs134	2.0 Bq/Kg raw	
Round Greeneyes	Chiba	May-16	Cs137	— Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.7 Bq/Kg raw	
			Cs134	— Bq/Kg raw	± — Bq/Kg raw		Cs134	1.5 Bq/Kg raw	
Shotted halibut	Ibaraki	Apr-16	Cs137	— Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.8 Bq/Kg raw	
			Cs134	— Bq/Kg raw	± — Bq/Kg raw		Cs134	1.7 Bq/Kg raw	
Flathead	Nakoso, Iwaki	May-16	Cs137	1.9 Bq/Kg raw	± 0.9 Bq/Kg raw	1.9	Cs137	1.2 Bq/Kg raw	
			Cs134	— Bq/Kg raw	± — Bq/Kg raw		Cs134	1.1 Bq/Kg raw	
Flounder	Nakoso, Iwaki	May-16	Cs137	— Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.4 Bq/Kg raw	
			Cs134	— Bq/Kg raw	± — Bq/Kg raw		Cs134	1.2 Bq/Kg raw	
Octopus	Fukushima	May-16	Cs137	— Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.6 Bq/Kg raw	
			Cs134	— Bq/Kg raw	± — Bq/Kg raw		Cs134	1.5 Bq/Kg raw	
Chicken egg	Kuji Ibaraki	May-16	Cs137	— Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.3 Bq/Kg raw	
			Cs134	— Bq/Kg raw	± — Bq/Kg raw		Cs134	1.2 Bq/Kg raw	
Mulberry leaves products	Nihonmatsu (produced)	unknown	Cs137	18.9 Bq/Kg raw	± 3.8 Bq/Kg raw	24.5	Cs137	1.2 Bq/Kg raw	
			Cs134	5.6 Bq/Kg raw	± 1.4 Bq/Kg raw		Cs134	1.1 Bq/Kg raw	
Brown sugar (powder)	Thailand	unknown	Cs137	— Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.4 Bq/Kg raw	
			Cs134	— Bq/Kg raw	± — Bq/Kg raw		Cs134	1.3 Bq/Kg raw	
Cereal (with dried fruits)	unknown	unknown	Cs137	— Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137	2.9 Bq/Kg raw	
			Cs134	— Bq/Kg raw	± — Bq/Kg raw		Cs134	2.6 Bq/Kg raw	
Roasted Bran	Hitachinaka Ibaraki (production)	unknown	Cs137	2.8 Bq/Kg raw	± 1.4 Bq/Kg raw	2.8	Cs137	2.1 Bq/Kg raw	
			Cs134	— Bq/Kg raw	± — Bq/Kg raw		Cs134	1.9 Bq/Kg raw	

※"—" used in Measurement Result and Uncertainty shows that the value is below the detection limit.

But it does not necessary mean 0(zero)Bq/Kg.

★Gamma-ray

(Bq/Kg raw:Weight of raw sample Bq/Kg dry:Weight of dried sample)

Samples	Sampling Point	Sampling Month	Measurement Result		Uncertainty		Total Amount of Cesium	Minimum Limit of Detection	
Soy milk drink	unknown	unknown	Cs137	— Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.6 Bq/Kg raw	
			Cs134	— Bq/Kg raw	± — Bq/Kg raw		Cs134	1.5 Bq/Kg raw	
Milk	unknown	unknown	Cs137	— Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.3 Bq/Kg raw	
			Cs134	— Bq/Kg raw	± — Bq/Kg raw		Cs134	1.2 Bq/Kg raw	
Sake	Iwaki (produced)	unknown	Cs137	— Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.7 Bq/Kg raw	
			Cs134	— Bq/Kg raw	± — Bq/Kg raw		Cs134	1.6 Bq/Kg raw	
Soft drink (green tea)	unknown	unknown	Cs137	— Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.1 Bq/Kg raw	
			Cs134	— Bq/Kg raw	± — Bq/Kg raw		Cs134	1.0 Bq/Kg raw	
Soft drink (green tea)	unknown	unknown	Cs137	— Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.3 Bq/Kg raw	
			Cs134	— Bq/Kg raw	± — Bq/Kg raw		Cs134	1.1 Bq/Kg raw	
Noodle sauce	unknown	unknown	Cs137	— Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.4 Bq/Kg raw	
			Cs134	— Bq/Kg raw	± — Bq/Kg raw		Cs134	1.3 Bq/Kg raw	
Noodle sauce	unknown	unknown	Cs137	— Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.5 Bq/Kg raw	
			Cs134	— Bq/Kg raw	± — Bq/Kg raw		Cs134	1.4 Bq/Kg raw	
Ponzu sauce (citrus-based)	unknown	unknown	Cs137	— Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.6 Bq/Kg raw	
			Cs134	— Bq/Kg raw	± — Bq/Kg raw		Cs134	1.5 Bq/Kg raw	
School lunch	Takasaka, Uchigo, Iwaki	May-16	Cs137	— Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.2 Bq/Kg raw	
			Cs134	— Bq/Kg raw	± — Bq/Kg raw		Cs134	1.1 Bq/Kg raw	
School lunch	Takasaka, Uchigo, Iwaki	May-16	Cs137	— Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.6 Bq/Kg raw	
			Cs134	— Bq/Kg raw	± — Bq/Kg raw		Cs134	1.5 Bq/Kg raw	
School lunch	Matsugadai, Jyoban, Iwaki	May-16	Cs137	— Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.3 Bq/Kg raw	
			Cs134	— Bq/Kg raw	± — Bq/Kg raw		Cs134	1.2 Bq/Kg raw	
Farm soil	Sekifune, Jyoban, Iwaki	May-16	Cs137	380 Bq/Kg raw	± 37.9 Bq/Kg raw	438	Cs137	1.0 Bq/Kg raw	
			Cs134	58 Bq/Kg raw	± 9.2 Bq/Kg raw		Cs134	1.0 Bq/Kg raw	
Park soil	Kurakake, Toumi, Nagano	Apr-16	Cs137	26.1 Bq/Kg raw	± 5.3 Bq/Kg raw	31.4	Cs137	1.0 Bq/Kg raw	
			Cs134	5.3 Bq/Kg raw	± 3.0 Bq/Kg raw		Cs134	1.0 Bq/Kg raw	
Park soil	Kurakake, Toumi, Nagano	Apr-16	Cs137	8.8 Bq/Kg raw	± 2.3 Bq/Kg raw	10.3	Cs137	1.0 Bq/Kg raw	
			Cs134	1.5 Bq/Kg raw	± 1.1 Bq/Kg raw		Cs134	1.0 Bq/Kg raw	
Park soil	Kurakake, Toumi, Nagano	Apr-16	Cs137	5.2 Bq/Kg raw	± 1.2 Bq/Kg raw	5.2	Cs137	1.0 Bq/Kg raw	
			Cs134	— Bq/Kg raw	± — Bq/Kg raw		Cs134	1.0 Bq/Kg raw	
Mountain soil (moss)	Hishidaira, Komoro, Nagano	Apr-16	Cs137	34.7 Bq/Kg raw	± 5.6 Bq/Kg raw	39.4	Cs137	1.0 Bq/Kg raw	
			Cs134	4.7 Bq/Kg raw	± 2.2 Bq/Kg raw		Cs134	1.0 Bq/Kg raw	
Bark	Hishidaira, Komoro, Nagano	Apr-16	Cs137	— Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.0 Bq/Kg raw	
			Cs134	— Bq/Kg raw	± — Bq/Kg raw		Cs134	1.0 Bq/Kg raw	
Wood waste	Hishidaira, Komoro, Nagano	Apr-16	Cs137	— Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.0 Bq/Kg raw	
			Cs134	— Bq/Kg raw	± — Bq/Kg raw		Cs134	1.0 Bq/Kg raw	
Pine cones	Hishidaira, Komoro, Nagano	Apr-16	Cs137	11.4 Bq/Kg raw	± 5.3 Bq/Kg raw	11.4	Cs137	1.0 Bq/Kg raw	
			Cs134	— Bq/Kg raw	± — Bq/Kg raw		Cs134	1.0 Bq/Kg raw	
Pine cones	Hiso, Iitate, Souma	Feb-16	Cs137	13941 Bq/Kg raw	± 1226 Bq/Kg raw	16,269	Cs137	2.4 Bq/Kg raw	
			Cs134	2328 Bq/Kg raw	± 240 Bq/Kg raw		Cs134	2.7 Bq/Kg raw	
Vacuum cleaner dust TOSHIBA Paper pack vacuum cleaner	Hishidaira, Komoro, Nagano	Apr-16	Cs137	53.1 Bq/Kg raw	± 9.2 Bq/Kg raw	62	Cs137	1.0 Bq/Kg raw	
			Cs134	8.9 Bq/Kg raw	± 4.1 Bq/Kg raw		Cs134	1.0 Bq/Kg raw	
Vacuum cleaner dust TOSHIBA Paper pack vacuum cleaner	Hishidaira, Komoro, Nagano	Apr-16	Cs137	40.8 Bq/Kg raw	± 8.4 Bq/Kg raw	46.2	Cs137	1.0 Bq/Kg raw	
			Cs134	5.4 Bq/Kg raw	± 4.0 Bq/Kg raw		Cs134	1.0 Bq/Kg raw	
Vacuum cleaner dust DYSON	Hanabatake, Onahama, Iwaki	May-16	Cs137	1435 Bq/Kg raw	± 164 Bq/Kg raw	1,686	Cs137	2.8 Bq/Kg raw	
			Cs134	251 Bq/Kg raw	± 53.2 Bq/Kg raw		Cs134	3.1 Bq/Kg raw	

※"_" used in Measurement Result and Uncertainty shows that the value is below the detection limit.

But it does not necessary mean 0(zero)Bq/Kg.

※Please note that the value of vacuum cleaner dust may vary according to models and specifications.



★Gamma-ray

(Bq/Kg raw:Weight of raw sample Bq/Kg dry:Weight of dried sample)

Samples	Sampling Point	Sampling Month	Measurement Result		Uncertainty		Total Amount of Cesium	Minimum Limit of Detection	
Vacuum cleaner dust HITACHI Paper pack vacuum cleaner	Tamagawa, Onahama, Iwaki	Apr-16	Cs137	211 Bq/Kg raw	±	24.7 Bq/Kg raw	245	Cs137	1.0 Bq/Kg raw
			Cs134	33.7 Bq/Kg raw	±	8.4 Bq/Kg raw		Cs134	1.0 Bq/Kg raw
Vacuum cleaner dust SHARP Cyclonic	Oohara, Onahama, Iwaki	May-16	Cs137	154 Bq/Kg raw	±	28.3 Bq/Kg raw	193	Cs137	1.2 Bq/Kg raw
			Cs134	39.2 Bq/Kg raw	±	13.4 Bq/Kg raw		Cs134	1.3 Bq/Kg raw
Radioactive fallout	Izumigaoka, Iwaki	Jan~Apr-16	Cs137	— mBq/m ² (month)	±	— mBq/m ² (month)	Under Minimum Limit of Detection	Cs137	3.09 mBq/m ² (month)
			Cs134	— mBq/m ² (month)	±	— mBq/m ² (month)		Cs134	2.79 mBq/m ² (month)
Air dust	Yumoto Daiichi Elementary School (Schoolyard)	May-16	Cs137	— mBq/m ³	±	— mBq/m ³	Under Minimum Limit of Detection	Cs137	4.3 mBq/m ³
			Cs134	— mBq/m ³	±	— mBq/m ³		Cs134	— mBq/m ³
Air dust	Yumoto Daini Elementary School (Schoolyard)	May-16	Cs137	— mBq/m ³	±	— mBq/m ³	Under Minimum Limit of Detection	Cs137	4.4 mBq/m ³
			Cs134	— mBq/m ³	±	— mBq/m ³		Cs134	— mBq/m ³
Air dust	Yumoto Daisan Elementary School (Schoolyard)	May-16	Cs137	— mBq/m ³	±	— mBq/m ³	Under Minimum Limit of Detection	Cs137	4.4 mBq/m ³
			Cs134	— mBq/m ³	±	— mBq/m ³		Cs134	— mBq/m ³
Air dust	Yumoto Daini Kindergarten (Playground)	May-16	Cs137	— mBq/m ³	±	— mBq/m ³	Under Minimum Limit of Detection	Cs137	4.4 mBq/m ³
			Cs134	— mBq/m ³	±	— mBq/m ³		Cs134	— mBq/m ³
Air dust	Yumoto Daisan Kindergarten (Playground)	May-16	Cs137	— mBq/m ³	±	— mBq/m ³	Under Minimum Limit of Detection	Cs137	4.6 mBq/m ³
			Cs134	— mBq/m ³	±	— mBq/m ³		Cs134	— mBq/m ³
Air dust	Makoto Kindergarten (Playground)	May-16	Cs137	— mBq/m ³	±	— mBq/m ³	Under Minimum Limit of Detection	Cs137	4.2 mBq/m ³
			Cs134	— mBq/m ³	±	— mBq/m ³		Cs134	— mBq/m ³

※"_" used in Measurement Result and Uncertainty shows that the value is below the detection limit.

But it does not necessary mean 0(zero)Bq/Kg.



※Please note that the value of vacuum cleaner dust may vary according to models and specifications.

★Beta-ray

(Bq/Kg raw:Weight of raw sample Bq/Kg dry:Weight of dried sample)

Samples	Sampling Point	Sampling Month	Measurement Result		Uncertainty	Minimum Limit of Detection
Greenling	10km south off-shore Fukushima Nuclear Power Plant 1	Nov-15	T(Organization)	Under Minimum Limit of Detection Bq/Kg dry	± — Bq/Kg dry	2.62 Bq/Kg dry
Greenling	10km south off-shore Fukushima Nuclear Power Plant 1	Nov-15	T(Organization)	Under Minimum Limit of Detection Bq/Kg dry	± — Bq/Kg dry	2.51 Bq/Kg dry
Greenling	Numanouchi, Taira, Iwaki	Jan-16	T(Organization)	Under Minimum Limit of Detection Bq/Kg dry	± — Bq/Kg dry	2.84 Bq/Kg dry
Law oyster	Miyagi	Feb-16	T(Organization)	Under Minimum Limit of Detection Bq/Kg dry	± — Bq/Kg dry	2.52 Bq/Kg dry
Tuna products	Off the Pacific coast	Jan-16	T(Organization)	Under Minimum Limit of Detection Bq/Kg dry	± — Bq/Kg dry	2.56 Bq/Kg dry
Tuna products	Off the Pacific coast	Jan-16	Sr90	Under Minimum Limit of Detection Bq/Kg dry	± — Bq/Kg dry	0.26 Bq/Kg dry

T(Free) : Tritium(Free water) T(Organization) : Tritium(Organization bound water) Sr90 : Strontium90

※The value below Minimum Limit of Detection does not necessary mean 0(zero)Bq/Kg.

