



Radiation Measurement Results of 92 Items in March



When samples include natural radionuclides we can't deny the possibility of their radiation value counted together in our results.

The list below only shows the measurement results of the samples brought in.

Radioactive contamination level may differ according to sampling points even within the same address.

★Gamma-ray

(Bq/Kg raw:Weight of raw sample Bq/Kg dry:Weight of dried sample)

Samples	Sampling Point	Sampling Month	Measurement Result			Uncertainty	Total Amount of Cesium	Minimum Limit of Detection
Rice	Uonuma, Niigata	Oct-16	Cs137	—	Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137 0.8 Bq/Kg raw
			Cs134	—	Bq/Kg raw	± — Bq/Kg raw		Cs134 0.8 Bq/Kg raw
Lettuce	Ibaraki	Mar-17	Cs137	—	Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137 1.9 Bq/Kg raw
			Cs134	—	Bq/Kg raw	± — Bq/Kg raw		Cs134 1.5 Bq/Kg raw
Potherb mustard	Hokota, Ibaraki	Mar-17	Cs137	—	Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137 2.0 Bq/Kg raw
			Cs134	—	Bq/Kg raw	± — Bq/Kg raw		Cs134 1.6 Bq/Kg raw
Cucumber	Fukushima	Mar-17	Cs137	—	Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137 1.6 Bq/Kg raw
			Cs134	—	Bq/Kg raw	± — Bq/Kg raw		Cs134 1.5 Bq/Kg raw
Taro	Ibaraki	Mar-17	Cs137	—	Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137 1.4 Bq/Kg raw
			Cs134	—	Bq/Kg raw	± — Bq/Kg raw		Cs134 1.2 Bq/Kg raw
Broccoli	Iwaki	Mar-17	Cs137	—	Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137 2.0 Bq/Kg raw
			Cs134	—	Bq/Kg raw	± — Bq/Kg raw		Cs134 1.5 Bq/Kg raw
Broccoli	Iwaki	Mar-17	Cs137	—	Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137 3.0 Bq/Kg raw
			Cs134	—	Bq/Kg raw	± — Bq/Kg raw		Cs134 2.3 Bq/Kg raw
Cauliflower	Iwaki	Mar-17	Cs137	—	Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137 1.9 Bq/Kg raw
			Cs134	—	Bq/Kg raw	± — Bq/Kg raw		Cs134 1.8 Bq/Kg raw
Garland chrysanthemum	Iwaki	Mar-17	Cs137	—	Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137 1.8 Bq/Kg raw
			Cs134	—	Bq/Kg raw	± — Bq/Kg raw		Cs134 1.7 Bq/Kg raw
Canola blossom	Fukushima	Mar-17	Cs137	—	Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137 1.7 Bq/Kg raw
			Cs134	—	Bq/Kg raw	± — Bq/Kg raw		Cs134 1.6 Bq/Kg raw
Leek	Fukushima	Feb-17	Cs137	—	Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137 2.1 Bq/Kg raw
			Cs134	—	Bq/Kg raw	± — Bq/Kg raw		Cs134 1.5 Bq/Kg raw
Japanese mugwort	Hiratsuka, Kamogawa, Chiba	Mar-17	Cs137	—	Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137 1.8 Bq/Kg raw
			Cs134	—	Bq/Kg raw	± — Bq/Kg raw		Cs134 1.7 Bq/Kg raw
Japanese mugwort	Kami, Kamogawa, Chiba	Mar-17	Cs137	—	Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137 1.1 Bq/Kg raw
			Cs134	—	Bq/Kg raw	± — Bq/Kg raw		Cs134 1.0 Bq/Kg raw
Japanese parsley	Hiratsuka, Kamogawa, Chiba	Mar-17	Cs137	—	Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137 1.4 Bq/Kg raw
			Cs134	—	Bq/Kg raw	± — Bq/Kg raw		Cs134 1.3 Bq/Kg raw
Japanese parsley	Kami, Kamogawa, Chiba	Mar-17	Cs137	—	Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137 2.1 Bq/Kg raw
			Cs134	—	Bq/Kg raw	± — Bq/Kg raw		Cs134 1.9 Bq/Kg raw
Japanese mustard spinach	Fukushima	Feb-17	Cs137	—	Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137 1.6 Bq/Kg raw
			Cs134	—	Bq/Kg raw	± — Bq/Kg raw		Cs134 1.5 Bq/Kg raw
Egg	Hanawa, Higashishirakawa	Feb-17	Cs137	—	Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137 1.2 Bq/Kg raw
			Cs134	—	Bq/Kg raw	± — Bq/Kg raw		Cs134 1.1 Bq/Kg raw
Egg	Iwaki	Mar-17	Cs137	—	Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137 0.9 Bq/Kg raw
			Cs134	—	Bq/Kg raw	± — Bq/Kg raw		Cs134 0.9 Bq/Kg raw
Shimeji mushroom	Uonuma, Nigata	Mar-17	Cs137	—	Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137 1.3 Bq/Kg raw
			Cs134	—	Bq/Kg raw	± — Bq/Kg raw		Cs134 1.2 Bq/Kg raw
Shitake mushroom	Fukushima	Mar-17	Cs137	—	Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137 1.7 Bq/Kg raw
			Cs134	—	Bq/Kg raw	± — Bq/Kg raw		Cs134 1.5 Bq/Kg raw

*"—" used in Measurement Result and Uncertainty shows that the value is below the detection limit.

But it does not necessarily mean 0(zero)Bq/Kg.

★Gamma-ray

(Bq/Kg raw:Weight of raw sample Bq/Kg dry:Weight of dried sample)

Samples	Sampling Point	Sampling Month	Measurement Result		Uncertainty	Total Amount of Cesium	Minimum Limit of Detection
Nameko mushroom	Yamatama, Iwaki	Mar-17	Cs137	— Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137 1.4 Bq/Kg raw
			Cs134	— Bq/Kg raw	± — Bq/Kg raw		Cs134 1.3 Bq/Kg raw
Jersey cow mushroom (Solted)	Aizuwakamatsu, Fukushima	Mar-17	Cs137	95.5 Bq/Kg raw	± 19.1 Bq/Kg raw	111.0	Cs137 0.9 Bq/Kg raw
			Cs134	15.7 Bq/Kg raw	± 3.1 Bq/Kg raw		Cs134 0.8 Bq/Kg raw
Raw seaweed	Miyagi	Mar-17	Cs137	— Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137 1.2 Bq/Kg raw
			Cs134	— Bq/Kg raw	± — Bq/Kg raw		Cs134 1.1 Bq/Kg raw
Seaweed	Nagasaki, Iwaki	Mar-17	Cs137	— Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137 1.1 Bq/Kg raw
			Cs134	— Bq/Kg raw	± — Bq/Kg raw		Cs134 0.9 Bq/Kg raw
Common octopus	Ibaraki	Mar-17	Cs137	— Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137 1.4 Bq/Kg raw
			Cs134	— Bq/Kg raw	± — Bq/Kg raw		Cs134 1.3 Bq/Kg raw
Round Greeneyes	Hirakata port, Ibaraki	Mar-17	Cs137	— Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137 1.5 Bq/Kg raw
			Cs134	— Bq/Kg raw	± — Bq/Kg raw		Cs134 1.3 Bq/Kg raw
Roasted green tea	Japan	unknown	Cs137	— Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137 3.9 Bq/Kg raw
			Cs134	— Bq/Kg raw	± — Bq/Kg raw		Cs134 3.0 Bq/Kg raw
Assai juice	Unknown	unknown	Cs137	— Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137 0.9 Bq/Kg raw
			Cs134	— Bq/Kg raw	± — Bq/Kg raw		Cs134 0.8 Bq/Kg raw
Blueberry and cassis juice	Unknown	unknown	Cs137	— Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137 0.9 Bq/Kg raw
			Cs134	— Bq/Kg raw	± — Bq/Kg raw		Cs134 0.8 Bq/Kg raw
Mixed berry juice	Chiba (Production)	unknown	Cs137	— Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137 1.2 Bq/Kg raw
			Cs134	— Bq/Kg raw	± — Bq/Kg raw		Cs134 1.1 Bq/Kg raw
Coffee beans	Brazil, Colombia	unknown	Cs137	— Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137 2.4 Bq/Kg raw
			Cs134	— Bq/Kg raw	± — Bq/Kg raw		Cs134 2.2 Bq/Kg raw
Sweetened condensed milk	Monbetsu, Hokkaido	unknown	Cs137	— Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137 1.3 Bq/Kg raw
			Cs134	— Bq/Kg raw	± — Bq/Kg raw		Cs134 1.3 Bq/Kg raw
Strawberry jam	Bulgaria	unknown	Cs137	— Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137 1.7 Bq/Kg raw
			Cs134	— Bq/Kg raw	± — Bq/Kg raw		Cs134 1.4 Bq/Kg raw
Marmalade	Bulgaria	unknown	Cs137	— Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137 1.7 Bq/Kg raw
			Cs134	— Bq/Kg raw	± — Bq/Kg raw		Cs134 1.6 Bq/Kg raw
Boiled mackerel (Canned)	Hachinohe, Aomori (Production)	unknown	Cs137	— Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137 1.1 Bq/Kg raw
			Cs134	— Bq/Kg raw	± — Bq/Kg raw		Cs134 1.0 Bq/Kg raw
Boiled mackerel (Canned)	Thailand (Production)	unknown	Cs137	— Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137 1.3 Bq/Kg raw
			Cs134	— Bq/Kg raw	± — Bq/Kg raw		Cs134 1.2 Bq/Kg raw
Rice miso	Unknown	unknown	Cs137	— Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137 1.2 Bq/Kg raw
			Cs134	— Bq/Kg raw	± — Bq/Kg raw		Cs134 1.1 Bq/Kg raw
Rice miso	Aizuwakamatsu (Production)	unknown	Cs137	— Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137 1.5 Bq/Kg raw
			Cs134	— Bq/Kg raw	± — Bq/Kg raw		Cs134 1.3 Bq/Kg raw
Bamboo	Shimokuramochi, Kashima, Iwaki	Mar-17	Cs137	4.2 Bq/Kg raw	± 1.6 Bq/Kg raw	4.2	Cs137 2.2 Bq/Kg raw
			Cs134	— Bq/Kg raw	± — Bq/Kg raw		Cs134 2.0 Bq/Kg raw
Cotton wool	Shimoyoshima, Yoshima, Iwaki	Dec-16	Cs137	— Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137 3.3 Bq/Kg raw
			Cs134	— Bq/Kg raw	± — Bq/Kg raw		Cs134 2.9 Bq/Kg raw
Cotton wool	Hayashizaki, Yamada, Iwaki	Jan-17	Cs137	— Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137 3.3 Bq/Kg raw
			Cs134	— Bq/Kg raw	± — Bq/Kg raw		Cs134 3.0 Bq/Kg raw
Cotton wool	Kaminemotoyamato, Tono, Iwaki	Jan-17	Cs137	— Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137 3.4 Bq/Kg raw
			Cs134	— Bq/Kg raw	± — Bq/Kg raw		Cs134 3.1 Bq/Kg raw
Cotton wool	Kaminemotoiwasaki, Tono, Iwaki	Jan-17	Cs137	— Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137 3.2 Bq/Kg raw
			Cs134	— Bq/Kg raw	± — Bq/Kg raw		Cs134 2.9 Bq/Kg raw
Cotton wool	Kamikajiro, Onahama, Iwaki	Jan-17	Cs137	— Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137 5.3 Bq/Kg raw
			Cs134	— Bq/Kg raw	± — Bq/Kg raw		Cs134 4.7 Bq/Kg raw

※"—" used in Measurement Result and Uncertainty shows that the value is below the detection limit.

But it does not necessary mean 0(zero)Bq/Kg.

★Gamma-ray

(Bq/Kg raw:Weight of raw sample Bq/Kg dry:Weight of dried sample)

Samples	Sampling Point	Sampling Month	Measurement Result		Uncertainty	Total Amount of Cesium	Minimum Limit of Detection
Cotton wool	Takijiri, Izumi, Iwaki	Jan-17	Cs137	— Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137 3.6 Bq/Kg raw
			Cs134	— Bq/Kg raw	± — Bq/Kg raw		Cs134 3.2 Bq/Kg raw
Cotton wool	Kamiyagyu, Yotsukura, Iwaki	Jan-17	Cs137	— Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137 3.5 Bq/Kg raw
			Cs134	— Bq/Kg raw	± — Bq/Kg raw		Cs134 3.3 Bq/Kg raw
Cotton wool	Kamiyoshima, Yoshima, Iwaki	Jan-17	Cs137	— Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137 3.5 Bq/Kg raw
			Cs134	— Bq/Kg raw	± — Bq/Kg raw		Cs134 3.1 Bq/Kg raw
Cotton wool	Terauchi, Shimohirakubo, T aira, Iwaki	Jan-17	Cs137	— Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137 3.7 Bq/Kg raw
			Cs134	— Bq/Kg raw	± — Bq/Kg raw		Cs134 3.4 Bq/Kg raw
Cotton wool	Nishiogawa, Ogawa, Iwaki	Jan-17	Cs137	— Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137 5.1 Bq/Kg raw
			Cs134	— Bq/Kg raw	± — Bq/Kg raw		Cs134 4.8 Bq/Kg raw
Cotton wool	Takahagi, Ogawa, Iwaki	Jan-17	Cs137	— Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137 3.1 Bq/Kg raw
			Cs134	— Bq/Kg raw	± — Bq/Kg raw		Cs134 2.9 Bq/Kg raw
Cotton wool	Ohisa, Iwaki	Jan-17	Cs137	— Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137 3.8 Bq/Kg raw
			Cs134	— Bq/Kg raw	± — Bq/Kg raw		Cs134 3.5 Bq/Kg raw
Cotton wool	Minamiyokode, Shimoogoe, Iwaki	Jan-17	Cs137	5.4 Bq/Kg raw	± 2.1 Bq/Kg raw	5.4	Cs137 3.0 Bq/Kg raw
			Cs134	— Bq/Kg raw	± — Bq/Kg raw		Cs134 2.7 Bq/Kg raw
Cotton wool	Dainoshita, Noda, Iwaki	Jan-17	Cs137	— Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137 3.3 Bq/Kg raw
			Cs134	— Bq/Kg raw	± — Bq/Kg raw		Cs134 3.0 Bq/Kg raw
Cotton wool	Shimoasamigawa, Hirono, Futaba	Jan-17	Cs137	3.4 Bq/Kg raw	± 2.0 Bq/Kg raw	3.4	Cs137 3.3 Bq/Kg raw
			Cs134	— Bq/Kg raw	± — Bq/Kg raw		Cs134 2.9 Bq/Kg raw
Compost	Japan	unknown	Cs137	— Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137 2.7 Bq/Kg raw
			Cs134	— Bq/Kg raw	± — Bq/Kg raw		Cs134 2.4 Bq/Kg raw
Soil	Ena, Iwaki	Feb-17	Cs137	— Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137 1.2 Bq/Kg raw
			Cs134	— Bq/Kg raw	± — Bq/Kg raw		Cs134 1.3 Bq/Kg raw
Soil	Ena, Iwaki	Feb-17	Cs137	3.0 Bq/Kg raw	± 0.9 Bq/Kg raw	3.0	Cs137 2.9 Bq/Kg raw
			Cs134	— Bq/Kg raw	± — Bq/Kg raw		Cs134 3.2 Bq/Kg raw
Soil	Nagasaki, Iwaki	Feb-17	Cs137	15.0 Bq/Kg raw	± 2.1 Bq/Kg raw	17.6	Cs137 2.7 Bq/Kg raw
			Cs134	2.6 Bq/Kg raw	± 0.8 Bq/Kg raw		Cs134 3.8 Bq/Kg raw
Soil	Nagasaki, Iwaki	Feb-17	Cs137	— Bq/Kg raw	± — Bq/Kg raw	Under Minimum Limit of Detection	Cs137 2.9 Bq/Kg raw
			Cs134	— Bq/Kg raw	± — Bq/Kg raw		Cs134 2.6 Bq/Kg raw
Soil	Onahama, Iwaki	Mar-17	Cs137	37.5 Bq/Kg raw	± 4.5 Bq/Kg raw	43.4	Cs137 2.5 Bq/Kg raw
			Cs134	5.9 Bq/Kg raw	± 1.1 Bq/Kg raw		Cs134 3.2 Bq/Kg raw
Soil	Onahama, Iwaki	Mar-17	Cs137	32.3 Bq/Kg raw	± 3.9 Bq/Kg raw	36.7	Cs137 1.6 Bq/Kg raw
			Cs134	4.4 Bq/Kg raw	± 0.8 Bq/Kg raw		Cs134 2.4 Bq/Kg raw
Farm soil	Shimoyoshima, Yoshima, Iwaki	Mar-17	Cs137	131.0 Bq/Kg raw	± 14.8 Bq/Kg raw	149.0	Cs137 3.5 Bq/Kg raw
			Cs134	17.8 Bq/Kg raw	± 2.7 Bq/Kg raw		Cs134 3.4 Bq/Kg raw
Farm soil	Hayashizaki, Yamada, Iwaki	Mar-17	Cs137	79.2 Bq/Kg raw	± 9.2 Bq/Kg raw	89.4	Cs137 3.0 Bq/Kg raw
			Cs134	10.2 Bq/Kg raw	± 1.8 Bq/Kg raw		Cs134 3.8 Bq/Kg raw
Farm soil	Kaminemotoyamot o , Tono, Iwaki	Mar-17	Cs137	104.0 Bq/Kg raw	± 12.1 Bq/Kg raw	117.0	Cs137 2.9 Bq/Kg raw
			Cs134	12.9 Bq/Kg raw	± 2.1 Bq/Kg raw		Cs134 3.5 Bq/Kg raw
Farm soil	Kaminemotoiwasaki i , Tono, Iwaki	Mar-17	Cs137	140.0 Bq/Kg raw	± 15.9 Bq/Kg raw	158.0	Cs137 3.0 Bq/Kg raw
			Cs134	18.4 Bq/Kg raw	± 2.8 Bq/Kg raw		Cs134 3.4 Bq/Kg raw
Farm soil	Kamikajiro, Onahama, Iwaki	Mar-17	Cs137	237.0 Bq/Kg raw	± 26.3 Bq/Kg raw	269.0	Cs137 3.8 Bq/Kg raw
			Cs134	32.4 Bq/Kg raw	± 4.6 Bq/Kg raw		Cs134 3.6 Bq/Kg raw
Farm soil	Takijiri, Izumi, Iwaki	Mar-17	Cs137	97.7 Bq/Kg raw	± 11.3 Bq/Kg raw	111.0	Cs137 2.8 Bq/Kg raw
			Cs134	12.9 Bq/Kg raw	± 2.1 Bq/Kg raw		Cs134 3.4 Bq/Kg raw
Farm soil	Kamiyagyu, Yotsukura, Iwaki	Mar-17	Cs137	219.0 Bq/Kg raw	± 25.3 Bq/Kg raw	248.0	Cs137 3.4 Bq/Kg raw
			Cs134	28.5 Bq/Kg raw	± 4.3 Bq/Kg raw		Cs134 3.3 Bq/Kg raw

※"—" used in Measurement Result and Uncertainty shows that the value is below the detection limit.

But it does not necessary mean 0(zero)Bq/Kg.

★Gamma-ray

(Bq/Kg raw:Weight of raw sample Bq/Kg dry:Weight of dried sample)

Samples	Sampling Point	Sampling Month	Measurement Result		Uncertainty	Total Amount of Cesium	Minimum Limit of Detection	
Farm soil	Kamiyoshima, Yoshima, Iwaki	Mar-17	Cs137	253.0	Bq/Kg raw ± 28.1 Bq/Kg raw	288	Cs137	4.0 Bq/Kg raw
			Cs134	35.0	Bq/Kg raw ± 4.9 Bq/Kg raw		Cs134	4.8 Bq/Kg raw
Farm soil	Shimohirakubo, Taira, Iwaki	Mar-17	Cs137	184.0	Bq/Kg raw ± 20.5 Bq/Kg raw	211	Cs137	3.7 Bq/Kg raw
			Cs134	26.5	Bq/Kg raw ± 3.8 Bq/Kg raw		Cs134	4.3 Bq/Kg raw
Farm soil	Nishiogawa, Ogawa, Iwaki	Mar-17	Cs137	129.0	Bq/Kg raw ± 15.0 Bq/Kg raw	145	Cs137	3.4 Bq/Kg raw
			Cs134	16.3	Bq/Kg raw ± 2.7 Bq/Kg raw		Cs134	4.1 Bq/Kg raw
Farm soil	Takahagi, Ogawa, Iwaki	Mar-17	Cs137	192.0	Bq/Kg raw ± 23.3 Bq/Kg raw	216	Cs137	4.1 Bq/Kg raw
			Cs134	23.9	Bq/Kg raw ± 4.3 Bq/Kg raw		Cs134	4.1 Bq/Kg raw
Farm soil	Ohisa, Iwaki	Mar-17	Cs137	681.0	Bq/Kg raw ± 74.7 Bq/Kg raw	781	Cs137	5.6 Bq/Kg raw
			Cs134	100.0	Bq/Kg raw ± 12.8 Bq/Kg raw		Cs134	5.9 Bq/Kg raw
Farm soil	Minamiyokode, Shimoogoe, Iwaki	Mar-17	Cs137	78.2	Bq/Kg raw ± 8.9 Bq/Kg raw	89.8	Cs137	3.0 Bq/Kg raw
			Cs134	11.6	Bq/Kg raw ± 1.8 Bq/Kg raw		Cs134	3.2 Bq/Kg raw
Farm soil	Dainoshita, Noda, Iwaki	Jan-17	Cs137	208.0	Bq/Kg raw ± 23.7 Bq/Kg raw	240	Cs137	3.5 Bq/Kg raw
			Cs134	31.9	Bq/Kg raw ± 4.5 Bq/Kg raw		Cs134	4.3 Bq/Kg raw
Farm soil	Dainoshita, Noda, Iwaki	Mar-17	Cs137	167.0	Bq/Kg raw ± 18.6 Bq/Kg raw	189	Cs137	3.7 Bq/Kg raw
			Cs134	21.5	Bq/Kg raw ± 3.1 Bq/Kg raw		Cs134	4.2 Bq/Kg raw
Farm soil	Shimoasamigawa, Hirono, Futaba	Mar-17	Cs137	201.0	Bq/Kg raw ± 22.7 Bq/Kg raw	228	Cs137	3.6 Bq/Kg raw
			Cs134	27.2	Bq/Kg raw ± 4.1 Bq/Kg raw		Cs134	4.4 Bq/Kg raw
Farm soil	Shimoasamigawa, Hirono, Futaba	Mar-17	Cs137	322.0	Bq/Kg raw ± 36.4 Bq/Kg raw	371	Cs137	3.9 Bq/Kg raw
			Cs134	49.0	Bq/Kg raw ± 6.7 Bq/Kg raw		Cs134	4.4 Bq/Kg raw
Farm soil	Kohisa, Ohisa, Iwaki	Mar-17	Cs137	1380.0	Bq/Kg raw ± 151.0 Bq/Kg raw	1570	Cs137	6.2 Bq/Kg raw
			Cs134	190.0	Bq/Kg raw ± 24.3 Bq/Kg raw		Cs134	5.7 Bq/Kg raw
Air dust	Nagomi Nursery School (Playground)	Mar-17	Cs137	—	Bq/m³ ± — Bq/m³	Under Minimum Limit of Detection	Cs137	0.0043 Bq/m³
			Cs134	—	Bq/m³ ± — Bq/m³		Cs134	— Bq/m³
Air dust	Kashima Nursery School (Playground)	Feb-17	Cs137	—	Bq/m³ ± — Bq/m³	Under Minimum Limit of Detection	Cs137	0.0042 Bq/m³
			Cs134	—	Bq/m³ ± — Bq/m³		Cs134	— Bq/m³
Air dust	Iwaki Sakuranbo Nursery School (Playground)	Feb-17	Cs137	—	Bq/m³ ± — Bq/m³	Under Minimum Limit of Detection	Cs137	0.0047 Bq/m³
			Cs134	—	Bq/m³ ± — Bq/m³		Cs134	— Bq/m³

*"—" used in Measurement Result and Uncertainty shows that the value is below the detection limit.

But it does not necessary mean 0(zero)Bq/Kg.



★Beta-ray

(Bq/Kg raw:Weight of raw sample Bq/Kg dry:Weight of dried sample)

Samples	Sampling Point	Sampling Month	Measurement Result			Uncertainty	Minimum Limit of Detection	
Sea water (surface)	Onahama Port, Iwaki	Feb-17	T(Free)	Under Minimum Limit of Detection	Bq/L	± —	Bq/L	2.62 Bq/L
Greenling	8.5km south of Fukushima Nuclear Power Plant1 (2.0km off-shore)	Sep-16	T(Organization)	Under Minimum Limit of Detection	Bq/Kg dry	± —	Bq/Kg dry	2.10 Bq/Kg dry
Broccoli	Kawanago, Yoshima, Iwaki	Dec-15	Sr90	Under Minimum Limit of Detection	Bq/Kg dry	± —	Bq/Kg dry	0.13 Bq/Kg dry
Yuzu (citrus fruits)	Kawanago, Yoshima, Iwaki	Dec-15	Sr90	Under Minimum Limit of Detection	Bq/Kg dry	± —	Bq/Kg dry	0.10 Bq/Kg dry
Young lancefish	Off the coast of Miyagi	Apr-15	Sr90	Under Minimum Limit of Detection	Bq/Kg dry	± —	Bq/Kg dry	0.15 Bq/Kg dry
Processed mulberry leaf product	Nihonmatsu (production)	unknown	Sr90	3.30	Bq/Kg dry	± 0.07	Bq/Kg dry	0.15 Bq/Kg dry
Farm soil	Kawanago, Yoshima, Iwaki	Dec-15	Sr90	Under Minimum Limit of Detection	Bq/Kg dry	± —	Bq/Kg dry	0.56 Bq/Kg dry
Mountain water	Shimookeuri, Kawamae, Iwaki	Oct-15	Sr90	Under Minimum Limit of Detection	Bq/L	± —	Bq/L	0.0006 Bq/L
Well water	Shimookeuri, Kawamae, Iwaki	Oct-15	Sr90	Under Minimum Limit of Detection	Bq/L	± —	Bq/L	0.0008 Bq/L
Well water	Nakanome, Nihonmatsu	May-16	Sr90	Under Minimum Limit of Detection	Bq/L	± —	Bq/L	0.0048 Bq/L

T(Free) : Tritium(Free water) T(Organization) : Tritium(Organization bound water) Sr90 : Strontium90

※The value below Minimum Limit of Detection does not necessary mean 0(zero)Bq/Kg.

