



# Radiation Measurement Results of 175 Items in August



When samples include natural radionuclides we can't deny the possibility of their radiation value counted together in our results.

The list below only shows the measurement results of the samples brought in.

Radioactive contamination level may differ according to sampling points even within the same address.

## ★Gamma-ray

(Bq/kg raw:Weight of raw sample Bq/kg dry:Weight of dried sample)

Samples	Sampling Point	Sampling Month	Measurement Result		Uncertainty		Total Amount of Cesium	Minimum Limit of Detection			
Rice	Okuma, Futaba, Fukushima	Oct-18	Cs137	3.1	Bq/kg raw	± 0.7	Bq/kg raw	3.1	Cs137	0.7	Bq/kg raw
			Cs134	—	Bq/kg raw	± —	Bq/kg raw		Cs134	0.6	Bq/kg raw
Rice	Aizu, Fukushima	Oct-18	Cs137	—	Bq/kg raw	± —	Bq/kg raw	Under Minimum Limit of Detection	Cs137	0.7	Bq/kg raw
			Cs134	—	Bq/kg raw	± —	Bq/kg raw		Cs134	0.7	Bq/kg raw
Rice	Aizu, Fukushima	Oct-18	Cs137	—	Bq/kg raw	± —	Bq/kg raw	Under Minimum Limit of Detection	Cs137	0.9	Bq/kg raw
			Cs134	—	Bq/kg raw	± —	Bq/kg raw		Cs134	0.9	Bq/kg raw
Rice	Akita	Oct-18	Cs137	—	Bq/kg raw	± —	Bq/kg raw	Under Minimum Limit of Detection	Cs137	0.8	Bq/kg raw
			Cs134	—	Bq/kg raw	± —	Bq/kg raw		Cs134	0.7	Bq/kg raw
Rice	Hiroshima	Oct-18	Cs137	—	Bq/kg raw	± —	Bq/kg raw	Under Minimum Limit of Detection	Cs137	0.9	Bq/kg raw
			Cs134	—	Bq/kg raw	± —	Bq/kg raw		Cs134	0.9	Bq/kg raw
Brown rice	Yachiyo, Chiba	Oct-18	Cs137	—	Bq/kg raw	± —	Bq/kg raw	Under Minimum Limit of Detection	Cs137	0.7	Bq/kg raw
			Cs134	—	Bq/kg raw	± —	Bq/kg raw		Cs134	0.6	Bq/kg raw
Rice	Yachiyo, Chiba	Oct-18	Cs137	—	Bq/kg raw	± —	Bq/kg raw	Under Minimum Limit of Detection	Cs137	0.9	Bq/kg raw
			Cs134	—	Bq/kg raw	± —	Bq/kg raw		Cs134	0.8	Bq/kg raw
Brown rice	Shirakawa, Kamo, Gifu	Oct-18	Cs137	—	Bq/kg raw	± —	Bq/kg raw	Under Minimum Limit of Detection	Cs137	0.8	Bq/kg raw
			Cs134	—	Bq/kg raw	± —	Bq/kg raw		Cs134	0.7	Bq/kg raw
Rice	Shirakawa, Kamo, Gifu	Oct-18	Cs137	—	Bq/kg raw	± —	Bq/kg raw	Under Minimum Limit of Detection	Cs137	0.7	Bq/kg raw
			Cs134	—	Bq/kg raw	± —	Bq/kg raw		Cs134	0.6	Bq/kg raw
Potato	Ouse, Koriyama, Fukushima	Aug-19	Cs137	—	Bq/kg raw	± —	Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.0	Bq/kg raw
			Cs134	—	Bq/kg raw	± —	Bq/kg raw		Cs134	0.9	Bq/kg raw
Potato	Ouse, Koriyama, Fukushima	Aug-19	Cs137	—	Bq/kg raw	± —	Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.1	Bq/kg raw
			Cs134	—	Bq/kg raw	± —	Bq/kg raw		Cs134	0.9	Bq/kg raw
Potato	Furudono, Ishikawa, Fukushima	Aug-19	Cs137	—	Bq/kg raw	± —	Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.0	Bq/kg raw
			Cs134	—	Bq/kg raw	± —	Bq/kg raw		Cs134	0.9	Bq/kg raw
Potato	Shirakawa, Fukushima	Aug-19	Cs137	—	Bq/kg raw	± —	Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.2	Bq/kg raw
			Cs134	—	Bq/kg raw	± —	Bq/kg raw		Cs134	1.2	Bq/kg raw
Potato	Tairashimotakaku, Iwaki	Aug-19	Cs137	—	Bq/kg raw	± —	Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.1	Bq/kg raw
			Cs134	—	Bq/kg raw	± —	Bq/kg raw		Cs134	1.0	Bq/kg raw
Potato	Jobanshimofunao, Iwaki	Jul-19	Cs137	—	Bq/kg raw	± —	Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.4	Bq/kg raw
			Cs134	—	Bq/kg raw	± —	Bq/kg raw		Cs134	1.3	Bq/kg raw
Potato	Izumigaoka, Iwaki	Aug-19	Cs137	—	Bq/kg raw	± —	Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.6	Bq/kg raw
			Cs134	—	Bq/kg raw	± —	Bq/kg raw		Cs134	1.4	Bq/kg raw
Potato (peel)	Izumigaoka, Iwaki	Aug-19	Cs137	—	Bq/kg raw	± —	Bq/kg raw	Under Minimum Limit of Detection	Cs137	2.2	Bq/kg raw
			Cs134	—	Bq/kg raw	± —	Bq/kg raw		Cs134	1.7	Bq/kg raw
Potato	Onahamakamikaziro, Iwaki	Jul-19	Cs137	—	Bq/kg raw	± —	Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.1	Bq/kg raw
			Cs134	—	Bq/kg raw	± —	Bq/kg raw		Cs134	1.0	Bq/kg raw
Potato	Nishiki, Iwaki	Aug-19	Cs137	—	Bq/kg raw	± —	Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.1	Bq/kg raw
			Cs134	—	Bq/kg raw	± —	Bq/kg raw		Cs134	1.0	Bq/kg raw
Potato	Ibaraki	Aug-19	Cs137	—	Bq/kg raw	± —	Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.0	Bq/kg raw
			Cs134	—	Bq/kg raw	± —	Bq/kg raw		Cs134	1.0	Bq/kg raw

※"—" used in Measurement Result and Uncertainty shows that the value is below the detection limit.

But it does not necessary mean 0(zero)Bq/kg.

★Gamma-ray

(Bq/kg raw:Weight of raw sample Bq/kg dry:Weight of dried sample)

Samples	Sampling Point	Sampling Month	Measurement Result		Uncertainty		Total Amount of Cesium	Minimum Limit of Detection		
Potato	Yonezawa, Yamagata	Aug-19	Cs137	— Bq/kg raw	±	— Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.4	Bq/kg raw
			Cs134	— Bq/kg raw	±	— Bq/kg raw		Cs134	1.3	Bq/kg raw
Yam	Aomori	Aug-19	Cs137	— Bq/kg raw	±	— Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.5	Bq/kg raw
			Cs134	— Bq/kg raw	±	— Bq/kg raw		Cs134	1.3	Bq/kg raw
Sweet potato	Ibaraki	Aug-19	Cs137	— Bq/kg raw	±	— Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.6	Bq/kg raw
			Cs134	— Bq/kg raw	±	— Bq/kg raw		Cs134	1.5	Bq/kg raw
Carrot	Shioi, Yonezawa, Yamagata	Aug-19	Cs137	— Bq/kg raw	±	— Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.6	Bq/kg raw
			Cs134	— Bq/kg raw	±	— Bq/kg raw		Cs134	1.4	Bq/kg raw
Eggplant	Hirata, Ishikawa, Fukushima	Aug-19	Cs137	— Bq/kg raw	±	— Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.3	Bq/kg raw
			Cs134	— Bq/kg raw	±	— Bq/kg raw		Cs134	1.2	Bq/kg raw
Eggplant	Nishigo, Nishishirakawa, Fukushima	Aug-19	Cs137	— Bq/kg raw	±	— Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.1	Bq/kg raw
			Cs134	— Bq/kg raw	±	— Bq/kg raw		Cs134	1.0	Bq/kg raw
Eggplant	Shirakawa, Fukushima	Aug-19	Cs137	— Bq/kg raw	±	— Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.4	Bq/kg raw
			Cs134	— Bq/kg raw	±	— Bq/kg raw		Cs134	1.3	Bq/kg raw
Eggplant	Chuoudai, Iwaki	Aug-19	Cs137	— Bq/kg raw	±	— Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.1	Bq/kg raw
			Cs134	— Bq/kg raw	±	— Bq/kg raw		Cs134	1.0	Bq/kg raw
Eggplant	Iritono, Tono, Iwaki	Aug-19	Cs137	— Bq/kg raw	±	— Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.1	Bq/kg raw
			Cs134	— Bq/kg raw	±	— Bq/kg raw		Cs134	1.0	Bq/kg raw
Eggplant	Yonezawa, Yamagata	Aug-19	Cs137	— Bq/kg raw	±	— Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.3	Bq/kg raw
			Cs134	— Bq/kg raw	±	— Bq/kg raw		Cs134	1.1	Bq/kg raw
Round eggplant	Shioi, Yonezawa, Yamagata	Aug-19	Cs137	— Bq/kg raw	±	— Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.6	Bq/kg raw
			Cs134	— Bq/kg raw	±	— Bq/kg raw		Cs134	1.6	Bq/kg raw
Lettuce	Iwate	Aug-19	Cs137	— Bq/kg raw	±	— Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.1	Bq/kg raw
			Cs134	— Bq/kg raw	±	— Bq/kg raw		Cs134	1.0	Bq/kg raw
Cucumber	Ouse, Koriyama, Fukushima	Aug-19	Cs137	— Bq/kg raw	±	— Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.5	Bq/kg raw
			Cs134	— Bq/kg raw	±	— Bq/kg raw		Cs134	1.2	Bq/kg raw
Cucumber	Nishigo, Nishishirakawa, Fukushima	Aug-19	Cs137	— Bq/kg raw	±	— Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.3	Bq/kg raw
			Cs134	— Bq/kg raw	±	— Bq/kg raw		Cs134	1.1	Bq/kg raw
Cucumber	Shirakawa, Fukushima	Aug-19	Cs137	— Bq/kg raw	±	— Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.4	Bq/kg raw
			Cs134	— Bq/kg raw	±	— Bq/kg raw		Cs134	1.3	Bq/kg raw
Cucumber	Chuoudai, Iwaki	Jul-19	Cs137	— Bq/kg raw	±	— Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.2	Bq/kg raw
			Cs134	— Bq/kg raw	±	— Bq/kg raw		Cs134	1.0	Bq/kg raw
Cucumber	Jobanmizunoya, Iwaki	Jul-19	Cs137	— Bq/kg raw	±	— Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.6	Bq/kg raw
			Cs134	— Bq/kg raw	±	— Bq/kg raw		Cs134	1.3	Bq/kg raw
Cucumber	Yonezawa, Yamagata	Aug-19	Cs137	— Bq/kg raw	±	— Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.5	Bq/kg raw
			Cs134	— Bq/kg raw	±	— Bq/kg raw		Cs134	1.5	Bq/kg raw
Zucchini	Iritono, Tono, Iwaki	Jul-19	Cs137	— Bq/kg raw	±	— Bq/kg raw	Under Minimum Limit of Detection	Cs137	0.8	Bq/kg raw
			Cs134	— Bq/kg raw	±	— Bq/kg raw		Cs134	0.8	Bq/kg raw
Zucchini	Unknown	Aug-19	Cs137	— Bq/kg raw	±	— Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.6	Bq/kg raw
			Cs134	— Bq/kg raw	±	— Bq/kg raw		Cs134	1.5	Bq/kg raw
Bitter gourd	Jobanmizunoya, Iwaki	Jul-19	Cs137	— Bq/kg raw	±	— Bq/kg raw	Under Minimum Limit of Detection	Cs137	2.5	Bq/kg raw
			Cs134	— Bq/kg raw	±	— Bq/kg raw		Cs134	1.9	Bq/kg raw
Bitter gourd	Fukushima	Aug-19	Cs137	— Bq/kg raw	±	— Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.5	Bq/kg raw
			Cs134	— Bq/kg raw	±	— Bq/kg raw		Cs134	1.5	Bq/kg raw
Bitter gourd (seed)	Fukushima	Aug-19	Cs137	— Bq/kg raw	±	— Bq/kg raw	Under Minimum Limit of Detection	Cs137	10.0	Bq/kg raw
			Cs134	— Bq/kg raw	±	— Bq/kg raw		Cs134	8.5	Bq/kg raw
Bitter gourd	Sakura-ku, Saitama, Saitama	Aug-19	Cs137	— Bq/kg raw	±	— Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.5	Bq/kg raw
			Cs134	— Bq/kg raw	±	— Bq/kg raw		Cs134	1.2	Bq/kg raw

※"\_" used in Measurement Result and Uncertainty shows that the value is below the detection limit.

But it does not necessary mean 0(zero)Bq/kg.

★Gamma-ray

(Bq/kg raw:Weight of raw sample Bq/kg dry:Weight of dried sample)

Samples	Sampling Point	Sampling Month	Measurement Result		Uncertainty		Total Amount of Cesium	Minimum Limit of Detection				
Bitter gourd (seed, cotton)	Sakura-ku, Saitama, Saitama	Aug-19	Cs137	—	Bq/kg raw	±	—	Bq/kg raw	Under Minimum Limit of Detection	Cs137	4.4	Bq/kg raw
			Cs134	—	Bq/kg raw	±	—	Bq/kg raw		Cs134	3.4	Bq/kg raw
Green pepper	Fukushima	Aug-19	Cs137	—	Bq/kg raw	±	—	Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.5	Bq/kg raw
			Cs134	—	Bq/kg raw	±	—	Bq/kg raw		Cs134	1.2	Bq/kg raw
Green pepper	Fukushima	Jul-19	Cs137	—	Bq/kg raw	±	—	Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.3	Bq/kg raw
			Cs134	—	Bq/kg raw	±	—	Bq/kg raw		Cs134	1.1	Bq/kg raw
Green pepper	Yonezawa, Yamagata	Aug-19	Cs137	—	Bq/kg raw	±	—	Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.7	Bq/kg raw
			Cs134	—	Bq/kg raw	±	—	Bq/kg raw		Cs134	1.5	Bq/kg raw
Green pepper	Fukushima	Jul-19	Cs137	—	Bq/kg raw	±	—	Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.4	Bq/kg raw
			Cs134	—	Bq/kg raw	±	—	Bq/kg raw		Cs134	1.1	Bq/kg raw
Green pepper	Yonezawa, Yamagata	Aug-19	Cs137	—	Bq/kg raw	±	—	Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.6	Bq/kg raw
			Cs134	—	Bq/kg raw	±	—	Bq/kg raw		Cs134	1.2	Bq/kg raw
Okra	Shioi, Yonezawa, Yamagata	Aug-19	Cs137	—	Bq/kg raw	±	—	Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.3	Bq/kg raw
			Cs134	—	Bq/kg raw	±	—	Bq/kg raw		Cs134	1.2	Bq/kg raw
Spinach	Asahi, Ibaraki	Aug-19	Cs137	—	Bq/kg raw	±	—	Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.2	Bq/kg raw
			Cs134	—	Bq/kg raw	±	—	Bq/kg raw		Cs134	1.1	Bq/kg raw
Japanese mustard spinach	Ibaraki	Jul-19	Cs137	—	Bq/kg raw	±	—	Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.5	Bq/kg raw
			Cs134	—	Bq/kg raw	±	—	Bq/kg raw		Cs134	1.1	Bq/kg raw
Japanese mustard spinach	Asahi, Ibaraki	Aug-19	Cs137	—	Bq/kg raw	±	—	Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.4	Bq/kg raw
			Cs134	—	Bq/kg raw	±	—	Bq/kg raw		Cs134	1.3	Bq/kg raw
Garland chrysanthemum	Ibaraki	Aug-19	Cs137	—	Bq/kg raw	±	—	Bq/kg raw	Under Minimum Limit of Detection	Cs137	3.1	Bq/kg raw
			Cs134	—	Bq/kg raw	±	—	Bq/kg raw		Cs134	2.4	Bq/kg raw
Leek	Tairashimokabeya, Iwaki	Aug-19	Cs137	—	Bq/kg raw	±	—	Bq/kg raw	Under Minimum Limit of Detection	Cs137	2.2	Bq/kg raw
			Cs134	—	Bq/kg raw	±	—	Bq/kg raw		Cs134	1.6	Bq/kg raw
Parsley	Chiba	Aug-19	Cs137	—	Bq/kg raw	±	—	Bq/kg raw	Under Minimum Limit of Detection	Cs137	2.3	Bq/kg raw
			Cs134	—	Bq/kg raw	±	—	Bq/kg raw		Cs134	1.7	Bq/kg raw
Broccoli (frozen)	Ecuador	unknown	Cs137	—	Bq/kg raw	±	—	Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.3	Bq/kg raw
			Cs134	—	Bq/kg raw	±	—	Bq/kg raw		Cs134	1.2	Bq/kg raw
Peas(frozen)	Canada	unknown	Cs137	—	Bq/kg raw	±	—	Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.1	Bq/kg raw
			Cs134	—	Bq/kg raw	±	—	Bq/kg raw		Cs134	1.0	Bq/kg raw
Perilla	Tairashimokabeya, Iwaki	Aug-19	Cs137	—	Bq/kg raw	±	—	Bq/kg raw	Under Minimum Limit of Detection	Cs137	3.5	Bq/kg raw
			Cs134	—	Bq/kg raw	±	—	Bq/kg raw		Cs134	3.0	Bq/kg raw
Perilla	Nishiki, Iwaki	Aug-19	Cs137	—	Bq/kg raw	±	—	Bq/kg raw	Under Minimum Limit of Detection	Cs137	3.5	Bq/kg raw
			Cs134	—	Bq/kg raw	±	—	Bq/kg raw		Cs134	2.9	Bq/kg raw
Myoga	Onahamarinjo, Iwaki	Aug-19	Cs137	—	Bq/kg raw	±	—	Bq/kg raw	Under Minimum Limit of Detection	Cs137	2.3	Bq/kg raw
			Cs134	—	Bq/kg raw	±	—	Bq/kg raw		Cs134	1.7	Bq/kg raw
Nalta jute	Fukushima	Aug-19	Cs137	—	Bq/kg raw	±	—	Bq/kg raw	Under Minimum Limit of Detection	Cs137	2.0	Bq/kg raw
			Cs134	—	Bq/kg raw	±	—	Bq/kg raw		Cs134	1.6	Bq/kg raw
Green bean	Fukushima	Aug-19	Cs137	—	Bq/kg raw	±	—	Bq/kg raw	Under Minimum Limit of Detection	Cs137	3.8	Bq/kg raw
			Cs134	—	Bq/kg raw	±	—	Bq/kg raw		Cs134	2.9	Bq/kg raw
Green bean	Tairashimokabeya, Iwaki	Aug-19	Cs137	—	Bq/kg raw	±	—	Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.9	Bq/kg raw
			Cs134	—	Bq/kg raw	±	—	Bq/kg raw		Cs134	1.6	Bq/kg raw
Cowpea	Tairashimokabeya, Iwaki	Aug-19	Cs137	—	Bq/kg raw	±	—	Bq/kg raw	Under Minimum Limit of Detection	Cs137	2.2	Bq/kg raw
			Cs134	—	Bq/kg raw	±	—	Bq/kg raw		Cs134	1.6	Bq/kg raw
Laurier	Izumigaoka, Iwaki	Aug-19	Cs137	6.6	Bq/kg raw	±	2.9	Bq/kg raw	6.6	Cs137	4.1	Bq/kg raw
			Cs134	—	Bq/kg raw	±	—	Bq/kg raw		Cs134	3.2	Bq/kg raw
Pumpkin	Okuma, Futaba, Fukushima	Jul-19	Cs137	—	Bq/kg raw	±	—	Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.1	Bq/kg raw
			Cs134	—	Bq/kg raw	±	—	Bq/kg raw		Cs134	1.0	Bq/kg raw

※"\_" used in Measurement Result and Uncertainty shows that the value is below the detection limit.

But it does not necessary mean 0(zero)Bq/kg.

★Gamma-ray

(Bq/kg raw:Weight of raw sample Bq/kg dry:Weight of dried sample)

Samples	Sampling Point	Sampling Month	Measurement Result		Uncertainty		Total Amount of Cesium	Minimum Limit of Detection		
Pumpkin	Ouse, Koriyama, Fukushima	Aug-19	Cs137	— Bq/kg raw	±	— Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.4	Bq/kg raw
			Cs134	— Bq/kg raw	±	— Bq/kg raw		Cs134	1.3	Bq/kg raw
Pumpkin(seed)	Ouse, Koriyama, Fukushima	Aug-19	Cs137	— Bq/kg raw	±	— Bq/kg raw	Under Minimum Limit of Detection	Cs137	2.3	Bq/kg raw
			Cs134	— Bq/kg raw	±	— Bq/kg raw		Cs134	1.8	Bq/kg raw
Pumpkin	Fushiguro, Date, Fukushima	Aug-19	Cs137	— Bq/kg raw	±	— Bq/kg raw	Under Minimum Limit of Detection	Cs137	0.8	Bq/kg raw
			Cs134	— Bq/kg raw	±	— Bq/kg raw		Cs134	0.7	Bq/kg raw
Pumpkin	Uchigo, Iwaki	Jul-19	Cs137	— Bq/kg raw	±	— Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.6	Bq/kg raw
			Cs134	— Bq/kg raw	±	— Bq/kg raw		Cs134	1.4	Bq/kg raw
Pumpkin	Iritono, Tono, Iwaki	Aug-19	Cs137	— Bq/kg raw	±	— Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.4	Bq/kg raw
			Cs134	— Bq/kg raw	±	— Bq/kg raw		Cs134	1.2	Bq/kg raw
Pumpkin	Yonezawa, Yamagata	Aug-19	Cs137	— Bq/kg raw	±	— Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.3	Bq/kg raw
			Cs134	— Bq/kg raw	±	— Bq/kg raw		Cs134	1.2	Bq/kg raw
Spaghetti squash	Yonezawa, Yamagata	Aug-19	Cs137	— Bq/kg raw	±	— Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.4	Bq/kg raw
			Cs134	— Bq/kg raw	±	— Bq/kg raw		Cs134	1.3	Bq/kg raw
Boiled beet (canned)	Lithuania	unknown	Cs137	— Bq/kg raw	±	— Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.1	Bq/kg raw
			Cs134	— Bq/kg raw	±	— Bq/kg raw		Cs134	1.0	Bq/kg raw
Tomato	Ouse, Koriyama, Fukushima	Aug-19	Cs137	— Bq/kg raw	±	— Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.3	Bq/kg raw
			Cs134	— Bq/kg raw	±	— Bq/kg raw		Cs134	1.2	Bq/kg raw
Tomato	Tochigi	Aug-19	Cs137	— Bq/kg raw	±	— Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.2	Bq/kg raw
			Cs134	— Bq/kg raw	±	— Bq/kg raw		Cs134	1.0	Bq/kg raw
Cherry tomato	Yonezawa, Yamagata	Aug-19	Cs137	— Bq/kg raw	±	— Bq/kg raw	Under Minimum Limit of Detection	Cs137	0.9	Bq/kg raw
			Cs134	— Bq/kg raw	±	— Bq/kg raw		Cs134	0.8	Bq/kg raw
Water melon	Yonezawa, Yamagata	Aug-19	Cs137	— Bq/kg raw	±	— Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.1	Bq/kg raw
			Cs134	— Bq/kg raw	±	— Bq/kg raw		Cs134	1.0	Bq/kg raw
Dried bracken	Kawanishi, Yamagata	Aug-19	Cs137	6.1 Bq/kg raw	±	2.1 Bq/kg raw	6.1	Cs137	2.8	Bq/kg raw
			Cs134	— Bq/kg raw	±	— Bq/kg raw		Cs134	2.7	Bq/kg raw
Aralia cordate	Iwaki	Jul-19	Cs137	— Bq/kg raw	±	— Bq/kg raw	Under Minimum Limit of Detection	Cs137	3.3	Bq/kg raw
			Cs134	— Bq/kg raw	±	— Bq/kg raw		Cs134	2.5	Bq/kg raw
American silvertop	Iwaki	Jul-19	Cs137	— Bq/kg raw	±	— Bq/kg raw	Under Minimum Limit of Detection	Cs137	22.1	Bq/kg raw
			Cs134	— Bq/kg raw	±	— Bq/kg raw		Cs134	17.8	Bq/kg raw
Dried stems of taro	Iwaki	Jul-19	Cs137	— Bq/kg raw	±	— Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.6	Bq/kg raw
			Cs134	— Bq/kg raw	±	— Bq/kg raw		Cs134	1.5	Bq/kg raw
Blueberry	Iwaki	Jul-19	Cs137	4.6 Bq/kg raw	±	1.1 Bq/kg raw	4.6	Cs137	1.0	Bq/kg raw
			Cs134	— Bq/kg raw	±	— Bq/kg raw		Cs134	1.0	Bq/kg raw
Blueberry	Yonezawa, Yamagata	Aug-19	Cs137	— Bq/kg raw	±	— Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.6	Bq/kg raw
			Cs134	— Bq/kg raw	±	— Bq/kg raw		Cs134	1.3	Bq/kg raw
Pear(pulp)	Fukushima	Aug-19	Cs137	— Bq/kg raw	±	— Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.1	Bq/kg raw
			Cs134	— Bq/kg raw	±	— Bq/kg raw		Cs134	1.0	Bq/kg raw
Pear(peel)	Fukushima	Aug-19	Cs137	— Bq/kg raw	±	— Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.9	Bq/kg raw
			Cs134	— Bq/kg raw	±	— Bq/kg raw		Cs134	1.4	Bq/kg raw
Pear	Ibaraki	Aug-19	Cs137	— Bq/kg raw	±	— Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.2	Bq/kg raw
			Cs134	— Bq/kg raw	±	— Bq/kg raw		Cs134	1.1	Bq/kg raw
Peach	Fukushima	Aug-19	Cs137	— Bq/kg raw	±	— Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.1	Bq/kg raw
			Cs134	— Bq/kg raw	±	— Bq/kg raw		Cs134	1.1	Bq/kg raw
Melon	Ibaraki	Jul-19	Cs137	— Bq/kg raw	±	— Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.2	Bq/kg raw
			Cs134	— Bq/kg raw	±	— Bq/kg raw		Cs134	1.1	Bq/kg raw
Dried fruit	America	unknown	Cs137	— Bq/kg raw	±	— Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.7	Bq/kg raw
			Cs134	— Bq/kg raw	±	— Bq/kg raw		Cs134	1.3	Bq/kg raw

※"\_" used in Measurement Result and Uncertainty shows that the value is below the detection limit.

But it does not necessary mean 0(zero)Bq/kg.

★Gamma-ray

(Bq/kg raw:Weight of raw sample Bq/kg dry:Weight of dried sample)

Samples	Sampling Point	Sampling Month	Measurement Result		Uncertainty		Total Amount of Cesium	Minimum Limit of Detection	
Shitake mushroom grown in bacteria-bed	Fukushima	Jul-19	Cs137	7.9 Bq/kg raw	± 2.0 Bq/kg raw	7.9	Cs137	1.6 Bq/kg raw	
			Cs134	— Bq/kg raw	± — Bq/kg raw		Cs134	1.3 Bq/kg raw	
Shitake mushroom grown in bacteria-bed	Koriyama, Fukushima	Aug-19	Cs137	3.4 Bq/kg raw	± 1.0 Bq/kg raw	3.4	Cs137	1.3 Bq/kg raw	
			Cs134	— Bq/kg raw	± — Bq/kg raw		Cs134	1.1 Bq/kg raw	
Shiitake mushroom (powder)	Watanabe, Iwaki	Jul-19	Cs137	27.8 Bq/kg raw	± 4.8 Bq/kg raw	27.8	Cs137	3.8 Bq/kg raw	
			Cs134	— Bq/kg raw	± — Bq/kg raw		Cs134	3.2 Bq/kg raw	
Shitake mushroom grown in bacteria-bed	Iwaki	Aug-19	Cs137	— Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.6 Bq/kg raw	
			Cs134	— Bq/kg raw	± — Bq/kg raw		Cs134	1.3 Bq/kg raw	
Shitake mushroom grown in bacteria-bed	Chiba	Aug-19	Cs137	— Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.2 Bq/kg raw	
			Cs134	— Bq/kg raw	± — Bq/kg raw		Cs134	1.0 Bq/kg raw	
Nameko mushroom	Iwaki	Aug-19	Cs137	— Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.5 Bq/kg raw	
			Cs134	— Bq/kg raw	± — Bq/kg raw		Cs134	1.3 Bq/kg raw	
Nameko mushroom	Iwaki	Aug-19	Cs137	— Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.6 Bq/kg raw	
			Cs134	— Bq/kg raw	± — Bq/kg raw		Cs134	1.2 Bq/kg raw	
Nameko mushroom	Kawasaki, Kanagawa	Jul-19	Cs137	— Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.0 Bq/kg raw	
			Cs134	— Bq/kg raw	± — Bq/kg raw		Cs134	0.9 Bq/kg raw	
Enoki mushroom	Nagano	Aug-19	Cs137	— Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.3 Bq/kg raw	
			Cs134	— Bq/kg raw	± — Bq/kg raw		Cs134	1.2 Bq/kg raw	
Shimeji mushroom	Ibaraki	Jul-19	Cs137	— Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.1 Bq/kg raw	
			Cs134	— Bq/kg raw	± — Bq/kg raw		Cs134	0.9 Bq/kg raw	
Eringi mushroom	Niigata	Jul-19	Cs137	— Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.5 Bq/kg raw	
			Cs134	— Bq/kg raw	± — Bq/kg raw		Cs134	1.2 Bq/kg raw	
Oyster mushroom	Iwaki	Jul-19	Cs137	— Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.2 Bq/kg raw	
			Cs134	— Bq/kg raw	± — Bq/kg raw		Cs134	1.0 Bq/kg raw	
Mackerel(flesh)	Nakanosaku, Iwaki	Jul-19	Cs137	3.0 Bq/kg raw	± 1.1 Bq/kg raw	3.0	Cs137	1.3 Bq/kg raw	
			Cs134	— Bq/kg raw	± — Bq/kg raw		Cs134	1.2 Bq/kg raw	
Cod(flesh)	Off the coast of Iwaki	Aug-19	Cs137	— Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.0 Bq/kg raw	
			Cs134	— Bq/kg raw	± — Bq/kg raw		Cs134	0.8 Bq/kg raw	
Cod (head, bone, guts)	Off the coast of Iwaki	Aug-19	Cs137	— Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.2 Bq/kg raw	
			Cs134	— Bq/kg raw	± — Bq/kg raw		Cs134	0.9 Bq/kg raw	
Red seabream (bony parts)	Ehime	Aug-19	Cs137	— Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.2 Bq/kg raw	
			Cs134	— Bq/kg raw	± — Bq/kg raw		Cs134	1.1 Bq/kg raw	
Boiled seaweed	Off the coast of Sanriku, Iwate	Aug-19	Cs137	— Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.8 Bq/kg raw	
			Cs134	— Bq/kg raw	± — Bq/kg raw		Cs134	1.4 Bq/kg raw	
Dried kelp	Iwate	Aug-19	Cs137	— Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137	9.7 Bq/kg raw	
			Cs134	— Bq/kg raw	± — Bq/kg raw		Cs134	7.2 Bq/kg raw	
Chicken (breast strips)	Japan (production)	Aug-19	Cs137	— Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.0 Bq/kg raw	
			Cs134	— Bq/kg raw	± — Bq/kg raw		Cs134	0.8 Bq/kg raw	
Salted plum	Izumi, Iwaki	Aug-19	Cs137	— Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.2 Bq/kg raw	
			Cs134	— Bq/kg raw	± — Bq/kg raw		Cs134	1.2 Bq/kg raw	
Salted plum	Japan (production)	Jul-19	Cs137	— Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.3 Bq/kg raw	
			Cs134	— Bq/kg raw	± — Bq/kg raw		Cs134	1.3 Bq/kg raw	
Tap water	Ogawa, Iwaki	Aug-19	Cs137	— Bq/L	± — Bq/L	Under Minimum Limit of Detection	Cs137	0.013 Bq/L	
			Cs134	— Bq/L	± — Bq/L		Cs134	— Bq/L	
Milk	Mito, Ibaraki	Aug-19	Cs137	— Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.2 Bq/kg raw	
			Cs134	— Bq/kg raw	± — Bq/kg raw		Cs134	1.1 Bq/kg raw	
Apple juice	Shimokawara, Date, Fukushima	Jul-19	Cs137	— Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.2 Bq/kg raw	
			Cs134	— Bq/kg raw	± — Bq/kg raw		Cs134	1.1 Bq/kg raw	

※"\_" used in Measurement Result and Uncertainty shows that the value is below the detection limit.

But it does not necessary mean 0(zero)Bq/kg.



★Gamma-ray

(Bq/kg raw:Weight of raw sample Bq/kg dry:Weight of dried sample)

Samples	Sampling Point	Sampling Month	Measurement Result		Uncertainty	Total Amount of Cesium	Minimum Limit of Detection	
Pear juice	Shimokawara, Date, Fukushima	Jul-19	Cs137	— Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.3 Bq/kg raw
			Cs134	— Bq/kg raw	± — Bq/kg raw		Cs134	1.3 Bq/kg raw
Yogurt	Ibaraki	Jul-19	Cs137	— Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.5 Bq/kg raw
			Cs134	— Bq/kg raw	± — Bq/kg raw		Cs134	1.3 Bq/kg raw
Yogurt	Nasushiobara, Tochigi	Aug-19	Cs137	— Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137	0.9 Bq/kg raw
			Cs134	— Bq/kg raw	± — Bq/kg raw		Cs134	0.7 Bq/kg raw
Yogurt	Tatebayashi, Gunma	Aug-19	Cs137	— Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.2 Bq/kg raw
			Cs134	— Bq/kg raw	± — Bq/kg raw		Cs134	1.1 Bq/kg raw
Miso	Nagano, Nagano	Aug-19	Cs137	— Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137	0.8 Bq/kg raw
			Cs134	— Bq/kg raw	± — Bq/kg raw		Cs134	0.7 Bq/kg raw
Pickles (burdock)	Shimogo, Minamiaizu, Fukushima	Jul-19	Cs137	— Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137	2.1 Bq/kg raw
			Cs134	— Bq/kg raw	± — Bq/kg raw		Cs134	1.6 Bq/kg raw
Source	Numata, Gunma	Aug-19	Cs137	— Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.0 Bq/kg raw
			Cs134	— Bq/kg raw	± — Bq/kg raw		Cs134	0.9 Bq/kg raw
Honey①	Fushiguro, Date, Fukushima	unknown	Cs137	— Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137	0.9 Bq/kg raw
			Cs134	— Bq/kg raw	± — Bq/kg raw		Cs134	0.8 Bq/kg raw
Honey②	Fushiguro, Date, Fukushima	unknown	Cs137	— Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137	0.7 Bq/kg raw
			Cs134	— Bq/kg raw	± — Bq/kg raw		Cs134	0.6 Bq/kg raw
Egg	Hanawa, Higashishirakawa, Fukushima	Aug-19	Cs137	— Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.3 Bq/kg raw
			Cs134	— Bq/kg raw	± — Bq/kg raw		Cs134	1.3 Bq/kg raw
Tofu(silk)	Ootsu, Naruto, Tokushima	Aug-19	Cs137	— Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.2 Bq/kg raw
			Cs134	— Bq/kg raw	± — Bq/kg raw		Cs134	0.9 Bq/kg raw
Tofu(firm)	Maebashi, Gunma	Jul-19	Cs137	— Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.2 Bq/kg raw
			Cs134	— Bq/kg raw	± — Bq/kg raw		Cs134	1.1 Bq/kg raw
Tofu(green soybean flavor)	Isesaki, Gunma	Aug-19	Cs137	— Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.2 Bq/kg raw
			Cs134	— Bq/kg raw	± — Bq/kg raw		Cs134	1.1 Bq/kg raw
Deep fried tofu	Gunma	Aug-19	Cs137	— Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.2 Bq/kg raw
			Cs134	— Bq/kg raw	± — Bq/kg raw		Cs134	1.1 Bq/kg raw
Soy pulp	Onahama, Iwaki	Aug-19	Cs137	— Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.0 Bq/kg raw
			Cs134	— Bq/kg raw	± — Bq/kg raw		Cs134	1.0 Bq/kg raw
Soy pulp	Iwaki	Aug-19	Cs137	— Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.6 Bq/kg raw
			Cs134	— Bq/kg raw	± — Bq/kg raw		Cs134	1.5 Bq/kg raw
Konjac	Iwate	Aug-19	Cs137	— Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.2 Bq/kg raw
			Cs134	— Bq/kg raw	± — Bq/kg raw		Cs134	1.1 Bq/kg raw
Boiled udon	Miyagi	Jul-19	Cs137	— Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.2 Bq/kg raw
			Cs134	— Bq/kg raw	± — Bq/kg raw		Cs134	0.9 Bq/kg raw
Stir-fried noodles	Motomiya, Fukushima	Aug-19	Cs137	— Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.0 Bq/kg raw
			Cs134	— Bq/kg raw	± — Bq/kg raw		Cs134	0.9 Bq/kg raw
Chicken nugget	Miyagi	Aug-19	Cs137	— Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.2 Bq/kg raw
			Cs134	— Bq/kg raw	± — Bq/kg raw		Cs134	1.2 Bq/kg raw
Herbal tea	Unknown	unknown	Cs137	— Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137	9.9 Bq/kg raw
			Cs134	— Bq/kg raw	± — Bq/kg raw		Cs134	7.9 Bq/kg raw
Burdock tea	Unknown	Aug-19	Cs137	— Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137	5.3 Bq/kg raw
			Cs134	— Bq/kg raw	± — Bq/kg raw		Cs134	4.0 Bq/kg raw
Soybeans powder	Nagano	Aug-19	Cs137	— Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.2 Bq/kg raw
			Cs134	— Bq/kg raw	± — Bq/kg raw		Cs134	1.2 Bq/kg raw
Malted rice	Japan (production)	Aug-19	Cs137	— Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.2 Bq/kg raw
			Cs134	— Bq/kg raw	± — Bq/kg raw		Cs134	1.1 Bq/kg raw

※"\_" used in Measurement Result and Uncertainty shows that the value is below the detection limit.

But it does not necessary mean 0(zero)Bq/kg.

★Gamma-ray

(Bq/kg raw:Weight of raw sample Bq/kg dry:Weight of dried sample)

Samples	Sampling Point	Sampling Month	Measurement Result		Uncertainty		Total Amount of Cesium	Minimum Limit of Detection	
Malted rice	Iwaki	Jul-19	Cs137	— Bq/kg raw	±	— Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.2 Bq/kg raw
			Cs134	— Bq/kg raw	±	— Bq/kg raw		Cs134	1.1 Bq/kg raw
Bran	Kawamata, Date, Fukushima	Aug-19	Cs137	— Bq/kg raw	±	— Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.4 Bq/kg raw
			Cs134	— Bq/kg raw	±	— Bq/kg raw		Cs134	1.2 Bq/kg raw
Baked bran(with shitakemushroom powder)	Itabashi-ku, Tokyo	Jul-19	Cs137	— Bq/kg raw	±	— Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.2 Bq/kg raw
			Cs134	— Bq/kg raw	±	— Bq/kg raw		Cs134	1.1 Bq/kg raw
Pickled vegetables	Takahata, Higashiokitama, Yamagata	Aug-19	Cs137	— Bq/kg raw	±	— Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.1 Bq/kg raw
			Cs134	— Bq/kg raw	±	— Bq/kg raw		Cs134	1.0 Bq/kg raw
Mix nuts	Unknown	unknown	Cs137	— Bq/kg raw	±	— Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.8 Bq/kg raw
			Cs134	— Bq/kg raw	±	— Bq/kg raw		Cs134	1.7 Bq/kg raw
Hornet(nest)	Ena, Iwaki	Aug-19	Cs137	79.5 Bq/kg raw	±	15.9 Bq/kg raw	79.5	Cs137	2.1 Bq/kg raw
			Cs134	— Bq/kg raw	±	— Bq/kg raw		Cs134	1.8 Bq/kg raw
Hornet(nest)	Enakita, Iwaki	Aug-19	Cs137	72.8 Bq/kg raw	±	14.6 Bq/kg raw	78.9	Cs137	1.5 Bq/kg raw
			Cs134	6.1 Bq/kg raw	±	1.5 Bq/kg raw		Cs134	1.3 Bq/kg raw
Pine cone	Nanko, Shirakawa, Fukushima	Aug-19	Cs137	1110.0 Bq/kg raw	±	220.0 Bq/kg raw	1217.0	Cs137	3.0 Bq/kg raw
			Cs134	107.0 Bq/kg raw	±	21.0 Bq/kg raw		Cs134	2.7 Bq/kg raw
Pine cone	Kamiokeuri, Kawamae, Iwaki	Jul-19	Cs137	2130.0 Bq/kg raw	±	430.0 Bq/kg raw	2330.0	Cs137	3.6 Bq/kg raw
			Cs134	200.0 Bq/kg raw	±	40.0 Bq/kg raw		Cs134	3.5 Bq/kg raw
Pine cone	Kamiokeuri, Kawamae, Iwaki	Jul-19	Cs137	14.1 Bq/kg raw	±	3.4 Bq/kg raw	14.1	Cs137	2.7 Bq/kg raw
			Cs134	— Bq/kg raw	±	— Bq/kg raw		Cs134	2.5 Bq/kg raw
Wood chips	Iwaki	Aug-19	Cs137	16.5 Bq/kg raw	±	3.8 Bq/kg raw	16.5	Cs137	2.6 Bq/kg raw
			Cs134	— Bq/kg raw	±	— Bq/kg raw		Cs134	2.3 Bq/kg raw
Soil for beetles	Iwaki	Jul-19	Cs137	1.3 Bq/kg raw	±	0.9 Bq/kg raw	1.3	Cs137	1.2 Bq/kg raw
			Cs134	— Bq/kg raw	±	— Bq/kg raw		Cs134	1.1 Bq/kg raw
Fallen leaves	Ono, Tamura, Fukushima	Aug-19	Cs137	97.8 Bq/kg raw	±	16.1 Bq/kg raw	97.8	Cs137	12.1 Bq/kg raw
			Cs134	— Bq/kg raw	±	— Bq/kg raw		Cs134	9.0 Bq/kg raw
Flower	Ootawara, Tochigi	Aug-19	Cs137	— Bq/kg raw	±	— Bq/kg raw	Under Minimum Limit of Detection	Cs137	1.6 Bq/kg raw
			Cs134	— Bq/kg raw	±	— Bq/kg raw		Cs134	1.4 Bq/kg raw
Fertilizer (chaff·pig dung)	Unknown	Jul-19	Cs137	4.3 Bq/kg raw	±	1.5 Bq/kg raw	4.3	Cs137	1.9 Bq/kg raw
			Cs134	— Bq/kg raw	±	— Bq/kg raw		Cs134	1.7 Bq/kg raw
Moss	Iwaki	Jul-19	Cs137	311.0 Bq/kg raw	±	62.0 Bq/kg raw	347.1	Cs137	8.8 Bq/kg raw
			Cs134	36.1 Bq/kg raw	±	9.0 Bq/kg raw		Cs134	8.1 Bq/kg raw
Soil	Ouse, Koriyama, Fukushima	Aug-19	Cs137	984.0 Bq/kg dry	±	108.0 Bq/kg dry	1050.8	Cs137	5.8 Bq/kg dry
			Cs134	66.8 Bq/kg dry	±	10.4 Bq/kg dry		Cs134	6.7 Bq/kg dry
Field soil	Ogawa, Iwaki	Aug-19	Cs137	106.0 Bq/kg dry	±	12.0 Bq/kg dry	115.3	Cs137	3.9 Bq/kg dry
			Cs134	9.3 Bq/kg dry	±	1.8 Bq/kg dry		Cs134	4.9 Bq/kg dry
Vacuum cleaner dust (Dyson)	Onahama, Iwaki	Aug-19	Cs137	927.9 Bq/kg raw	±	80.1 Bq/kg raw	979.8	Cs137	5.6 Bq/kg raw
			Cs134	51.9 Bq/kg raw	±	8.2 Bq/kg raw		Cs134	5.3 Bq/kg raw
Vacuum cleaner dust	Onahamasumiyoshi, Iwaki	Aug-19	Cs137	82.0 Bq/kg raw	±	10.5 Bq/kg raw	82	Cs137	5.9 Bq/kg raw
			Cs134	— Bq/kg raw	±	— Bq/kg raw		Cs134	4.9 Bq/kg raw
Vacuum cleaner dust (TOSHIBA Cyclone)	Onahamaohara, Iwaki	Jul-19	Cs137	21.8 Bq/kg raw	±	8.6 Bq/kg raw	21.8	Cs137	11.1 Bq/kg raw
			Cs134	— Bq/kg raw	±	— Bq/kg raw		Cs134	8.5 Bq/kg raw

※"\_" used in Measurement Result and Uncertainty shows that the value is below the detection limit.  
But it does not necessary mean 0(zero)Bq/kg.

## ★Beta-ray

(Bq/Kg raw:Weight of raw sample Bq/Kg dry:Weight of dried sample)

Samples	Sampling Point	Sampling Month	Measurement Result		Uncertainty		Minimum Limit of Detection	
			T(Organization)	Under Minimum Limit of Detection Bq/Kg dry	±	—	Bq/Kg dry	Bq/Kg dry
Slime flounder (flesh)	Off the coast of Futaba,Hirono	Feb-18	T(Organization)	Under Minimum Limit of Detection Bq/Kg dry	±	—	Bq/Kg dry	1.35 Bq/Kg dry
Greenling (flesh)	Off the coast of Fukushima Nuclear Power Plant1	Jul-18	T(Organization)	Under Minimum Limit of Detection Bq/Kg dry	±	—	Bq/Kg dry	1.49 Bq/Kg dry
Fox jacopever (flesh)	Off the coast of Fukushima Nuclear Power Plant1	Jul-18	T(Organization)	Under Minimum Limit of Detection Bq/Kg dry	±	—	Bq/Kg dry	1.66 Bq/Kg dry
Fox jacopever (flesh)	Off the coast of Fukushima Nuclear Power Plant1	Oct-18	T(Organization)	Under Minimum Limit of Detection Bq/Kg dry	±	—	Bq/Kg dry	1.26 Bq/Kg dry
Tap water	Naraha,Futaba, Fukushima	twenty-nineteen	T(Free)	Under Minimum Limit of Detection Bq/L	±	—	Bq/L	2.02 Bq/L
Bracken	Iwate	Jun-16	Sr90	5.60 Bq/Kg dry	±	0.24	Bq/Kg dry	0.30 Bq/Kg dry
Greenling (whole)	Numanouchi, Iwaki	Jan-16	Sr90	Under Minimum Limit of Detection Bq/Kg dry	±	—	Bq/Kg dry	0.13 Bq/Kg dry
Greeneye (whole)	Off the coast of Iwaki	Apr-16	Sr90	Under Minimum Limit of Detection Bq/Kg dry	±	—	Bq/Kg dry	0.13 Bq/Kg dry
Flounder (whole)	Nakoso,Iwaki	May-16	Sr90	Under Minimum Limit of Detection Bq/Kg dry	±	—	Bq/Kg dry	0.13 Bq/Kg dry
Cod(bone)	Off the coast of Iwaki	Jul-19	Sr90	Under Minimum Limit of Detection Bq/Kg dry	±	—	Bq/Kg dry	0.23 Bq/Kg dry
Shark (bone)	Off the coast of Iwaki	Jun-19	Sr90	Under Minimum Limit of Detection Bq/Kg dry	±	—	Bq/Kg dry	0.16 Bq/Kg dry
Hornet	Ena,Iwaki	Aug-16	Sr90	2.41 Bq/Kg dry	±	0.43	Bq/Kg dry	0.55 Bq/Kg dry
River water	Minamisoma, Fukushima	Nov-18	Sr90	Under Minimum Limit of Detection Bq/L	±	—	Bq/L	0.0016 Bq/L
Tap water	Minamisoma, Fukushima	Feb-19	Sr90	Under Minimum Limit of Detection Bq/L	±	—	Bq/L	0.0017 Bq/L