



Radiation Measurement Results of 171 Items in November



When samples include natural radionuclides we can't deny the possibility of their radiation value counted together in our results.

The list below only shows the measurement results of the samples brought in.

Radioactive contamination level may differ according to sampling points even within the same address.

★Gamma-ray

(Bq/kg raw:Weight of raw sample Bq/kg dry:Weight of dried sample)

Samples	Sampling Point	Sampling Month	Measurement Result	Uncertainty	Total Amount of Cesium	Minimum Limit of Detection
Brown rice①	Kubota, Nakoso, Iwaki	Oct-19	Cs137 — Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 0.7 Bq/kg raw
			Cs134 — Bq/kg raw	± — Bq/kg raw		Cs134 0.6 Bq/kg raw
Brown rice②	Kubota, Nakoso, Iwaki	Oct-19	Cs137 — Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 0.7 Bq/kg raw
			Cs134 — Bq/kg raw	± — Bq/kg raw		Cs134 0.7 Bq/kg raw
Brown rice③	Kubota, Nakoso, Iwaki	Oct-19	Cs137 — Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 0.7 Bq/kg raw
			Cs134 — Bq/kg raw	± — Bq/kg raw		Cs134 0.6 Bq/kg raw
Brown rice④	Kubota, Nakoso, Iwaki	Oct-19	Cs137 — Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 0.7 Bq/kg raw
			Cs134 — Bq/kg raw	± — Bq/kg raw		Cs134 0.6 Bq/kg raw
Rice	Haramachi, Minamisoma, Fukushima	Oct-19	Cs137 — Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 0.9 Bq/kg raw
			Cs134 — Bq/kg raw	± — Bq/kg raw		Cs134 0.8 Bq/kg raw
Rice	Hirono, Futaba, Fukushima	Oct-19	Cs137 — Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 0.8 Bq/kg raw
			Cs134 — Bq/kg raw	± — Bq/kg raw		Cs134 0.7 Bq/kg raw
Rice	Koya, Aizuwakamatsu, Fukushima	Oct-19	Cs137 — Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 0.7 Bq/kg raw
			Cs134 — Bq/kg raw	± — Bq/kg raw		Cs134 0.6 Bq/kg raw
Rice	Joban, Iwaki	Oct-19	Cs137 — Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 0.9 Bq/kg raw
			Cs134 — Bq/kg raw	± — Bq/kg raw		Cs134 0.9 Bq/kg raw
Potato	Kashima, Iwaki	Nov-19	Cs137 — Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.3 Bq/kg raw
			Cs134 — Bq/kg raw	± — Bq/kg raw		Cs134 1.3 Bq/kg raw
Potato	Hokkaido	Oct-19	Cs137 — Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.1 Bq/kg raw
			Cs134 — Bq/kg raw	± — Bq/kg raw		Cs134 1.0 Bq/kg raw
Sweet potato	Uchigo, Iwaki	Nov-19	Cs137 — Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.5 Bq/kg raw
			Cs134 — Bq/kg raw	± — Bq/kg raw		Cs134 1.5 Bq/kg raw
Sweet potato	Ibaraki	Nov-19	Cs137 — Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.0 Bq/kg raw
			Cs134 — Bq/kg raw	± — Bq/kg raw		Cs134 0.9 Bq/kg raw
Sweet potato	Chiba	Oct-19	Cs137 — Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 0.9 Bq/kg raw
			Cs134 — Bq/kg raw	± — Bq/kg raw		Cs134 0.8 Bq/kg raw
Sweet potato	Kochi	Nov-19	Cs137 — Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.4 Bq/kg raw
			Cs134 — Bq/kg raw	± — Bq/kg raw		Cs134 1.3 Bq/kg raw
Carrot	Shirakawa, Fukushima	Oct-19	Cs137 — Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.5 Bq/kg raw
			Cs134 — Bq/kg raw	± — Bq/kg raw		Cs134 1.3 Bq/kg raw
Carrot	Chiba	Nov-19	Cs137 — Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.1 Bq/kg raw
			Cs134 — Bq/kg raw	± — Bq/kg raw		Cs134 1.0 Bq/kg raw
Japanese white radish	Minamisoma, Fukushima	Nov-19	Cs137 — Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.2 Bq/kg raw
			Cs134 — Bq/kg raw	± — Bq/kg raw		Cs134 1.1 Bq/kg raw
Japanese white radish	Kunimi, Date, Fukushima	Nov-19	Cs137 — Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.3 Bq/kg raw
			Cs134 — Bq/kg raw	± — Bq/kg raw		Cs134 1.1 Bq/kg raw
Japanese white radish	Uchigo, Iwaki	Nov-19	Cs137 — Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.2 Bq/kg raw
			Cs134 — Bq/kg raw	± — Bq/kg raw		Cs134 1.1 Bq/kg raw
Japanese red radish	Haramachi, Minamisoma, Fukushima	Nov-19	Cs137 — Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.4 Bq/kg raw
			Cs134 — Bq/kg raw	± — Bq/kg raw		Cs134 1.3 Bq/kg raw

*"—" used in Measurement Result and Uncertainty shows that the value is below the detection limit.

But it does not necessarily mean 0(zero)Bq/kg.

★Gamma-ray

(Bq/kg raw:Weight of raw sample Bq/kg dry:Weight of dried sample)

Samples	Sampling Point	Sampling Month	Measurement Result	Uncertainty	Total Amount of Cesium	Minimum Limit of Detection
Cabbage	Iwaki	Oct-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.3 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.2 Bq/kg raw
Chinese cabbage	Naraha, Futaba, Fukushima	Nov-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.3 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.2 Bq/kg raw
Chinese cabbage	Iritono, Tono, Fukushima	Oct-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.5 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.3 Bq/kg raw
Lettuce	Minamisoma, Fukushima	Nov-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.8 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.8 Bq/kg raw
Cucumber	Minamisoma, Fukushima	Nov-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.5 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.3 Bq/kg raw
Green onion	Minamisoma, Fukushima	Nov-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.6 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.4 Bq/kg raw
Green onion	Chuodaitakaku, Iwaki	Nov-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.5 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.2 Bq/kg raw
Leek	Fukushima	Oct-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.7 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.5 Bq/kg raw
Spinach	Naraha, Futaba, Fukushima	Nov-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.0 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 0.8 Bq/kg raw
Japanese mustard spinach	Iwaki	Nov-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.6 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.4 Bq/kg raw
Japanese mustard spinach	Uchigo, Iwaki	Nov-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 3.7 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 3.1 Bq/kg raw
Garland chrysanthemum	Kashima, Minamisoma, Fukushima	Nov-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.5 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.3 Bq/kg raw
Malabar spinach	Fukushima	Nov-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.3 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.2 Bq/kg raw
Angelica keiskei	Iwaki	Nov-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.4 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.3 Bq/kg raw
Red bell papper	Iwaki	Nov-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.7 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.7 Bq/kg raw
Pumpkin	Tairashimokabeya, Iwaki	Oct-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.7 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.5 Bq/kg raw
Pumpkin	Hokkaido	Nov-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.5 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.4 Bq/kg raw
Broccoli	Naraha, Futaba, Fukushima	Nov-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.1 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.0 Bq/kg raw
Lotus root	Ibaraki	Nov-19	Cs137	3.5 Bq/kg raw	3.5	Cs137 1.2 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.1 Bq/kg raw
Lotus root	Ibarai	Nov-19	Cs137	3.0 Bq/kg raw	3.0	Cs137 1.3 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.2 Bq/kg raw
Yacon	Haramachi, Minamisoma, Fukushima	Nov-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.4 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.2 Bq/kg raw
Yacon	Odaira, Hirata, Ishikawa, Fukushima	Oct-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.6 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.4 Bq/kg raw
Japanese honeywort	Tabito, Iwaki	Nov-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 2.1 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.6 Bq/kg raw
Japanese parsley	Minamisoma, Fukushima	Nov-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 2.6 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 2.2 Bq/kg raw

*"—" used in Measurement Result and Uncertainty shows that the value is below the detection limit.

But it does not necessary mean 0(zero)Bq/kg.

★Gamma-ray

(Bq/kg raw:Weight of raw sample Bq/kg dry:Weight of dried sample)

Samples	Sampling Point	Sampling Month	Measurement Result	Uncertainty	Total Amount of Cesium	Minimum Limit of Detection
Japanese parsley	Namegata, Ibaraki	Nov-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 2.7 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 2.0 Bq/kg raw
Okra(frozen)	China (production)	unknown	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.3 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.1 Bq/kg raw
Tomato	Minamisoma, Fukushima	Nov-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.4 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.3 Bq/kg raw
Tomato	Nasu, Tochigi	Nov-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.3 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.3 Bq/kg raw
Cherry tomato	Fukushima	Nov-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.7 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.3 Bq/kg raw
Green soybeans (frozen)	China (production)	Nov-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.5 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.1 Bq/kg raw
Toramame beans	Tamura, Koriyama, Fukushima	Nov-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.7 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.3 Bq/kg raw
Green chili	Iwaki	Oct-19	Cs137	1.6 Bq/kg raw	1.6	Cs137 1.2 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.0 Bq/kg raw
Ginger	Iwaki	Oct-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.3 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.0 Bq/kg raw
Butterbur	Aichi	Nov-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.5 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.5 Bq/kg raw
Citron	Tairashimokabeya, Iwaki	Nov-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.2 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.1 Bq/kg raw
Chinese citron	Tairashimokabeya, Iwaki	Oct-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.8 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.4 Bq/kg raw
Mandarin orange	Saga	Nov-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 2.5 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.9 Bq/kg raw
Persimmon	Fushiguro, Date, Fukushima	Nov-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 0.8 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 0.7 Bq/kg raw
Astringent persimmon	Fushiguro, Date, Fukushima	Nov-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 0.8 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 0.7 Bq/kg raw
Persimmon	Kashima, Minamisoma, Fukushima	Nov-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.4 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.3 Bq/kg raw
Persimmon	Aizuwakamatsu, Fukushima	Nov-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.1 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.0 Bq/kg raw
Persimmon	Iwaki	Nov-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.4 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.3 Bq/kg raw
Persimmon	Tairakoizumi, Iwaki	Nov-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.4 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.4 Bq/kg raw
Persimmon(pulp)	Nishiki, Iwaki	Oct-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.2 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.1 Bq/kg raw
Persimmon (peel, seed, calyx)	Nishiki, Iwaki	Oct-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.4 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.1 Bq/kg raw
Apple	Aizu, Fukushima	Oct-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.5 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.5 Bq/kg raw
Apple	Nihonmatsu, Fukushima	Nov-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 0.8 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 0.7 Bq/kg raw
Apple	Iwaki	Oct-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.1 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.0 Bq/kg raw

*"—" used in Measurement Result and Uncertainty shows that the value is below the detection limit.

But it does not necessary mean 0(zero)Bq/kg.

★Gamma-ray

(Bq/kg raw:Weight of raw sample Bq/kg dry:Weight of dried sample)

Samples	Sampling Point	Sampling Month	Measurement Result	Uncertainty	Total Amount of Cesium	Minimum Limit of Detection
Japanese pear	Tochigi	Nov-19	Cs137	— Bq/kg raw ± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 0.8 Bq/kg raw
			Cs134	— Bq/kg raw ± — Bq/kg raw		Cs134 0.7 Bq/kg raw
Pear	Yamagata	Nov-19	Cs137	— Bq/kg raw ± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.0 Bq/kg raw
			Cs134	— Bq/kg raw ± — Bq/kg raw		Cs134 0.9 Bq/kg raw
Fig	Iwaki	Nov-19	Cs137	— Bq/kg raw ± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.3 Bq/kg raw
			Cs134	— Bq/kg raw ± — Bq/kg raw		Cs134 1.2 Bq/kg raw
Fig	Izumigaoka, Iwaki	Oct-19	Cs137	— Bq/kg raw ± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.0 Bq/kg raw
			Cs134	— Bq/kg raw ± — Bq/kg raw		Cs134 0.8 Bq/kg raw
Fig	Minamisoma, Fukushima	Nov-19	Cs137	4.0 Bq/kg raw ± 1.6 Bq/kg raw	4.0	Cs137 1.4 Bq/kg raw
			Cs134	— Bq/kg raw ± — Bq/kg raw		Cs134 1.2 Bq/kg raw
Kiwi	Tono, Iwaki	Nov-19	Cs137	— Bq/kg raw ± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 0.8 Bq/kg raw
			Cs134	— Bq/kg raw ± — Bq/kg raw		Cs134 0.7 Bq/kg raw
Kiwi	Tochigi	Nov-19	Cs137	— Bq/kg raw ± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.0 Bq/kg raw
			Cs134	— Bq/kg raw ± — Bq/kg raw		Cs134 0.9 Bq/kg raw
huckleberry	Hirata, Ishikawa, Fukushima	Nov-19	Cs137	— Bq/kg raw ± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.2 Bq/kg raw
			Cs134	— Bq/kg raw ± — Bq/kg raw		Cs134 1.0 Bq/kg raw
Shitake mushroom grown in log	Fukushima	Nov-19	Cs137	12.2 Bq/kg raw ± 2.7 Bq/kg raw	12.2	Cs137 1.5 Bq/kg raw
			Cs134	— Bq/kg raw ± — Bq/kg raw		Cs134 1.2 Bq/kg raw
Shitake mushroom grown in log	Fukushima	Nov-19	Cs137	2.1 Bq/kg raw ± 1.6 Bq/kg raw	2.1	Cs137 1.6 Bq/kg raw
			Cs134	— Bq/kg raw ± — Bq/kg raw		Cs134 1.2 Bq/kg raw
Shitake mushroom grown in log	Tsukuba, Ibaraki	Nov-19	Cs137	28.3 Bq/kg raw ± 5.1 Bq/kg raw	28.3	Cs137 4.1 Bq/kg raw
			Cs134	— Bq/kg raw ± — Bq/kg raw		Cs134 3.1 Bq/kg raw
Nameko mushroom grown in log	Fukushima	Nov-19	Cs137	215.0 Bq/kg raw ± 43.0 Bq/kg raw	242.7	Cs137 6.4 Bq/kg raw
			Cs134	27.7 Bq/kg raw ± 7.0 Bq/kg raw		Cs134 6.4 Bq/kg raw
Shimeji mushroom grown in bacteria-bed	Soma, Fukushima	Nov-19	Cs137	— Bq/kg raw ± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 9.5 Bq/kg raw
			Cs134	— Bq/kg raw ± — Bq/kg raw		Cs134 8.8 Bq/kg raw
Kuritake mushroom	Soma, Fukushima	Nov-19	Cs137	— Bq/kg raw ± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 15.0 Bq/kg raw
			Cs134	— Bq/kg raw ± — Bq/kg raw		Cs134 12.1 Bq/kg raw
Matsutake mushroom	Oohisa, Iwaki	Oct-19	Cs137	73.3 Bq/kg raw ± 15.4 Bq/kg raw	73.3	Cs137 6.8 Bq/kg raw
			Cs134	— Bq/kg raw ± — Bq/kg raw		Cs134 6.2 Bq/kg raw
Eel	Iwaki	Nov-19	Cs137	7.9 Bq/kg raw ± 2.1 Bq/kg raw	7.9	Cs137 2.2 Bq/kg raw
			Cs134	— Bq/kg raw ± — Bq/kg raw		Cs134 1.8 Bq/kg raw
Conger eel (flesh)	Off the coast of Onahama	Oct-19	Cs137	— Bq/kg raw ± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.0 Bq/kg raw
			Cs134	— Bq/kg raw ± — Bq/kg raw		Cs134 0.9 Bq/kg raw
Octopus	Off the coast of Iwaki	Nov-19	Cs137	— Bq/kg raw ± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.2 Bq/kg raw
			Cs134	— Bq/kg raw ± — Bq/kg raw		Cs134 1.1 Bq/kg raw
Pork belly	Japan (production)	Oct-19	Cs137	— Bq/kg raw ± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.3 Bq/kg raw
			Cs134	— Bq/kg raw ± — Bq/kg raw		Cs134 1.1 Bq/kg raw
Pork	Japan (production)	Oct-19	Cs137	— Bq/kg raw ± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.5 Bq/kg raw
			Cs134	— Bq/kg raw ± — Bq/kg raw		Cs134 1.2 Bq/kg raw
Pork (minced)	Japan (production)	Oct-19	Cs137	— Bq/kg raw ± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.4 Bq/kg raw
			Cs134	— Bq/kg raw ± — Bq/kg raw		Cs134 1.1 Bq/kg raw
Fish sausage	Japan (production)	Nov-19	Cs137	— Bq/kg raw ± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.5 Bq/kg raw
			Cs134	— Bq/kg raw ± — Bq/kg raw		Cs134 1.4 Bq/kg raw
Egg	Hanawa, Higashishirakawa, Fukushima	Nov-19	Cs137	— Bq/kg raw ± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 0.6 Bq/kg raw
			Cs134	— Bq/kg raw ± — Bq/kg raw		Cs134 0.5 Bq/kg raw
Egg	Asakawa, Ishikawa, Fukushima	Nov-19	Cs137	— Bq/kg raw ± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.0 Bq/kg raw
			Cs134	— Bq/kg raw ± — Bq/kg raw		Cs134 0.9 Bq/kg raw

※"—" used in Measurement Result and Uncertainty shows that the value is below the detection limit.

But it does not necessary mean 0(zero)Bq/kg.

★Gamma-ray

(Bq/kg raw:Weight of raw sample Bq/kg dry:Weight of dried sample)

Samples	Sampling Point	Sampling Month	Measurement Result	Uncertainty	Total Amount of Cesium	Minimum Limit of Detection
Miso	Fukushima	Nov-19	Cs137 — Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.2 Bq/kg raw
			Cs134 — Bq/kg raw	± — Bq/kg raw		Cs134 1.2 Bq/kg raw
Rice (prepackaged food)	Japan (production)	Oct-19	Cs137 — Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.2 Bq/kg raw
			Cs134 — Bq/kg raw	± — Bq/kg raw		Cs134 1.1 Bq/kg raw
Grilled rice ball(frozen)	Japan (production)	Oct-19	Cs137 — Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.3 Bq/kg raw
			Cs134 — Bq/kg raw	± — Bq/kg raw		Cs134 1.1 Bq/kg raw
Japanese mixed rice(frozen)	Japan (production)	Oct-19	Cs137 — Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.6 Bq/kg raw
			Cs134 — Bq/kg raw	± — Bq/kg raw		Cs134 1.2 Bq/kg raw
Bread	Mizuho, Nagoya, Aichi	Oct-19	Cs137 — Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.8 Bq/kg raw
			Cs134 — Bq/kg raw	± — Bq/kg raw		Cs134 1.5 Bq/kg raw
Seasoned boiled egg	Japan (production)	Nov-19	Cs137 — Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.4 Bq/kg raw
			Cs134 — Bq/kg raw	± — Bq/kg raw		Cs134 1.4 Bq/kg raw
Natto	Japan (production)	Nov-19	Cs137 — Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 2.1 Bq/kg raw
			Cs134 — Bq/kg raw	± — Bq/kg raw		Cs134 1.6 Bq/kg raw
Baked sweet potato	Ibaraki	Nov-19	Cs137 2.5 Bq/kg raw	± 0.7 Bq/kg raw	2.5	Cs137 0.8 Bq/kg raw
			Cs134 — Bq/kg raw	± — Bq/kg raw		Cs134 0.8 Bq/kg raw
Horsemeat (canned)	unknown	unknown	Cs137 — Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.1 Bq/kg raw
			Cs134 — Bq/kg raw	± — Bq/kg raw		Cs134 0.9 Bq/kg raw
Pickles made in fermented rice bran	Nasukarasuyama, Tochigi	Oct-19	Cs137 4.6 Bq/kg raw	± 1.3 Bq/kg raw	4.6	Cs137 1.5 Bq/kg raw
			Cs134 — Bq/kg raw	± — Bq/kg raw		Cs134 1.4 Bq/kg raw
Chinese cabbage pickles	Joban, Iwaki	Oct-19	Cs137 — Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.6 Bq/kg raw
			Cs134 — Bq/kg raw	± — Bq/kg raw		Cs134 1.2 Bq/kg raw
Pickled radish	China (production)	unknown	Cs137 — Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.7 Bq/kg raw
			Cs134 — Bq/kg raw	± — Bq/kg raw		Cs134 1.6 Bq/kg raw
French fries (frozen)	USA (production)	Nov-19	Cs137 — Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.3 Bq/kg raw
			Cs134 — Bq/kg raw	± — Bq/kg raw		Cs134 1.2 Bq/kg raw
Edible chrysanthemum	Inawashiro, Yama, Fukushima	Nov-19	Cs137 — Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 2.0 Bq/kg raw
			Cs134 — Bq/kg raw	± — Bq/kg raw		Cs134 1.5 Bq/kg raw
Tap water	Tairashimokabeya, Iwaki	Oct-19	Cs137 — Bq/L	± — Bq/L	Under Minimum Limit of Detection	Cs137 0.018 Bq/L
			Cs134 — Bq/L	± — Bq/L		Cs134 — Bq/L
Tap water	Uchigoozima, Iwaki	Oct-19	Cs137 — Bq/L	± — Bq/L	Under Minimum Limit of Detection	Cs137 0.018 Bq/L
			Cs134 — Bq/L	± — Bq/L		Cs134 — Bq/L
Tap water	Joban, Iwaki	Oct-19	Cs137 — Bq/L	± — Bq/L	Under Minimum Limit of Detection	Cs137 0.018 Bq/L
			Cs134 — Bq/L	± — Bq/L		Cs134 — Bq/L
Tap water	Onahama- hanabatake, Iwaki	Oct-19	Cs137 — Bq/L	± — Bq/L	Under Minimum Limit of Detection	Cs137 0.018 Bq/L
			Cs134 — Bq/L	± — Bq/L		Cs134 — Bq/L
Tap water	Minamidai, Iwaki	Oct-19	Cs137 — Bq/L	± — Bq/L	Under Minimum Limit of Detection	Cs137 0.018 Bq/L
			Cs134 — Bq/L	± — Bq/L		Cs134 — Bq/L
Tap water	Negishi, Tono, Iwaki	Oct-19	Cs137 — Bq/L	± — Bq/L	Under Minimum Limit of Detection	Cs137 0.018 Bq/L
			Cs134 — Bq/L	± — Bq/L		Cs134 — Bq/L
Tap water	Iritono, Tono, Iwaki	Oct-19	Cs137 — Bq/L	± — Bq/L	Under Minimum Limit of Detection	Cs137 0.018 Bq/L
			Cs134 — Bq/L	± — Bq/L		Cs134 — Bq/L
Milk beverage	Japan (production)	Nov-19	Cs137 — Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.3 Bq/kg raw
			Cs134 — Bq/kg raw	± — Bq/kg raw		Cs134 1.2 Bq/kg raw
Milk beverage	Akishima, Tokyo	Nov-19	Cs137 — Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 2.1 Bq/kg raw
			Cs134 — Bq/kg raw	± — Bq/kg raw		Cs134 1.6 Bq/kg raw
Blueberry juice	Inawashiro, Yama, Fukushima	Nov-19	Cs137 — Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.4 Bq/kg raw
			Cs134 — Bq/kg raw	± — Bq/kg raw		Cs134 1.0 Bq/kg raw

*"—" used in Measurement Result and Uncertainty shows that the value is below the detection limit.

But it does not necessary mean 0(zero)Bq/kg.

★Gamma-ray

(Bq/kg raw:Weight of raw sample Bq/kg dry:Weight of dried sample)

Samples	Sampling Point	Sampling Month	Measurement Result	Uncertainty	Total Amount of Cesium	Minimum Limit of Detection
Basil herb tea	Kuniosa, Hitachiomiyia, Ibaraki	Oct-19	Cs137 — Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 7.2 Bq/kg raw
			Cs134 — Bq/kg raw	± — Bq/kg raw		Cs134 7.0 Bq/kg raw
Red wine	France	Jan-10	Cs137 — Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.2 Bq/kg raw
			Cs134 — Bq/kg raw	± — Bq/kg raw		Cs134 1.0 Bq/kg raw
Acorn	Onahamashimokaziro, Iwaki	Oct-19	Cs137 6.4 Bq/kg raw	± 1.6 Bq/kg raw	6.4	Cs137 1.5 Bq/kg raw
			Cs134 — Bq/kg raw	± — Bq/kg raw		Cs134 1.3 Bq/kg raw
Fallen leaves	Koriyama, Fukushima	Nov-19	Cs137 22.4 Bq/kg raw	± 6.2 Bq/kg raw	22.4	Cs137 5.8 Bq/kg raw
			Cs134 — Bq/kg raw	± — Bq/kg raw		Cs134 5.3 Bq/kg raw
Fallen leaves	Tairashimokabeya, Iwaki	Nov-19	Cs137 103.0 Bq/kg raw	± 21.0 Bq/kg raw	103.0	Cs137 7.9 Bq/kg raw
			Cs134 — Bq/kg raw	± — Bq/kg raw		Cs134 7.8 Bq/kg raw
Summer cypress	Onahamasuwa, Iwaki	Nov-19	Cs137 — Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 11.2 Bq/kg raw
			Cs134 — Bq/kg raw	± — Bq/kg raw		Cs134 8.8 Bq/kg raw
Japanese timber bamboo chip	Ena, Iwaki	Nov-19	Cs137 — Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 4.1 Bq/kg raw
			Cs134 — Bq/kg raw	± — Bq/kg raw		Cs134 3.2 Bq/kg raw
Hornet nest	Nakanosakuenokido, Iwaki	Oct-19	Cs137 1010.0 Bq/kg raw	± 200.0 Bq/kg raw	1100.8	Cs137 6.7 Bq/kg raw
			Cs134 90.8 Bq/kg raw	± 18.6 Bq/kg raw		Cs134 6.1 Bq/kg raw
Hornet nest	Watanabe, Iwaki	Oct-19	Cs137 759.0 Bq/kg raw	± 152.0 Bq/kg raw	842.1	Cs137 9.2 Bq/kg raw
			Cs134 83.1 Bq/kg raw	± 17.9 Bq/kg raw		Cs134 8.4 Bq/kg raw
Raw cotton	Fukushima	unknown	Cs137 — Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 10.8 Bq/kg raw
			Cs134 — Bq/kg raw	± — Bq/kg raw		Cs134 10.6 Bq/kg raw
Moss	Kashima, Minamisoma, Fukushima	Nov-19	Cs137 3400.0 Bq/kg raw	± 680.0 Bq/kg raw	3676.0	Cs137 22.8 Bq/kg raw
			Cs134 276.0 Bq/kg raw	± 55.0 Bq/kg raw		Cs134 18.2 Bq/kg raw
Sea sand (surface)	Tomioka beach	Oct-19	Cs137 89.7 Bq/Kg dry	± 9.8 Bq/Kg dry	96.7	Cs137 1.9 Bq/Kg dry
			Cs134 7.0 Bq/Kg dry	± 1.3 Bq/Kg dry		Cs134 2.3 Bq/Kg dry
Sea sand (5-15cm deep)	Tomioka beach	Oct-19	Cs137 85.1 Bq/Kg dry	± 9.6 Bq/Kg dry	90.4	Cs137 2.5 Bq/Kg dry
			Cs134 5.3 Bq/Kg dry	± 1.2 Bq/Kg dry		Cs134 3.6 Bq/Kg dry
Sea water and sand	Tomioka beach	Oct-19	Cs137 103.0 Bq/Kg dry	± 21.0 Bq/Kg dry	112.3	Cs137 5.4 Bq/Kg dry
			Cs134 9.3 Bq/Kg dry	± 3.4 Bq/Kg dry		Cs134 4.3 Bq/Kg dry
Soil	Shinch, Soma, Fukushima	Nov-19	Cs137 25.8 Bq/Kg dry	± 3.4 Bq/Kg dry	25.8	Cs137 3.8 Bq/Kg dry
			Cs134 — Bq/Kg dry	± — Bq/Kg dry		Cs134 5.9 Bq/Kg dry
Soil	Tairashimokabeya, Iwaki	Nov-19	Cs137 1010.0 Bq/Kg dry	± 112.0 Bq/Kg dry	1093.6	Cs137 6.3 Bq/Kg dry
			Cs134 83.6 Bq/Kg dry	± 12.3 Bq/Kg dry		Cs134 7.0 Bq/Kg dry
Soil(bank)	Tairashimohirakubo, Iwaki	Oct-19	Cs137 28.9 Bq/Kg dry	± 4.3 Bq/Kg dry	28.9	Cs137 3.9 Bq/Kg dry
			Cs134 — Bq/Kg dry	± — Bq/Kg dry		Cs134 4.9 Bq/Kg dry
Soil(garden)	Tairashimohirakubo, Iwaki	Oct-19	Cs137 857.0 Bq/Kg dry	± 96.4 Bq/Kg dry	928.4	Cs137 13.4 Bq/Kg dry
			Cs134 71.4 Bq/Kg dry	± 10.9 Bq/Kg dry		Cs134 17.3 Bq/Kg dry
Soil① (under the floor)	Tairashimohirakubo, Iwaki	Oct-19	Cs137 1130.0 Bq/Kg dry	± 124.0 Bq/Kg dry	1203.9	Cs137 7.6 Bq/Kg dry
			Cs134 73.9 Bq/Kg dry	± 12.2 Bq/Kg dry		Cs134 10.0 Bq/Kg dry
Soil②(garden)	Tairashimohirakubo, Iwaki	Nov-19	Cs137 250.0 Bq/Kg dry	± 28.9 Bq/Kg dry	266.5	Cs137 4.2 Bq/Kg dry
			Cs134 16.5 Bq/Kg dry	± 3.6 Bq/Kg dry		Cs134 5.2 Bq/Kg dry
Soil① (under the floor)	Tairashimohirakubo, Iwaki	Nov-19	Cs137 368.0 Bq/Kg dry	± 41.4 Bq/Kg dry	401.4	Cs137 12.2 Bq/Kg dry
			Cs134 33.4 Bq/Kg dry	± 6.2 Bq/Kg dry		Cs134 15.0 Bq/Kg dry
Soil②(garden)	Tairashimohirakubo, Iwaki	Nov-19	Cs137 238.0 Bq/Kg dry	± 26.7 Bq/Kg dry	257.3	Cs137 6.1 Bq/Kg dry
			Cs134 19.3 Bq/Kg dry	± 3.6 Bq/Kg dry		Cs134 7.3 Bq/Kg dry
Soil① (under the floor)	Tairashimohirakubo, Iwaki	Nov-19	Cs137 122.0 Bq/Kg dry	± 15.6 Bq/Kg dry	122.0	Cs137 7.9 Bq/Kg dry
			Cs134 — Bq/Kg dry	± — Bq/Kg dry		Cs134 12.6 Bq/Kg dry
Soil②(garden)	Tairashimohirakubo, Iwaki	Nov-19	Cs137 208.0 Bq/Kg dry	± 24.1 Bq/Kg dry	219.2	Cs137 7.4 Bq/Kg dry
			Cs134 11.2 Bq/Kg dry	± 3.1 Bq/Kg dry		Cs134 10.3 Bq/Kg dry

※"—" used in Measurement Result and Uncertainty shows that the value is below the detection limit.

But it does not necessary mean 0(zero)Bq/kg.

★Gamma-ray

(Bq/kg raw:Weight of raw sample Bq/kg dry:Weight of dried sample)

Samples	Sampling Point	Sampling Month	Measurement Result		Uncertainty	Total Amount of Cesium	Minimum Limit of Detection	
Soil① (under the floor)	Tairashimohirakubo, Iwaki	Nov-19	Cs137	141.0	Bq/Kg dry	± 17.2 Bq/Kg dry	150.7	Cs137 3.4 Bq/Kg dry
			Cs134	9.7	Bq/Kg dry	± 3.1 Bq/Kg dry		Cs134 4.4 Bq/Kg dry
Soil②(garden)	Tairashimohirakubo, Iwaki	Nov-19	Cs137	100.0	Bq/Kg dry	± 11.1 Bq/Kg dry	108.3	Cs137 2.2 Bq/Kg dry
			Cs134	8.3	Bq/Kg dry	± 1.5 Bq/Kg dry		Cs134 2.8 Bq/Kg dry
Rice paddy soil	Tairashimohirakubo, Iwaki	Nov-19	Cs137	181.0	Bq/Kg dry	± 21.0 Bq/Kg dry	191.7	Cs137 4.2 Bq/Kg dry
			Cs134	10.7	Bq/Kg dry	± 2.5 Bq/Kg dry		Cs134 5.1 Bq/Kg dry
Vacuum cleaner dust	Koriyama, Fukushima	Oct-19	Cs137	677.0	Bq/kg raw	± 135.0 Bq/kg raw	737.6	Cs137 7.7 Bq/kg raw
			Cs134	60.6	Bq/kg raw	± 12.9 Bq/kg raw		Cs134 6.1 Bq/kg raw
Vacuum cleaner dust (paper pack)	Funehiki, Tamura, Fukushima	Jan-17	Cs137	355.0	Bq/kg raw	± 71.0 Bq/kg raw	355.0	Cs137 17.5 Bq/kg raw
			Cs134	—	Bq/kg raw	± — Bq/kg raw		Cs134 16.9 Bq/kg raw
Vacuum cleaner dust (paper pack)	Miharu, Tamura, Fukushima	Jun-19	Cs137	98.5	Bq/kg raw	± 23.0 Bq/kg raw	98.5	Cs137 17.1 Bq/kg raw
			Cs134	—	Bq/kg raw	± 11.1 Bq/kg raw		Cs134 16.1 Bq/kg raw
Vacuum cleaner dust	Nihonmatsu, Fukushima	Oct-19	Cs137	303.0	Bq/kg raw	± 61.0 Bq/kg raw	303.0	Cs137 5.6 Bq/kg raw
			Cs134	—	Bq/kg raw	± — Bq/kg raw		Cs134 4.7 Bq/kg raw
Vacuum cleaner dust	Kunimi, Date, Fukushima	Jul-19	Cs137	92.4	Bq/kg raw	± 18.5 Bq/kg raw	92.4	Cs137 6.0 Bq/kg raw
			Cs134	—	Bq/kg raw	± — Bq/kg raw		Cs134 4.6 Bq/kg raw
Vacuum cleaner dust (HITACHI Cyclone)	Joban, Iwaki	Sep-19	Cs137	233.7	Bq/kg raw	± 35.5 Bq/kg raw	258.0	Cs137 25.1 Bq/kg raw
			Cs134	24.3	Bq/kg raw	± 14.0 Bq/kg raw		Cs134 18.4 Bq/kg raw
Vacuum cleaner dust (HITACHI Cyclone)	Onahamaohara, Iwaki	Sep-19	Cs137	98.1	Bq/kg raw	± 16.3 Bq/kg raw	98.1	Cs137 12.2 Bq/kg raw
			Cs134	—	Bq/kg raw	± — Bq/kg raw		Cs134 9.4 Bq/kg raw
Cleaning sheet (under the floor)	Izumigaoka, Iwaki	Nov-19	Cs137	5250.0	Bq/kg raw	± 1050.0 Bq/kg raw	5703.0	Cs137 11.5 Bq/kg raw
			Cs134	453.0	Bq/kg raw	± 91.0 Bq/kg raw		Cs134 10.7 Bq/kg raw
Cleaning sheet (refrigerator)	Izumigaoka, Iwaki	Dec-11	Cs137	4620.0	Bq/kg raw	± 920.0 Bq/kg raw	5102.0	Cs137 33.7 Bq/kg raw
			Cs134	482.0	Bq/kg raw	± 96.0 Bq/kg raw		Cs134 32.7 Bq/kg raw
Filter(car air conditioner)	Iwaki	Sep-19	Cs137	10.6	Bq/kg raw	± 4.6 Bq/kg raw	10.6	Cs137 6.6 Bq/kg raw
			Cs134	—	Bq/kg raw	± — Bq/kg raw		Cs134 5.9 Bq/kg raw

*"—" used in Measurement Result and Uncertainty shows that the value is below the detection limit.

But it does not necessary mean 0(zero)Bq/kg.



★Beta-ray

(Bq/Kg raw:Weight of raw sample Bq/Kg dry:Weight of dried sample)

Samples	Sampling Point	Sampling Month	Measurement Result		Uncertainty	Minimum Limit of Detection	
Sea water	Taiwan	Sep-19	T(Free)	Under Minimum Limit of Detection	± — Bq/L	2.02	Bq/L
Sea water	Taiwan	Sep-19	T(Free)	Under Minimum Limit of Detection	± — Bq/L	2.02	Bq/L
Sebastes (flesh)	Off the coast of Soma, Fukushima	Jul-19	T(Organization)	Under Minimum Limit of Detection	± — Bq/Kg dry	1.25	Bq/Kg dry
Greenling (flesh)	Off the coast of Soma, Fukushima	Jul-19	T(Organization)	Under Minimum Limit of Detection	± — Bq/Kg dry	1.34	Bq/Kg dry
Blueberry	Iwaki	Aug-17	Sr90	Under Minimum Limit of Detection	± — Bq/Kg dry	0.23	Bq/Kg dry
Kelp	Iwaki	Sep-19	Sr90	Under Minimum Limit of Detection	± — Bq/Kg dry	0.10	Bq/Kg dry
Salmon (flesh)	Chili (production)	Jun-16	Sr90	Under Minimum Limit of Detection	± — Bq/Kg dry	0.16	Bq/Kg dry
Conger eel (bone)	Iwaki	Oct-19	Sr90	Under Minimum Limit of Detection	± — Bq/Kg dry	0.15	Bq/Kg dry
Pine cone	Hisanohama, Iwaki	Mar-18	Sr90	Under Minimum Limit of Detection	± — Bq/Kg dry	0.68	Bq/Kg dry
Soil	Kikuta, Koriyama, Fukushima	Oct-19	Sr90	Under Minimum Limit of Detection	± — Bq/Kg dry	1.76	Bq/Kg dry
Soil	Ootsuki, Koriyama, Fukushima	Oct-19	Sr90	Under Minimum Limit of Detection	± — Bq/Kg dry	1.27	Bq/Kg dry
Soil	Fukuyama, Koriyama, Fukushima	Oct-19	Sr90	Under Minimum Limit of Detection	± — Bq/Kg dry	1.71	Bq/Kg dry
Soil	Fukuyama, Koriyama, Fukushima	Oct-19	Sr90	Under Minimum Limit of Detection	± — Bq/Kg dry	1.69	Bq/Kg dry
Soil	Narugami, Koriyama, Fukushima	Oct-19	Sr90	Under Minimum Limit of Detection	± — Bq/Kg dry	1.40	Bq/Kg dry
Tap water	Tairashimokabeya, Iwaki	Oct-19	Sr90	Under Minimum Limit of Detection	± — Bq/L	0.0014	Bq/L
Tap water	Uchigoojima, Iwaki	Oct-19	Sr90	Under Minimum Limit of Detection	± — Bq/L	0.0016	Bq/L
Tap water	Joban, Iwaki	Oct-19	Sr90	Under Minimum Limit of Detection	± — Bq/L	0.0014	Bq/L
Tap water	Iritono, Tono, Iwaki	Oct-19	Sr90	Under Minimum Limit of Detection	± — Bq/L	0.0016	Bq/L

※The value below Minimum Limit of Detection does not necessary mean 0(zero)Bq/Kg.