



Radiation Measurement Results of 165 Items in December



When samples include natural radionuclides we can't deny the possibility of their radiation value counted together in our results.

The list below only shows the measurement results of the samples brought in.

Radioactive contamination level may differ according to sampling points even within the same address.

★Gamma-ray

(Bq/kg raw:Weight of raw sample Bq/kg dry:Weight of dried sample)

Samples	Sampling Point	Sampling Month	Measurement Result		Uncertainty	Total Amount of Cesium	Minimum Limit of Detection	
Rice	Okuma, Futaba, Fukushima	Oct-19	Cs137	1.38 Bq/kg raw	± 0.03 Bq/kg raw	1.46	Cs137	0.04 Bq/kg raw
			Cs134	0.08 Bq/kg raw	± 0.02 Bq/kg raw		Cs134	0.04 Bq/kg raw
Rice	Naraha, Futaba, Fukushima	Oct-19	Cs137	0.20 Bq/kg raw	± 0.02 Bq/kg raw	0.20	Cs137	0.04 Bq/kg raw
			Cs134	— Bq/kg raw	± — Bq/kg raw		Cs134	0.04 Bq/kg raw
Rice	Hirono, Futaba, Fukushima	Oct-19	Cs137	0.30 Bq/kg raw	± 0.02 Bq/kg raw	0.30	Cs137	0.04 Bq/kg raw
			Cs134	— Bq/kg raw	± — Bq/kg raw		Cs134	0.04 Bq/kg raw
Rice	Haramachi-ku, Minamisoma, Fukushima	Oct-19	Cs137	0.07 Bq/kg raw	± 0.02 Bq/kg raw	0.07	Cs137	0.04 Bq/kg raw
			Cs134	— Bq/kg raw	± — Bq/kg raw		Cs134	0.04 Bq/kg raw
Rice	Tamura, Fukushima	Oct-19	Cs137	0.08 Bq/kg raw	± 0.02 Bq/kg raw	0.08	Cs137	0.04 Bq/kg raw
			Cs134	— Bq/kg raw	± — Bq/kg raw		Cs134	0.04 Bq/kg raw
Rice	Inawashiro, Yama, Fukushima	Oct-19	Cs137	0.06 Bq/kg raw	± 0.02 Bq/kg raw	0.06	Cs137	0.04 Bq/kg raw
			Cs134	— Bq/kg raw	± — Bq/kg raw		Cs134	0.04 Bq/kg raw
Rice	Koya, Aizuwakamatsu, Fukushima	Oct-19	Cs137	0.05 Bq/kg raw	± 0.02 Bq/kg raw	0.05	Cs137	0.04 Bq/kg raw
			Cs134	— Bq/kg raw	± — Bq/kg raw		Cs134	0.04 Bq/kg raw
Rice	Tairakoizumi, Iwaki	Oct-19	Cs137	0.14 Bq/kg raw	± 0.02 Bq/kg raw	0.14	Cs137	0.04 Bq/kg raw
			Cs134	— Bq/kg raw	± — Bq/kg raw		Cs134	0.04 Bq/kg raw
Rice	Yoshima, Iwaki	Oct-19	Cs137	0.08 Bq/kg raw	± 0.02 Bq/kg raw	0.08	Cs137	0.06 Bq/kg raw
			Cs134	— Bq/kg raw	± — Bq/kg raw		Cs134	0.07 Bq/kg raw
Rice	Joban, Iwaki	Oct-19	Cs137	0.07 Bq/kg raw	± 0.02 Bq/kg raw	0.07	Cs137	0.04 Bq/kg raw
			Cs134	— Bq/kg raw	± — Bq/kg raw		Cs134	0.04 Bq/kg raw
Rice	Nishiki, Iwaki	Oct-19	Cs137	0.06 Bq/kg raw	± 0.02 Bq/kg raw	0.06	Cs137	0.04 Bq/kg raw
			Cs134	— Bq/kg raw	± — Bq/kg raw		Cs134	0.04 Bq/kg raw
Rice	Iritono, Tono, Iwaki	Oct-19	Cs137	0.05 Bq/kg raw	± 0.02 Bq/kg raw	0.05	Cs137	0.04 Bq/kg raw
			Cs134	— Bq/kg raw	± — Bq/kg raw		Cs134	0.04 Bq/kg raw
Rice	Tsubonuma, Sendai, Miyagi	Oct-19	Cs137	1.10 Bq/kg raw	± 0.03 Bq/kg raw	1.16	Cs137	0.04 Bq/kg raw
			Cs134	0.06 Bq/kg raw	± 0.02 Bq/kg raw		Cs134	0.04 Bq/kg raw
Rice	Otarawa, Tochigi	Oct-19	Cs137	0.30 Bq/kg raw	± 0.02 Bq/kg raw	0.30	Cs137	0.03 Bq/kg raw
			Cs134	— Bq/kg raw	± — Bq/kg raw		Cs134	0.04 Bq/kg raw
Rice	Aoba-ku, Yokohama, Kanagawa	Oct-19	Cs137	0.08 Bq/kg raw	± 0.02 Bq/kg raw	0.08	Cs137	0.04 Bq/kg raw
			Cs134	— Bq/kg raw	± — Bq/kg raw		Cs134	0.04 Bq/kg raw
Rice	Hokkaido	Oct-19	Cs137	— Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137	0.04 Bq/kg raw
			Cs134	— Bq/kg raw	± — Bq/kg raw		Cs134	0.04 Bq/kg raw
Rice	Aomori	Oct-19	Cs137	— Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137	0.04 Bq/kg raw
			Cs134	— Bq/kg raw	± — Bq/kg raw		Cs134	0.04 Bq/kg raw
Rice	Akita	Oct-19	Cs137	— Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137	0.76 Bq/kg raw
			Cs134	— Bq/kg raw	± — Bq/kg raw		Cs134	0.69 Bq/kg raw
Rice	Aso, Kumamoto	Oct-19	Cs137	— Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137	0.04 Bq/kg raw
			Cs134	— Bq/kg raw	± — Bq/kg raw		Cs134	0.04 Bq/kg raw
Glutinous rice	Kawauchi, Futaba, Fukushima	Oct-19	Cs137	0.18 Bq/kg raw	± 0.02 Bq/kg raw	0.18	Cs137	0.04 Bq/kg raw
			Cs134	— Bq/kg raw	± — Bq/kg raw		Cs134	0.04 Bq/kg raw

※"—" used in Measurement Result and Uncertainty shows that the value is below the detection limit.

But it does not necessarily mean 0(zero)Bq/kg.

★Gamma-ray

(Bq/kg raw:Weight of raw sample Bq/kg dry:Weight of dried sample)

Samples	Sampling Point	Sampling Month	Measurement Result	Uncertainty	Total Amount of Cesium	Minimum Limit of Detection
Taro	Iwaki	Dec-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.4 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.3 Bq/kg raw
Taro	Tairashimokabeya, Iwaki	Dec-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.5 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.3 Bq/kg raw
Carrot	Koriyama, Fukushima	Dec-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.4 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.3 Bq/kg raw
Japanese white radish	Iwaki	Dec-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.4 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.3 Bq/kg raw
Japanese white radish	unknown	Dec-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.5 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.4 Bq/kg raw
Japanese white radish	Kashima-ku, Minamisoma, Fukushima	Dec-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.4 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.3 Bq/kg raw
Japanese white radish(leaves)	Kashima-ku, Minamisoma, Fukushima	Dec-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.8 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.3 Bq/kg raw
Turnip	Chiba	Dec-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.3 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.1 Bq/kg raw
Turnip (leaf)	Chiba	Dec-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 2.5 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.9 Bq/kg raw
Green pepper	Saito, Miyazaki	Dec-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.2 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.0 Bq/kg raw
Paprika	Miyagi	Dec-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.2 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 0.9 Bq/kg raw
Pumpkin (seed, cotton)	unknown	Dec-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 3.3 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 2.5 Bq/kg raw
Chinese cabbage	Tabito, Iwaki	Nov-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.7 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.6 Bq/kg raw
Chinese cabbage	Ibaraki	Dec-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.6 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.6 Bq/kg raw
Green onion	Iwaki	Dec-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.2 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.0 Bq/kg raw
Lotus root	Ibaraki	Dec-19	Cs137	4.2 Bq/kg raw	4.2	Cs137 1.5 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.5 Bq/kg raw
Japanese parsley	Ibaraki	Dec-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.6 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.4 Bq/kg raw
Tomato	Hokota, Ibaraki	Dec-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.1 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.0 Bq/kg raw
Bean sprout	Arai, Motomiya, Fukushima	Dec-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.5 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.5 Bq/kg raw
Ginger	Kumamoto	Dec-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 2.2 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.9 Bq/kg raw
Citron	Nishiki, Iwaki	Dec-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.1 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.0 Bq/kg raw
Apple	Iizaka, Fukushima, Fukushima	Nov-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.1 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.0 Bq/kg raw
Apple	Fukushima	Dec-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.2 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.1 Bq/kg raw
Apple	Fukuhsima	Dec-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.5 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.5 Bq/kg raw

*"—" used in Measurement Result and Uncertainty shows that the value is below the detection limit.

But it does not necessary mean 0(zero)Bq/kg.

★Gamma-ray

(Bq/kg raw:Weight of raw sample Bq/kg dry:Weight of dried sample)

Samples	Sampling Point	Sampling Month	Measurement Result	Uncertainty	Total Amount of Cesium	Minimum Limit of Detection
Apple	Nagano	Dec-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.1 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.0 Bq/kg raw
Apple	Nagano	Dec-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.1 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.0 Bq/kg raw
Mandarin orange	Wakayama	Nov-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.3 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.3 Bq/kg raw
Persimmon(pulp)	Okuma, Futaba, Fukuhsima	Dec-19	Cs137	25.2 Bq/kg raw	25.2	Cs137 1.0 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 0.8 Bq/kg raw
Persimmon (peel)	Okuma, Futaba, Fukuhsima	Dec-19	Cs137	37.1 Bq/kg raw	39.9	Cs137 1.8 Bq/kg raw
			Cs134	2.8 Bq/kg raw		Cs134 1.8 Bq/kg raw
Persimmon(pulp)	Shimokuramoti, Kashima, Iwaki	Nov-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.2 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.1 Bq/kg raw
Persimmon(pulp)	Fukushima	Nov-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.3 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.3 Bq/kg raw
Persimmon (peel)	Fukushima	Nov-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 2.9 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 2.3 Bq/kg raw
Dried persimmon	Joban, Iwaki	Dec-19	Cs137	2.5 Bq/kg raw	2.5	Cs137 1.1 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.0 Bq/kg raw
Shitake mushroom grown in bacteria-bed	Iwaki	Dec-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.3 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.1 Bq/kg raw
Nameko mushroom	Koriyama, Fukushima	Dec-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.5 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.5 Bq/kg raw
Nameko mushroom	Fukushima	Dec-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.1 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.1 Bq/kg raw
Oyster mushroom	Niigata	Dec-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.7 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.3 Bq/kg raw
Pork (minced)	Japan (production)	Nov-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.3 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.0 Bq/kg raw
Ham	Nagano	Dec-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.5 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.2 Bq/kg raw
Yellowtail (flesh)	Off the coast of Fukushima Nuclear Power Plant1	Nov-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.1 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 0.9 Bq/kg raw
Yellowtail (bone, guts)	Off the coast of Fukushima Nuclear Power Plant1	Nov-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.5 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.3 Bq/kg raw
Yellowtail (flesh)	Off the coast of Fukushima Nuclear Power Plant1	Nov-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.2 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.1 Bq/kg raw
Yellowtail (flesh)	Off the coast of Fukushima Nuclear Power Plant1	Nov-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.5 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.4 Bq/kg raw
Fox jacopever (whole)	Off the coast of Fukushima Nuclear Power Plant1	Nov-19	Cs137	1.4 Bq/kg raw	1.4	Cs137 1.0 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.0 Bq/kg raw
Fox jacopever (bone, guts, head)	Off the coast of Fukushima Nuclear Power Plant1	Nov-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.5 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.4 Bq/kg raw
Fox jacopever (whole)	Off the coast of Fukushima Nuclear Power Plant1	Nov-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.4 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.2 Bq/kg raw
Fox jacopever (whole)	Off the coast of Fukushima Nuclear Power Plant1	Nov-19	Cs137	— Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.3 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.2 Bq/kg raw
White rockfish (whole)	Off the coast of Fukushima Nuclear Power Plant1	Nov-19	Cs137	2.7 Bq/kg raw	2.7	Cs137 1.3 Bq/kg raw
			Cs134	— Bq/kg raw		Cs134 1.0 Bq/kg raw

*"—" used in Measurement Result and Uncertainty shows that the value is below the detection limit.

But it does not necessary mean 0(zero)Bq/kg.

★Gamma-ray

(Bq/kg raw:Weight of raw sample Bq/kg dry:Weight of dried sample)

Samples	Sampling Point	Sampling Month	Measurement Result	Uncertainty	Total Amount of Cesium	Minimum Limit of Detection
White rockfish (whole)	Off the coast of Fukushima Nuclear Power Plant1	Nov-19	Cs137 — Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 2.1 Bq/kg raw
			Cs134 — Bq/kg raw	± — Bq/kg raw		Cs134 2.0 Bq/kg raw
White rockfish (whole)	Off the coast of Fukushima Nuclear Power Plant1	Nov-19	Cs137 — Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 2.1 Bq/kg raw
			Cs134 — Bq/kg raw	± — Bq/kg raw		Cs134 1.6 Bq/kg raw
White rockfish (whole)	Off the coast of Fukushima Nuclear Power Plant1	Nov-19	Cs137 — Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 2.0 Bq/kg raw
			Cs134 — Bq/kg raw	± — Bq/kg raw		Cs134 1.8 Bq/kg raw
White rockfish (whole)	Off the coast of Fukushima Nuclear Power Plant1	Nov-19	Cs137 — Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.6 Bq/kg raw
			Cs134 — Bq/kg raw	± — Bq/kg raw		Cs134 1.3 Bq/kg raw
White rockfish (whole)	Off the coast of Fukushima Nuclear Power Plant1	Nov-19	Cs137 — Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.5 Bq/kg raw
			Cs134 — Bq/kg raw	± — Bq/kg raw		Cs134 1.3 Bq/kg raw
Rockfish (whole)	Off the coast of Fukushima Nuclear Power Plant1	Nov-19	Cs137 — Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.8 Bq/kg raw
			Cs134 — Bq/kg raw	± — Bq/kg raw		Cs134 1.4 Bq/kg raw
Rockfish (whole)	Off the coast of Fukushima Nuclear Power Plant1	Nov-19	Cs137 — Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 2.1 Bq/kg raw
			Cs134 — Bq/kg raw	± — Bq/kg raw		Cs134 1.6 Bq/kg raw
Rockfish (whole)	Off the coast of Fukushima Nuclear Power Plant1	Nov-19	Cs137 — Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 2.8 Bq/kg raw
			Cs134 — Bq/kg raw	± — Bq/kg raw		Cs134 2.1 Bq/kg raw
Greenling (whole)	Off the coast of Fukushima Nuclear Power Plant1	Nov-19	Cs137 — Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.2 Bq/kg raw
			Cs134 — Bq/kg raw	± — Bq/kg raw		Cs134 1.1 Bq/kg raw
Pacific ocean perch	USA	Dec-19	Cs137 — Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.3 Bq/kg raw
			Cs134 — Bq/kg raw	± — Bq/kg raw		Cs134 1.2 Bq/kg raw
Scallop shell	Mutsu Bay, Aomori	unknown	Cs137 — Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.0 Bq/kg raw
			Cs134 — Bq/kg raw	± — Bq/kg raw		Cs134 0.9 Bq/kg raw
Mekabu seaweed	unknown	Dec-19	Cs137 — Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.3 Bq/kg raw
			Cs134 — Bq/kg raw	± — Bq/kg raw		Cs134 1.0 Bq/kg raw
Cane suger	Okinawa	Dec-19	Cs137 — Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.2 Bq/kg raw
			Cs134 — Bq/kg raw	± — Bq/kg raw		Cs134 1.1 Bq/kg raw
Malted rice (raw)	Japan (production)	Dec-19	Cs137 — Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.7 Bq/kg raw
			Cs134 — Bq/kg raw	± — Bq/kg raw		Cs134 1.6 Bq/kg raw
Konjac	Japan (production)	Dec-19	Cs137 — Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.2 Bq/kg raw
			Cs134 — Bq/kg raw	± — Bq/kg raw		Cs134 1.1 Bq/kg raw
Egg	Onahama-kamikajiro, Iwaki	Dec-19	Cs137 — Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 0.8 Bq/kg raw
			Cs134 — Bq/kg raw	± — Bq/kg raw		Cs134 0.7 Bq/kg raw
Yogurt	Ayase, Kanagawa	Dec-19	Cs137 — Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.3 Bq/kg raw
			Cs134 — Bq/kg raw	± — Bq/kg raw		Cs134 1.2 Bq/kg raw
Yogurt	Okayama	Dec-19	Cs137 — Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 1.4 Bq/kg raw
			Cs134 — Bq/kg raw	± — Bq/kg raw		Cs134 1.4 Bq/kg raw
Pine leaves	Okuma, Futaba, Fukushima	Dec-19	Cs137 27900.0 Bq/kg raw	± 5600.0 Bq/kg raw	30210.0	Cs137 17.5 Bq/kg raw
			Cs134 2310.0 Bq/kg raw	± 460.0 Bq/kg raw		Cs134 17.1 Bq/kg raw
Japanese cleyera	unknown	Dec-19	Cs137 — Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 3.7 Bq/kg raw
			Cs134 — Bq/kg raw	± — Bq/kg raw		Cs134 2.8 Bq/kg raw
Raw cotton	Fukushima	Jul-19	Cs137 — Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 6.3 Bq/kg raw
			Cs134 — Bq/kg raw	± — Bq/kg raw		Cs134 6.2 Bq/kg raw
Bamboo charcoal	Shimomisaka, Miwa, Fukushima	Jan-19	Cs137 43.2 Bq/kg raw	± 8.6 Bq/kg raw	43.2	Cs137 2.2 Bq/kg raw
			Cs134 — Bq/kg raw	± — Bq/kg raw		Cs134 2.1 Bq/kg raw
Soil	Tomioka, Futaba, Fukushima (Around tennis courts in General Sports Center)	Dec-19	Cs137 62900.0 Bq/kg raw	± 12600.0 Bq/kg raw	67440.0	Cs137 165.0 Bq/kg raw
			Cs134 4540.0 Bq/kg raw	± 910.0 Bq/kg raw		Cs134 142.0 Bq/kg raw
Soil	Tomioka, Futaba, Fukushima (Around tennis courts in General Sports Center)	Dec-19	Cs137 14000.0 Bq/kg raw	± 2800.0 Bq/kg raw	14998.0	Cs137 76.0 Bq/kg raw
			Cs134 998.0 Bq/kg raw	± 216.0 Bq/kg raw		Cs134 64.9 Bq/kg raw

※"—" used in Measurement Result and Uncertainty shows that the value is below the detection limit.

But it does not necessary mean 0(zero)Bq/kg.

★Gamma-ray

(Bq/kg raw:Weight of raw sample Bq/kg dry:Weight of dried sample)

Samples	Sampling Point	Sampling Month	Measurement Result	Uncertainty	Total Amount of Cesium	Minimum Limit of Detection
Soil	Tomioka,Futaba,Fukushima (Around tennis courts in General Sports Center)	Dec-19	Cs137 4430.0 Bq/kg raw	± 890.0 Bq/kg raw	4752.0	Cs137 13.4 Bq/kg raw
			Cs134 322.0 Bq/kg raw	± 64.0 Bq/kg raw		Cs134 10.9 Bq/kg raw
Soil	Tomioka,Futaba,Fukushima (Around tennis courts in General Sports Center)	Dec-19	Cs137 1070.0 Bq/kg raw	± 210.0 Bq/kg raw	1168.8	Cs137 13.1 Bq/kg raw
			Cs134 98.8 Bq/kg raw	± 21.6 Bq/kg raw		Cs134 11.1 Bq/kg raw
Moss	Tomioka,Futaba,Fukushima (Around tennis courts in General Sports Center)	Dec-19	Cs137 77700.0 Bq/kg raw	± 15500.0 Bq/kg raw	82580.0	Cs137 331.0 Bq/kg raw
			Cs134 4880.0 Bq/kg raw	± 1040.0 Bq/kg raw		Cs134 264.0 Bq/kg raw
Moss	Tomioka,Futaba,Fukushima (Around tennis courts in General Sports Center)	Dec-19	Cs137 48600.0 Bq/kg raw	± 9700.0 Bq/kg raw	51420.0	Cs137 626.0 Bq/kg raw
			Cs134 2820.0 Bq/kg raw	± 720.0 Bq/kg raw		Cs134 500.0 Bq/kg raw
Moss	Tomioka,Futaba,Fukushima (Around tennis courts in General Sports Center)	Dec-19	Cs137 4750.0 Bq/kg raw	± 950.0 Bq/kg raw	5079.0	Cs137 64.1 Bq/kg raw
			Cs134 329.0 Bq/kg raw	± 79.0 Bq/kg raw		Cs134 50.9 Bq/kg raw
Asphalt	Tomioka,Futaba,Fukushima (Around tennis courts in General Sports Center)	Dec-19	Cs137 4500.0 Bq/kg raw	± 900.0 Bq/kg raw	4811.0	Cs137 46.3 Bq/kg raw
			Cs134 311.0 Bq/kg raw	± 73.0 Bq/kg raw		Cs134 35.9 Bq/kg raw
Soil	Tomioka,Futaba,Fukushima (Around Fureai dome in General Sports Center)	Dec-19	Cs137 3940.0 Bq/kg raw	± 790.0 Bq/kg raw	4227.0	Cs137 11.5 Bq/kg raw
			Cs134 287.0 Bq/kg raw	± 57.0 Bq/kg raw		Cs134 9.7 Bq/kg raw
Soil	Tomioka,Futaba,Fukushima (Around Fureai dome in General Sports Center)	Dec-19	Cs137 1080.0 Bq/kg raw	± 220.0 Bq/kg raw	1220.0	Cs137 20.9 Bq/kg raw
			Cs134 140.0 Bq/kg raw	± 30.0 Bq/kg raw		Cs134 16.8 Bq/kg raw
Soil	Tomioka,Futaba,Fukushima (Around Fureai dome in General Sports Center)	Dec-19	Cs137 571.0 Bq/kg raw	± 114.0 Bq/kg raw	635.2	Cs137 8.4 Bq/kg raw
			Cs134 64.2 Bq/kg raw	± 13.8 Bq/kg raw		Cs134 7.0 Bq/kg raw
Soil	Tomioka,Futaba,Fukushima (Around Fureai dome in General Sports Center)	Dec-19	Cs137 18.8 Bq/kg raw	± 4.6 Bq/kg raw	18.8	Cs137 3.7 Bq/kg raw
			Cs134 — Bq/kg raw	± — Bq/kg raw		Cs134 2.9 Bq/kg raw
Soil	Tomioka,Futaba,Fukushima (Around Fureai dome in General Sports Center)	Dec-19	Cs137 12.9 Bq/kg raw	± 3.5 Bq/kg raw	12.9	Cs137 3.5 Bq/kg raw
			Cs134 — Bq/kg raw	± — Bq/kg raw		Cs134 2.7 Bq/kg raw
Soil	Tomioka,Futaba,Fukushima (Around Fureai dome in General Sports Center)	Dec-19	Cs137 18.8 Bq/kg raw	± 4.6 Bq/kg raw	18.8	Cs137 3.7 Bq/kg raw
			Cs134 — Bq/kg raw	± — Bq/kg raw		Cs134 2.9 Bq/kg raw
Soil	Tomioka,Futaba,Fukushima (Around Fureai dome in General Sports Center)	Dec-19	Cs137 — Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 4.4 Bq/kg raw
			Cs134 — Bq/kg raw	± — Bq/kg raw		Cs134 4.3 Bq/kg raw
Asphalt	Tomioka,Futaba,Fukushima (Around Fureai dome in General Sports Center)	Dec-19	Cs137 8180.0 Bq/kg raw	± 1640.0 Bq/kg raw	8760.0	Cs137 183.0 Bq/kg raw
			Cs134 580.0 Bq/kg raw	± 169.0 Bq/kg raw		Cs134 149.0 Bq/kg raw
Soil	Tomioka,Futaba,Fukushima (Around baseball ground in General Sports Center)	Dec-19	Cs137 11600.0 Bq/kg raw	± 2300.0 Bq/kg raw	12438.0	Cs137 55.3 Bq/kg raw
			Cs134 838.0 Bq/kg raw	± 180.0 Bq/kg raw		Cs134 44.3 Bq/kg raw
Soil	Tomioka,Futaba,Fukushima (Around baseball ground in General Sports Center)	Dec-19	Cs137 9560.0 Bq/kg raw	± 1910.0 Bq/kg raw	10382.0	Cs137 125.0 Bq/kg raw
			Cs134 822.0 Bq/kg raw	± 195.0 Bq/kg raw		Cs134 102.0 Bq/kg raw
Soil	Tomioka,Futaba,Fukushima (Around baseball ground in General Sports Center)	Dec-19	Cs137 7730.0 Bq/kg raw	± 1550.0 Bq/kg raw	8247.0	Cs137 45.7 Bq/kg raw
			Cs134 517.0 Bq/kg raw	± 115.0 Bq/kg raw		Cs134 38.2 Bq/kg raw
Soil	Tomioka,Futaba,Fukushima (Around baseball ground in General Sports Center)	Dec-19	Cs137 6990.0 Bq/kg raw	± 1400.0 Bq/kg raw	7426.0	Cs137 9.5 Bq/kg raw
			Cs134 436.0 Bq/kg raw	± 87.0 Bq/kg raw		Cs134 7.4 Bq/kg raw
Soil	Tomioka,Futaba,Fukushima (Around baseball ground in General Sports Center)	Dec-19	Cs137 4630.0 Bq/kg raw	± 930.0 Bq/kg raw	4958.0	Cs137 59.3 Bq/kg raw
			Cs134 328.0 Bq/kg raw	± 80.0 Bq/kg raw		Cs134 50.2 Bq/kg raw
Soil	Tomioka,Futaba,Fukushima (Around baseball ground in General Sports Center)	Dec-19	Cs137 4410.0 Bq/kg raw	± 880.0 Bq/kg raw	4697.0	Cs137 42.6 Bq/kg raw
			Cs134 287.0 Bq/kg raw	± 68.0 Bq/kg raw		Cs134 33.2 Bq/kg raw
Soil	Tomioka,Futaba,Fukushima (Around baseball ground in General Sports Center)	Dec-19	Cs137 3930.0 Bq/kg raw	± 790.0 Bq/kg raw	4183.0	Cs137 42.5 Bq/kg raw
			Cs134 253.0 Bq/kg raw	± 61.0 Bq/kg raw		Cs134 35.7 Bq/kg raw
Soil	Tomioka,Futaba,Fukushima (Around baseball ground in General Sports Center)	Dec-19	Cs137 1220.0 Bq/kg raw	± 240.0 Bq/kg raw	1336.0	Cs137 6.2 Bq/kg raw
			Cs134 116.0 Bq/kg raw	± 23.0 Bq/kg raw		Cs134 4.9 Bq/kg raw
Moss	Tomioka,Futaba,Fukushima (Around baseball ground in General Sports Center)	Dec-19	Cs137 15000.0 Bq/kg raw	± 3000.0 Bq/kg raw	16100.0	Cs137 84.2 Bq/kg raw
			Cs134 1100.0 Bq/kg raw	± 240.0 Bq/kg raw		Cs134 72.2 Bq/kg raw
Moss	Tomioka,Futaba,Fukushima (Around baseball ground in General Sports Center)	Dec-19	Cs137 12700.0 Bq/kg raw	± 2500.0 Bq/kg raw	13561.0	Cs137 73.5 Bq/kg raw
			Cs134 861.0 Bq/kg raw	± 190.0 Bq/kg raw		Cs134 59.6 Bq/kg raw

※"—" used in Measurement Result and Uncertainty shows that the value is below the detection limit.

But it does not necessary mean 0(zero)Bq/kg.

★Gamma-ray

(Bq/kg raw:Weight of raw sample Bq/kg dry:Weight of dried sample)

Samples	Sampling Point	Sampling Month	Measurement Result	Uncertainty	Total Amount of Cesium	Minimum Limit of Detection
Soil	Taira nakahirakubo, Iwaki	Nov-19	Cs137 490.0 Bq/kg raw	± 54.4 Bq/kg raw	521.1	Cs137 5.0 Bq/kg raw
			Cs134 31.1 Bq/kg raw	± 5.7 Bq/kg raw		Cs134 6.0 Bq/kg raw
Soil①	Uwadaira,Ogawa, Iwaki	Dec-19	Cs137 503.0 Bq/kg dry	± 57.2 Bq/kg dry	538.6	Cs137 6.2 Bq/kg dry
			Cs134 35.6 Bq/kg dry	± 7.6 Bq/kg dry		Cs134 7.2 Bq/kg dry
Soil②	Uwadaira,Ogawa, Iwaki	Dec-19	Cs137 299.0 Bq/kg dry	± 34.4 Bq/kg dry	317.1	Cs137 5.5 Bq/kg dry
			Cs134 18.1 Bq/kg dry	± 4.1 Bq/kg dry		Cs134 6.8 Bq/kg dry
Soil③	Uwadaira,Ogawa, Iwaki	Dec-19	Cs137 17.5 Bq/kg dry	± 2.7 Bq/kg dry	17.5	Cs137 3.3 Bq/kg dry
			Cs134 — Bq/kg dry	± — Bq/kg dry		Cs134 3.7 Bq/kg dry
Soil①	Taira, Iwaki	Dec-19	Cs137 275.0 Bq/kg dry	± 30.5 Bq/kg dry	292.1	Cs137 3.5 Bq/kg dry
			Cs134 17.1 Bq/kg dry	± 3.2 Bq/kg dry		Cs134 4.8 Bq/kg dry
Soil②	Taira, Iwaki	Dec-19	Cs137 262.0 Bq/kg dry	± 29.1 Bq/kg dry	281.7	Cs137 2.6 Bq/kg dry
			Cs134 19.7 Bq/kg dry	± 3.8 Bq/kg dry		Cs134 3.2 Bq/kg dry
Soil③	Taira, Iwaki	Dec-19	Cs137 48.6 Bq/kg dry	± 6.0 Bq/kg dry	48.6	Cs137 4.0 Bq/kg dry
			Cs134 — Bq/kg dry	± — Bq/kg dry		Cs134 5.3 Bq/kg dry
Soil①	Taira nakahirakubo, Iwaki	Dec-19	Cs137 43.5 Bq/kg dry	± 6.1 Bq/kg dry	43.5	Cs137 3.7 Bq/kg dry
			Cs134 — Bq/kg dry	± — Bq/kg dry		Cs134 6.2 Bq/kg dry
Soil②	Taira nakahirakubo, Iwaki	Dec-19	Cs137 21.3 Bq/kg dry	± 3.1 Bq/kg dry	21.3	Cs137 3.6 Bq/kg dry
			Cs134 — Bq/kg dry	± — Bq/kg dry		Cs134 4.2 Bq/kg dry
Soil③	Taira nakahirakubo, Iwaki	Dec-19	Cs137 — Bq/kg dry	± — Bq/kg dry	Under Minimum Limit of Detection	Cs137 1.8 Bq/kg dry
			Cs134 — Bq/kg dry	± — Bq/kg dry		Cs134 1.8 Bq/kg dry
Soil	Taira nakahirakubo, Iwaki	Dec-19	Cs137 15.8 Bq/kg dry	± 2.5 Bq/kg dry	15.8	Cs137 4.5 Bq/kg dry
			Cs134 — Bq/kg dry	± — Bq/kg dry		Cs134 7.4 Bq/kg dry
Soil①	Tairaaikai, Iwaki	Nov-19	Cs137 63.4 Bq/kg dry	± 9.8 Bq/kg dry	74.8	Cs137 3.0 Bq/kg dry
			Cs134 11.4 Bq/kg dry	± 3.8 Bq/kg dry		Cs134 5.0 Bq/kg dry
Soil②	Tairaaikai, Iwaki	Nov-19	Cs137 37.1 Bq/kg dry	± 4.7 Bq/kg dry	37.1	Cs137 1.9 Bq/kg dry
			Cs134 — Bq/kg dry	± — Bq/kg dry		Cs134 2.3 Bq/kg dry
Soil	Uchigo midaisakai, Iwaki	Dec-19	Cs137 55.4 Bq/kg dry	± 6.9 Bq/kg dry	55.4	Cs137 4.2 Bq/kg dry
			Cs134 — Bq/kg dry	± — Bq/kg dry		Cs134 4.9 Bq/kg dry
Sand of sandbox	Uchigo midaisakai, Iwaki	Dec-19	Cs137 — Bq/kg dry	± — Bq/kg dry	Under Minimum Limit of Detection	Cs137 3.1 Bq/kg dry
			Cs134 — Bq/kg dry	± — Bq/kg dry		Cs134 2.9 Bq/kg dry
Soil①	Kamiyoshima, Yoshima,Iwaki	Dec-19	Cs137 4.5 Bq/kg dry	± 1.0 Bq/kg dry	4.5	Cs137 3.1 Bq/kg dry
			Cs134 — Bq/kg dry	± — Bq/kg dry		Cs134 3.6 Bq/kg dry
Soil②	Kamiyoshima, Yoshima,Iwaki	Dec-19	Cs137 — Bq/kg dry	± — Bq/kg dry	Under Minimum Limit of Detection	Cs137 1.8 Bq/kg dry
			Cs134 — Bq/kg dry	± — Bq/kg dry		Cs134 2.2 Bq/kg dry
Sand of sandbox	Kamiyoshima, Yoshima,Iwaki	Dec-19	Cs137 — Bq/kg dry	± — Bq/kg dry	Under Minimum Limit of Detection	Cs137 2.8 Bq/kg dry
			Cs134 — Bq/kg dry	± — Bq/kg dry		Cs134 3.2 Bq/kg dry
Soil①	Kamiyoshima, Yoshima,Iwaki	Dec-19	Cs137 1090.0 Bq/kg dry	± 119.0 Bq/kg dry	1158.3	Cs137 3.3 Bq/kg dry
			Cs134 68.3 Bq/kg dry	± 10.7 Bq/kg dry		Cs134 4.2 Bq/kg dry
Soil②	Kamiyoshima, Yoshima,Iwaki	Dec-19	Cs137 152.0 Bq/kg dry	± 15.9 Bq/kg dry	156.8	Cs137 2.2 Bq/kg dry
			Cs134 4.8 Bq/kg dry	± 1.1 Bq/kg dry		Cs134 2.7 Bq/kg dry
Soil③	Kamiyoshima, Yoshima,Iwaki	Dec-19	Cs137 4.6 Bq/kg dry	± 0.8 Bq/kg dry	4.6	Cs137 1.5 Bq/kg dry
			Cs134 — Bq/kg dry	± — Bq/kg dry		Cs134 2.1 Bq/kg dry
Soil①	Shimoyoshima, Yoshima,Iwaki	Dec-19	Cs137 — Bq/kg dry	± — Bq/kg dry	Under Minimum Limit of Detection	Cs137 2.9 Bq/kg dry
			Cs134 — Bq/kg dry	± — Bq/kg dry		Cs134 2.7 Bq/kg dry
Soil②	Shimoyoshima, Yoshima,Iwaki	Dec-19	Cs137 — Bq/kg dry	± — Bq/kg dry	Under Minimum Limit of Detection	Cs137 2.1 Bq/kg dry
			Cs134 — Bq/kg dry	± — Bq/kg dry		Cs134 2.0 Bq/kg dry
Soil	Imaniida, Yoshima,Iwaki	Dec-19	Cs137 14.6 Bq/kg dry	± 2.1 Bq/kg dry	14.6	Cs137 1.7 Bq/kg dry
			Cs134 — Bq/kg dry	± — Bq/kg dry		Cs134 2.8 Bq/kg dry

*"—" used in Measurement Result and Uncertainty shows that the value is below the detection limit.

But it does not necessary mean 0(zero)Bq/kg.

★Gamma-ray

(Bq/kg raw:Weight of raw sample Bq/kg dry:Weight of dried sample)

Samples	Sampling Point	Sampling Month	Measurement Result	Uncertainty	Total Amount of Cesium	Minimum Limit of Detection
Sand of sandbox	Imaniida, Yoshima,Iwaki	Dec-19	Cs137 — Bq/kg dry	± — Bq/kg dry	Under Minimum Limit of Detection	Cs137 1.5 Bq/kg dry
			Cs134 — Bq/kg dry	± — Bq/kg dry		Cs134 1.5 Bq/kg dry
Soil①	Imaniida, Yoshima,Iwaki	Dec-19	Cs137 1310.0 Bq/kg dry	± 140.0 Bq/kg dry	1409.1	Cs137 5.6 Bq/kg dry
			Cs134 99.1 Bq/kg dry	± 13.0 Bq/kg dry		Cs134 6.5 Bq/kg dry
Soil②	Imaniida, Yoshima,Iwaki	Dec-19	Cs137 426.0 Bq/kg dry	± 46.6 Bq/kg dry	452.9	Cs137 2.8 Bq/kg dry
			Cs134 26.9 Bq/kg dry	± 4.5 Bq/kg dry		Cs134 3.9 Bq/kg dry
Soil③	Imaniida, Yoshima,Iwaki	Dec-19	Cs137 225.0 Bq/kg dry	± 25.2 Bq/kg dry	242.5	Cs137 3.7 Bq/kg dry
			Cs134 17.5 Bq/kg dry	± 3.5 Bq/kg dry		Cs134 4.6 Bq/kg dry
Soil④	Imaniida, Yoshima,Iwaki	Dec-19	Cs137 207.0 Bq/kg dry	± 23.1 Bq/kg dry	223.7	Cs137 4.9 Bq/kg dry
			Cs134 16.7 Bq/kg dry	± 3.0 Bq/kg dry		Cs134 6.0 Bq/kg dry
Soil⑤	Imaniida, Yoshima,Iwaki	Dec-19	Cs137 197.0 Bq/kg dry	± 21.5 Bq/kg dry	211.6	Cs137 2.8 Bq/kg dry
			Cs134 14.6 Bq/kg dry	± 2.5 Bq/kg dry		Cs134 3.5 Bq/kg dry
Vacuum cleaner dust (HITACHI paperpack)	Taira shimohirakubo, Iwaki	Jan-19	Cs137 313.0 Bq/kg raw	± 63.0 Bq/kg raw	349.7	Cs137 5.7 Bq/kg raw
			Cs134 36.7 Bq/kg raw	± 8.4 Bq/kg raw		Cs134 5.2 Bq/kg raw
Vacuum cleaner dust①	Kubota,Nakoso, Iwaki	Oct-19	Cs137 200.2 Bq/kg raw	± 22.3 Bq/kg raw	200.2	Cs137 8.3 Bq/kg raw
			Cs134 — Bq/kg raw	± — Bq/kg raw		Cs134 6.4 Bq/kg raw
Vacuum cleaner dust②	Kubota,Nakoso, Iwaki	Oct-19	Cs137 — Bq/kg raw	± — Bq/kg raw	Under Minimum Limit of Detection	Cs137 4.1 Bq/kg raw
			Cs134 — Bq/kg raw	± — Bq/kg raw		Cs134 3.2 Bq/kg raw
Cleaning sheet	Izumigaoka, Iwaki	Dec-19	Cs137 2477.3 Bq/kg raw	± 212.4 Bq/kg raw	2589.3	Cs137 7.7 Bq/kg raw
			Cs134 112.0 Bq/kg raw	± 17.6 Bq/kg raw		Cs134 7.4 Bq/kg raw

※"—" used in Measurement Result and Uncertainty shows that the value is below the detection limit.

But it does not necessary mean 0(zero)Bq/kg.



★Beta-ray

(Bq/Kg raw:Weight of raw sample Bq/Kg dry:Weight of dried sample)

Samples	Sampling Point	Sampling Month	Measurement Result		Uncertainty	Minimum Limit of Detection	
Tap water	Tairashimokabeya, Iwaki	Oct-19	T(Free)	Under Minimum Limit of Detection Bq/L	± — Bq/L	2.02	Bq/L
Tap water	Uchigoojima, Iwaki	Oct-19	T(Free)	Under Minimum Limit of Detection Bq/L	± — Bq/L	2.02	Bq/L
Pine leaves A	Around Genkai Nuclear Power Plant, Fukuoka	Sep-19	T(Organization)	Under Minimum Limit of Detection Bq/Kg dry	± — Bq/Kg dry	1.10	Bq/Kg dry
Pine leaves C	Around Genkai Nuclear Power Plant, Fukuoka	Sep-19	T(Organization)	Under Minimum Limit of Detection Bq/Kg dry	± — Bq/Kg dry	1.43	Bq/Kg dry
Pine leaves C-2	Around Genkai Nuclear Power Plant, Fukuoka	Sep-19	T(Organization)	Under Minimum Limit of Detection Bq/Kg dry	± — Bq/Kg dry	1.19	Bq/Kg dry
Cabbage	Iwaki	Mar-16	Sr90	Under Minimum Limit of Detection Bq/Kg dry	± — Bq/Kg dry	0.17	Bq/Kg dry
Loquat	Onahama, Iwaki	Jun-16	Sr90	0.30 Bq/Kg dry	± 0.10 Bq/Kg dry	0.14	Bq/Kg dry
Dark sleeper (whole)	Onahama-shimokajiro, Iwaki	Nov-15	Sr90	Under Minimum Limit of Detection Bq/Kg dry	± — Bq/Kg dry	0.15	Bq/Kg dry
Spotbelly greenling (whole)	Onahama-shimokajiro, Iwaki	Nov-15	Sr90	Under Minimum Limit of Detection Bq/Kg dry	± — Bq/Kg dry	0.14	Bq/Kg dry
Carp (head, bone)	Naraha, Futaba, Fukushima	Dec-16	Sr90	1.89 Bq/Kg dry	± 0.10 Bq/Kg dry	0.13	Bq/Kg dry
Greenling (head, bone)	Off the coast of Soma, Fukushima	Jul-19	Sr90	Under Minimum Limit of Detection Bq/Kg dry	± — Bq/Kg dry	0.12	Bq/Kg dry
Scallop shell (powder)	Mutsu Bay, Aomori	unknown	Sr90	Under Minimum Limit of Detection Bq/Kg dry	± — Bq/Kg dry	0.31	Bq/Kg dry
Tap water	Onahama-hanabatake, Iwaki	Nov-19	Sr90	Under Minimum Limit of Detection Bq/L	± — Bq/L	0.0010	Bq/L
Tap water	Negishi, Tono, Iwaki	Oct-19	Sr90	Under Minimum Limit of Detection Bq/L	± — Bq/L	0.0010	Bq/L
Tap water	Nishiki, Iwaki	Oct-19	Sr90	Under Minimum Limit of Detection Bq/L	± — Bq/L	0.0010	Bq/L

※The value below Minimum Limit of Detection does not necessary mean 0(zero)Bq/Kg.

